

User Guide

Google Workspace Backup & Recovery



Table of Contents

| 1 | Pref | ace | 3 |
|---|------|---|----------|
| | 1.1 | About this Guide | 3 |
| | 1.2 | Audience | 3 |
| | 1.3 | What's in this Guide | 3 |
| 2 | Crea | ting and Accessing Your Backup Account | 4 |
| | 2.1 | Prerequisites | 4 |
| | 2.2 | Sign Up/Sign In from the CloudAlly Home Page | 4 |
| | 2.3 | Resetting Your Password | 6 |
| 3 | Back | king Up Your Google Workspace Data | 9 |
| | 3.1 | Creating a New Backup Task | 9 |
| | 3.2 | Configuring Backup Settings | 11 |
| | 3.3 | Activating Your Backups | 13 |
| | 3.4 | Removing a Backup | 14 |
| | | 3.4.1 Removing a Backup Task | 14 |
| | | 3.4.2 Removing an Individual user | 15 |
| | 3.5 | Modifying the Settings of an Existing Backup | 16 |
| 4 | Reco | overing Your Backed Up Data | 18 |
| | 4.1 | Using the Recovery Menu | 18 |
| | | 4.1.1 Restore or Download Via Snapshot | 20 |
| | | 4.1.2 Restore or Download Via Item Search | 25 |
| | 4.2 | Tracking Recovery Tasks on the Jobs Page | 26 |
| | | 4.2.1 High-Level Summary | 26 |
| | | 4.2.2 Filtering | 27 |
| | | 4.2.3 Description of Each Job | 28 |
| 5 | Man | aging Your Account | 29 |
| | 5.1 | Viewing Account Activity | 29 |
| | | 5.1.1 System Activity | 30 |
| | | 5.1.2 Security Audit | 31 |
| | 5.2 | Managing Your Account Settings | 32 |
| | | 5.2.1 Account Settings | 33 |
| | | 5.2.2 Canceling Your CloudAlly Subscription | 33 |
| | 5.3 | User Management | 34 |
| | 5.4 | Security Settings | 36 |
| | | 5.4.1 Changing Your Password for Credential-Based Authorization | 36 |
| | | 5.4.2 Two-Factor Authentication | 37 |
| | | 5.4.3 SAML | 38 |
| | | 5.4.4 IP Restrictions | 42 |
| | | 5.4.5 Email Notifications | 47 |
| | 5.5 | Notifications Settings | 47 |



| 6 | Man | naging Subscriptions and Payments | 50 |
|-----|------|-----------------------------------|----|
| | 6.1 | Subscribing to CloudAlly | 50 |
| | | 6.1.1 Monthly Subscriptions | 51 |
| | | 6.1.2 Annual Subscriptions | 51 |
| | 6.2 | Payment Details | 53 |
| | | 6.2.1 Monthly Subscriptions | 53 |
| | | 6.2.2 Annual Subscriptions | 57 |
| | 6.3 | Billing Status | 58 |
| | 6.4 | History | 60 |
| | 6.5 | Billing Notification Messages | 62 |
| 7 F | Help | oful Resources | 63 |
| | 7.1 | About CloudAlly | 63 |
| | 7.2 | Knowledge Base | 63 |
| | 7.3 | Support | 63 |
| | 7.4 | Privacy | 63 |
| | 7.5 | Security | 63 |
| 8 | Supp | port Pages | 64 |
| | | | |

Copyright and Trademark Notice

Copyright © 2023 CloudAlly™. All Rights Reserved. No part of this document may be reproduced in any format, without prior written permission from CloudAlly. Additional information about CloudAlly is available at https://www.cloudally.com. No part of this work may be reproduced or copied in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems—without written permission from the publisher. CloudAlly, the CloudAlly logo and/or other products or services of CloudAlly, are trademarks or registered trademarks of CloudAlly, in the U.S. Patent and Trademark Office and other jurisdictions.

Third-Party Trademarks

Any other marks may be trademarks or registered trademarks of their respective owners. For further information, visit https://www.cloudally.com.



1 Preface

1.1 About this Guide

Thank you for selecting CloudAlly for Google Workspace. Relax! All your Microsoft 365 data is now securely protected with easy recovery from data loss. CloudAlly comprehensively backs up your Microsoft 365 Exchange, OneDrive, SharePoint, OneNote, Teams & Groups data on industry-leading AWS S3 storage. Our product's ethos is to provide feature-rich backup and recovery with security, ease of use, and flexibility woven in.

CloudAlly is cloud-native, a full cloud-to-cloud solution. No installation is required, the setup is hassle-free, backup is easy, and there are flexible recovery and export options. Read on for instructions about how to activate and manage your backups, restore your data by keyword, from any point-in-time, and at any granular/hierarchical level, export your backups to your own storage, activate summary/exception reporting, and set up MFA and other helpful features.

Questions or comments? Please contact us at support@cloudally.com or search our Knowledge Base at https://support.cloudally.com/hc/en-us.

1.2 Audience

This guide is intended for individuals who administer CloudAlly for Google Workspace.

1.3 What's in this Guide

This guide is organized to help you find the information you need to manage CloudAlly for Google Workspace. It is divided into functional parts intended to support you as you manage your environment:

- Creating and Accessing Your Backup Account
- Backing Up Your MS 365 Data
- Recovering Your Backed Up Data
- Filtering and Viewing Drill-Down Details
- Managing Your Account
- Managing Subscriptions and Payments




2 Creating and Accessing Your Backup Account

2.1 Prerequisites


2.2 Sign Up/Sign In from the CloudAlly Home Page

- 1. In your Internet browser, open <u>cloudally.com</u> and click **Login**.
- 2. Click Customers. The Sign In page is displayed.



3. If you don't have an account yet, click **Sign Up.** The *Sign Up* page is displayed.





4. Complete the form, and then click Sign up.

Note: CloudAlly gives you the choice of numerous AWS data centers available in the dropdown menu "Location." These include locations in Australia, Canada, EU (France, Germany, and Ireland), US, UK, and Japan. The ability to choose from a wide range of data centers helps our customers comply with local data sovereignty laws that regulate the physical location and movement of data. In addition, we also offer a "Bring Your Own Storage" (BYOS) option on request. This allows you to backup sensitive data in your own AWS S3 buckets, S3 compatible storage service, Azure, or Google Cloud Platform. Please contact support@cloudally.com for more information.

- 5. Your trial account is created, and an email containing your activation link is sent to your email address. Click on the activation link contained in the email you received to activate your account. If you sign up with Google, Azure, or Okta, the activation link will not be sent to you.
- 6. Once your account is activated, you are redirected to the CloudAlly *login* page. Enter your email address/password and click **Sign In** to login and access your account.


You can also enable Two-Factor authentication to provide additional security. For more information, see Managing Your Account .




2.3 Resetting Your Password

If you do not remember your password, you can easily reset it using the **Password Reset** function.

1. On the sign-in page, click **Forgot your password?** to start the process of resetting your password.



2. The Password Reset page will appear.






- 3. In the Email field, enter the email address that you used to sign up.
- 4. Click **Reset**, and the *Password Reset* window will appear.




The email will look as follows:



5. In the email, click **Reset** CloudAlly **Password** to confirm the password reset, and the *Change Your Password* window will appear.





6. Enter your new password in the **New Password** field and again in the **Confirm New Password** field, and click **Save**.

After resetting the password, you will be directed back to the *Sign In to your* Account.



3 Backing Up Your Google Workspace Data


Google Workspace lacks the daily backup and archiving process necessary for you to restore data after it has been manually or automatically removed from the recycle bin. CloudAlly automated daily Google Workspace backup service ensures that you can both quickly recover data from any point in time as well as export your archives for local storage.

With a few simple clicks, you can activate backups for all or selected users.

3.1 Creating a New Backup Task


To create a new CloudAlly backup task:

- 1. Sign in to your CloudAlly Account, or if you are already signed in, click the **Homepage** option in the Navigation Panel.
- 2. On the Homepage, click + Add Backup Task.






The Activate A New Backup page is displayed:



3. Click **Google Workspace**. The following screen appears.



- 4. Click **Sign in with Google**. You will be directed to the Google Sign In page enter your email/phone, and then your password. Click **Confirm**.
- 5. You will be redirected to the *Backup Settings* page, where you can adjust the settings of the backup.






On this page, you can adjust the backup settings and activate backups for the Google Workspace users. See the sections below for the detailed procedures.

3.2 Configuring Backup Settings

To access the configuration screen, click the settings • icon on the top right side of the screen.



The set of options on this screen enables you to select the backup settings for the user.

- 1. You can change the name of the backup task by clicking .
- 2. The icon to the right of the Google Workspace logo displays whether the application was able to connect to the specified Google Workspace account. If the authentication token granted for the application becomes invalid (e.g., it expires due to inactivity because you put the backup task on pause for a long time), the green Connected icon changes to the red Disconnected. To grant the application a new token, click on the icon to open the authentication dialog, and repeat the authentication process.



- 3. By default, the "Index all data for Search" option is selected, which enables CloudAlly to provide you with its granular search and restore functionality. In the process, your data is temporarily decrypted for a brief period of time, and then re-encrypted once the index is built. If this goes against your company policy and you would like to disable automatic indexing, please contact support@cloudally.com.
- 4. The Automatically activate new users option instructs the system to detect new users, and activate them automatically.
- 5. Backups are automatically archived when an entire site is deleted. The **Retain auto-archived backups** option allows you to retain them for a specified number of days, after which they will be deleted. Otherwise, the backups will be retained indefinitely.

Note: The **Backup Data Center** and **Retention Period** fields are "display only," and their values can't be changed here.

6. The **Backup Data Center** field displays the Data Center location you selected when you signed up with your registration.

The **Retention Period** field displays whether a retention period has been set up. By default, we provide unlimited retention of your daily backups for as long as you maintain your account subscription. You can override this default and specify a retention period in days, months, or years by submitting a support ticket. Backups older than the retention period specified will be automatically deleted.

Note: Your backup storage location cannot be changed once it's been set during the account setup process. Contact CloudAlly if you need to move backups to a different geographic region, or if you'd like more information on our "Bring Your Own Storage" (BYOS) option

7. Backup Frequency and Backup Hour

a. Click the drop-down list adjacent to the Backup Frequency field and select how often you would like the backups to occur. The available options include:




- i. Daily
- ii. Every 3 days
- iii. Weekly
- b. Click the drop-down list adjacent to the **Backup Hour (UTC)** field and select the backup hour. Click **Save**

Note: Adding more frequent backups is possible via a support request.

3.3 Activating Your Backups


Once you have configured your backup settings, you need to **Activate** them, in order for them to begin backing up your data.

1. Scroll down to the bottom of the screen where all of your users are listed.



- 2. Select one or more user(s).
- 3. Click **Action** > **Activate**. The status of your backups will now be "Scheduled." This means that they will be backed up at the time that you selected on the Configuration screen.






4. Alternatively, if you prefer to perform an immediate, on-demand backup, click **Action** > **Backup Now**.

3.4 Removing a Backup

You can delete individual user backups or the entire backup service from your account if you do not want to use them further. The following sections guide you through the process of removing backup services and individual user backups.


3.4.1 Removing a Backup Task

To remove a backup task for a service, on the *Homepage*, click Menu > $\ \ \, \Box$ **Delete Backup** adjacent to the backup task you want to remove.



The **Confirm Delete** pop-up window is displayed with a warning message.






Click **Delete**. The selected backup service is removed from your account.

To prevent mistaken deletions, there is a grace period of 7 days after your backup is deleted.

3.4.2 Removing an Individual user

To remove an individual user:

- 1. Click the backup service from which you want to remove the user. The backup task settings page is displayed.
- 2. Add a check next to the userthat you want to remove. Click **Delete** in the **Actions** menu.



3. A pop-up window is displayed with a list of accounts selected for removal. Click **Delete**. The selected userare removed from your account.




To prevent mistaken deletions, there is a grace period of 7 days after your backup is deleted.

3.5 Modifying the Settings of an Existing Backup

To modify an existing backup task:


1. Click the *Homepage* option from the Navigation Panel. The *Homepage* screen appears.



- 2. Click the Google Workspace icon from the list or enter a keyword in the Search field to find a specific task. The *Google Workspace Backup* page is displayed.
- 3. Click **Settings** on the top-right section of the screen to see the backup settings.



Backing Up Your Google Workspace Data



From here, it is possible to modify the fields described in <u>Configuring Backup Settings.</u>




4 Recovering Your Backed Up Data

4.1 Using the Recovery Menu

The Recovery Menu provides you with options at a fine granularity for selecting which user to restore or export.


To recover your backed up data:

1. Click Recovery from the Navigation Panel. The **Restore & Download** page is displayed with all your active-backup account details.



- 2. Click the Google Workspace backup task from which you wish to recover the data.
- 3. The Restore or Download Google Workspace page is displayed.






This page displays all your Google Workspace domains backed up with the details such as user name, First Backup date, Last Backup date, and available Actions. Your backed-up data is ready for download, from this page.

- You can filter the list using the following options:
 - Filter by statuses such as All, Active, In Process, Not Active, Scheduled, Paused, Backed-up in another task, or Archived, from the drop-down list.
 - Or: search by part or all of the user name.
- Click the arrow icon at the end of the line of the user which you want to restore or export (download).

The Restore or download Google Workspace page is displayed.






- Select the radio button for your preferred restore method:
 - Via Snapshot (see Via Snapshot)
 - Via Item Search (see Via Item Search)

4.1.1 Restore or Download Via Snapshot

- 1. Enter the date range that you would like to restore using the *Data changed from* and *To* fields, and press **Continue**.
- 2. The list of backup snapshots within that date range is displayed. Select the snapshot you want to recover.




- 3. Alternatively, you can click \(\mathbb{Q} \) in the Action column to drill down into the snapshot and view the structure of the backed up data. There you can select one or more items for recovery.
- 4. Once you select a snapshot (if you wish to recover all the data in the backup), or one or more items (if you wish to recover only selected items), the **Restore** and **Download** buttons become available.

4.1.1.1 Restore

If you click **Restore**, you will see different confirmation windows, depending on which sub-service you selected.

Email, Tasks, Contacts or Calendar: You can choose which account you would like to restore the emails, tasks, contents or calendar to.






Documents:

- You can choose to which account to restore the documents.
- You can choose whether to restore the data with the original sharing settings, or not.





The backup data that you selected will be restored to the location that you specified. When the recovery process is complete, a summary will be sent to your email.


You can also check the Jobs page to see the progress of your task. See <u>"Tracking Recovery Tasks on the Jobs Page."</u>

4.1.1.2 Export/Download


If you click **Download**, you will see different confirmation windows, depending on which sub-service you selected.

Email, Tasks, Contacts, and Calendars: The confirmation screen looks as follows:






• Click the drop-down list and select one of the following storage locations:



- Select the export format: Standard .EML or .PST (Email) or .iCAL (Tasks and Calendar) or .VCF (Contacts)
- Check the box to include all deleted items. (Email)
- Documents: The confirmation screen looks as follows. Click the drop-down list to select one of the storage locations.






- 5. Click **OK**. The download instructions are sent to your registered email address. The download link is only valid for 72 hours.
- 6. Or, you can check the *Jobs* page. (See <u>"Tracking Recovery Tasks on the Jobs</u> Page.") When the task is completed, the **Download Results** button will be active.




7. Click **Download Results**, and a page will open, where you can access your backup file.





4.1.2 Restore or Download Via Item Search

- 1. Enter your search criteria for any of these sub-services:
 - a. **Email** Enter a keyword in the Search for field. For advanced search options, click and provide the following details in the drop-down form:
 - From: Enter a name or email address from which the email was received.
 - To: Enter a name or email address to which the email was sent.
 - **Subject**: Enter a keyword that matches any text in the email subject.
 - Date from / Date to: Enter the date range of the emails you would like to restore.
 - b. Contacts: Enter a name in the Search for field.
 - c. Tasks: Enter a keyword in the Search for field.
 - d. **Calendars**: Enter a keyword in the Search for field. For advanced search options, click and provide the following details in the drop-down form:
 - **Description**: Enter all or part of the event description.
 - Owner: Enter the user name or the email address
 - Date from / Date to: Enter the date range of the calendar you would like to restore.





- 2. Click **Continue**. The *Restore or download* page is displayed, showing the search results with details such as . The details columns are different for different types of restored items.
- 3. Select items you would like to restore or download. When at least one item is selected, **Restore** and **Download** become available.
- 4. Follow the instructions in the <u>Restore</u> or <u>Export/Download</u> sections to complete the recovery process.

4.2 Tracking Recovery Tasks on the Jobs Page


The Jobs page provides you with both high-level and drill-down views of your restore and export jobs over the last seven days.

Note: To see the status of your Backups, click the name of the backup from the *Homepage*.

From the Navigation pane, click Jobs.

4.2.1 High-Level Summary

The top portion of the Jobs dashboard summarizes how many of your jobs are in progress, how many have successfully completed, and how many have partially succeeded or failed over the past 7 days.



To see a list of jobs that have any of these 3 statuses, click on the status, and your results will be filtered accordingly



4.2.2 Filtering

The next section allows you to filter by numerous criteria:

- Initiator: Who initiated the backup / restore?
- Activity: Filter by restores or exports.
- Service: Filter by one of the following services, such as:
 - Microsoft Exchange
 - Microsoft SharePoint
 - Microsoft Groups / Teams
 - Microsoft OneDrive
 - Google Workspace
 - Google Shared Drives
 - Salesforce
 - Box
 - Dropbox
 - Google Account
 - IMAP
- Status: Filter by one of the following:
 - In progress
 - Succeeded
 - Partially succeeded
 - Failed
 - Pending
 - Canceled
- Search by Task: Filter by a task, such as:
 - MS Exchange
 - Teams/Groups
 - One Drive
 - Sharepoint



If you choose to filter using a particular service, then you can focus on a specific item in the search bar. You can also order by:

- Latest First
- Oldest First

4.2.3 Description of Each Job

- The rest of the screen provides a detailed description of each individual job that you ran.
 - **Type of Job**: Export, or Restore this appears as a large title within each job description.
 - Name, Service, and Account of the job.
 - Start date, backup date, initiator, destination, total items backed up or restored, and the size of the file(s).
- Cancel enables you to stop a job that is in progress.
- Download Results enables you to download a zip file with your recovery data.
- View Log redirects you to the System Activity page, which displays your account activity with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.

This page enables you to filter and search the list of backup tasks, export the list as a CSV file, and view more details on any backup task.

The latter can be achieved by clicking ① in the Activity column. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution:




5 Managing Your Account

This section guides you through the processes of managing your Account activity, account settings, password, setting up two-factor authentication, and managing users.

5.1 Viewing Account Activity


The Activity menu enables you to view your account activity, including System Activity and Security Audit. Click *Activity* on the navigation pane.






5.1.1 System Activity

Click **System Activity**.



The *System Activity* page displays your account activity, with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.





This page enables you to filter and search the list of backup tasks, export the list as a CSV file, and view more details on any backup task. The latter can be achieved by clicking ①. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution:




5.1.2 Security Audit

The Security Audit page provides information about all the security-related actions that have happened in your account. The user activity that is displayed includes:

- Backup deleted
- User deactivated
- Settings changed
- Sign-in success or failure
- Permissions changed
- Notifications.

The page includes the date of the event, the type of activity, the service involved, the status of the activity, the account performing the activity, and the description.






The Security Audit table can be exported as a CSV file by clicking Export.

5.2 Managing Your Account Settings

The Settings page provides you with tools to control both your account and the accounts of users whose external credentials are linked to your account. The Settings section consists of the following sub-sections:

- Account
- User Management
- Security
- Notifications

You can find more details on each of the Settings pages below.






5.2.1 Account Settings

This page allows you to change the name of your account and the email address. You can only change the Data Center Location by contacting CloudAlly support. Finally, this page also allows you to terminate your account.

To update or change your account details:

From the Navigation Panel, click Settings and then click **Account** . The *Settings* > *Account* page is displayed.



You can update the Account Name and/or Email.


Click SAVE.

5.2.2 Canceling Your CloudAlly Subscription

To cancel your subscription:

- 1. Select the check adjacent to the "I approve the removal of my data from CloudAlly" field and click **REMOVE ACCOUNT**.
- 2. The Are you sure? pop-up window is displayed with a confirmation request.
- 3. Click YES to confirm the cancellation.






Note: To prevent mistaken deletions, there is a grace period of 7 days after your account is terminated. After the grace period, if your account is not reactivated, all data from all your backups will be deleted.

5.3 User Management


The page provides tools for fine-level control of the permissions and access levels of your users.



Click + Add new user to create a new user and start the configuration procedure for that user, or / to edit an existing user's settings. The settings include the operations permitted to the user and the list of available services:

Note: Selecting the role "Administrator" enables permissions to all services and operations.






To save changes, scroll to the bottom of the page and click **SAVE**.

You will be returned to the Settings page. To complete the process, the user must confirm their email address using the link sent via email. This is a security measure, which ensures that the user's email address is valid.

The link is valid for 24 hours. If they did not confirm within this time period, or did not receive the confirmation email, click **Resend Email Confirmation**.





5.4 Security Settings

The Security Settings page enables you to:



- Update your password
- Set up two-factor authentication

The bottom section allows you to enforce certain security policies for your users' accounts.




- With the **Enforce Two-Factor Authentication** option, you can make two-factor authentication mandatory for all the users in your account.
- By setting the Password Expiration, you can enable the password expiration option for all your users – you will be also be asked for the number of days before the users' passwords expire.

5.4.1 Changing Your Password for Credential-Based Authorization

You can change your existing account password by performing the following procedure:

- 1. From the **Settings** >**Security** page, in the Personal Password Policies panel, click **Change Password**.
- 2. The Change password pop-up is displayed.






- 3. Enter the current password in the *Current Password* field.
- 4. Enter the new password in the New Password field.
- 5. Re-enter the new password in the Confirm New Password field.
- 6. Click SAVE. You can now use this password to access your account.

5.4.2 Two-Factor Authentication

Two-factor authentication provides additional security to your account and your backup data.

To enable two-factor authentication:

1. Click **Activate 2FA**. The Two-Factor Authentication page is displayed.





- 2. Download an Authenticator app, depending on your platform.
- 3. Open the Authenticator app and add your account by scanning the QR code provided in the web application.
- 4. If you cannot use a QR code, then enter the text code provided in the web application.
- 5. A six-digit code is generated.
- 6. Click **NEXT**.
- 7. Enter the 6-digit code that the application generated.
- 8. Click **ENABLE** to complete the process of activating the Two-factor authentication.

From now on, every time you sign in to your Account, you are asked to enter a 6-digit code from your authentication app, after you click **SIGN IN**. Click **VERIFY** to verify the code and access the application.

5.4.3 SAML

The Security Assertion Markup Language (SAML) is an open federation standard that allows an identity provider (IdP) to authenticate users and then pass an authentication token to another application known as a service provider (SP).

CloudAlly supports Okta as its SAML provider.


There are two steps to setting up Okta so that you can use it to log in to CloudAlly:

- Setting up Okta in the CloudAlly application
- Setting up CloudAlly in the Okta Application


5.4.3.1 Setting up CloudAlly in the Okta Application

 In the Okta application, click Applications > Applications > Browse App Catalog.






In the search bar, enter CloudAlly.




 Click the triangle next to CloudAlly SAML 2.0, and Assign to Users or to Groups.




Click CloudAlly SAML 2.0, and on the next page, click the General tab.





Scroll down until you see the **App Embed Link** section. Copy the URL that is displayed - you will need this to set up Okta in the CloudAlly app.



5.4.3.2 Setting Up Okta in the CloudAlly Application

1. From the Homepage, click **Settings** in the Navigation panel.





2. On the Settings page, click **Security**.



3. Click the SAML tab.




4. Paste the URL that you copied from the Okta site.





- 5. Click Activate.
- 6. Read the text in the next window, and click Confirm.



After clicking Confirm, the Activate state (top right corner of the screen) changes from **Email & Password: Active** to **SAML: Active**.



5.4.4 IP Restrictions

Need fine-grained access control of your endpoints? You can restrict access to the Portal based on the users' IP addresses. This is especially helpful to enforce security policies and prevent unauthorized access by limiting backup/restore



Managing Your Account

requests to company-approved IP addresses, such as an office IP, or a particular VPN.

Setting Up IP Restrictions

To enable IP restrictions in your account, first create the list of trusted IP addresses.

IMPORTANT!


It is strongly recommended to use this feature only if you have a static IP address, to prevent users from being locked out.

1. In the Settings panel, click Security, and then IP Restrictions.




- 2. Click + Add IP Address.
- 3. Enter one or more IP addresses:
 - a. Enter individual addresses separated by commas, and an optional description.






b. Or, enter a one or more ranges of contiguous addresses, and an optional description. Multiple ranges could be used to accomodate VPN and internal networks.



4. Once you enter at least one address, the **Trusted IP Addresses** toggle will be turned on. You can always return to disable IP restrictions later on.



You can edit your list of addresses by clicking \mathcal{P} , or delete ones that you no longer want on your trusted list by clicking $\hat{\mathcal{T}}$.


Note: If you forget to include your own IP address on the trusted list, IP restrictions cannot be enabled.

Your CloudAlly account is now protected from access by users who are not on your list.

Blocking Access

If a user tries to access your CloudAlly account from an untrusted IP address, the following "access denied" error message will appear:








Managing Your Account

5.4.5 Email Notifications

Whenever you enable or disable IP restrictions, or modify the addresses, CloudAlly will send you an email notification, letting you know what has changed.



5.5 Notifications Settings


This menu option enables you to manage your system notifications.

From the Navigation Panel, click **Settings** > **Notifications**.





The following screen will appear:



The top of the screen enables you to configure the following options:

- Report Format: Backup tasks overview vs. backup failure details
- CSV Attachment vs. Download Link
- Report Frequency: daily, weekly or monthly
- Send the report only in case of backup failure

To set up a new recipient:

- 1. Click + Add new recipient.
- 2. Enter the Email of the recipient and the Display name. The Display name is used in the report email to address the recipient.



- 3. Select the desired notification types:
 - a. Summary Report
 - b. Recovery Notification
 - c. Exceptions Notification
 - d. Auto Discovery Notification
 - e. Smart Alerts
- 4. Click **SAVE** to create the new recipient. You may need to scroll to the bottom of the page to find **SAVE**.






6 Managing Subscriptions and Payments

6.1 Subscribing to CloudAlly

Once the trial period has ended, you need to subscribe to CloudAlly to access and manage your backups, otherwise your backed up data will be deleted.

To subscribe to a plan:

1. Click the Subscribe link displayed in your account. Alternatively, you can click the Billing option of the Navigation Panel.



The *Review Billing* page is displayed with the option to select either **MONTHLY** or **ANNUAL** billing options.

Note: You can subscribe before the end of the trial period, and the payment period will start after the trial period is over.

2. Click MONTHLY or ANNUAL, depending on your preference.

You are redirected to the *Payment Details* page. Fill in the billing and credit card details to finish the subscription process. Refer to <u>Payment Details</u> for more information.



6.1.1 Monthly Subscriptions

When you subscribe to a monthly plan, the credit card that you registered in the *Billing > Payment Details* page will be charged the amount that you owe.

CloudAlly's billing is handled by a PCI-compliant payment processor.

To finalize your subscription, enter your credit card details and general billing information, and then click **Subscribe**.

The initial payment will be charged at the end of your 2-week trial period.

A receipt will be emailed to you each month after you are charged.

If CloudAlly is unable to charge your credit card (e.g., because it has expired), you will be notified by email. Additionally, a message will appear in the application that you need to go to the *Billing Status* page so you can review your billing details, and then update your credit card information if necessary.

Note: The payment status is updated every 24 hours, so if you update your credit card details but the reminder is still there, check again tomorrow.



Note: The monthly payments are processed automatically once you provide the required information in the Payment Details section, and it has been verified that your credit card is valid. To disable automatic payment processing, please contactCloudAlly support. Instead, you will start receiving monthly invoices for the payments.

6.1.2 Annual Subscriptions

When you subscribe to an annual plan, you will receive a confirmation message that your request has been submitted, and then CloudAlly support will send you an email, asking that you confirm your annual subscription request.



Once you have confirmed, CloudAlly will email an invoice to you, payable in 30 days by credit card, PayPal, or bank transfer.

After the initial payment, CloudAlly will send you an invoice 30 days before your payment is due, in 11 months. You will also be reminded that your annual subscription is due online:

Note: The payment status is updated every 24 hours, so if you update your credit card details but the reminder is still there, check again tomorrow.




Should you fail to make your annual payment, you will be reminded with a message like this:



After you finalize your subscription, the *Billing > Payment Details* page displays additional billing management options and provides a brief summary of the payment information for the current period and the next payment date.




6.2 Payment Details



The Payment Details page contains the information used for billing.

6.2.1 Monthly Subscriptions


If you have chosen a monthly payment plan, you can update your credit card and billing details here:





6.2.1.1 Add New Card

The **ADD NEW CARD** option enables you to define your card information for a monthly subscription payment.



To create a new payment method:

- 1. Click ADD NEW CARD.
- 2. Enter the card details such as Card Number, CVV, Card holder's name, and card expiry date.
- 3. Click ADD NEW CARD.


The new card information is saved and activated, and you can use this card.



6.2.1.2 Change Payment Method

To change your existing payment method:

- 1. Click the drop-down list and select the payment method from the Cards Number drop-down list.
- 2. Click the payment method from the list (the screen shot below depicts choosing a different credit card).
- 3. Click **ACTIVATE CARD** to set the selected card as the preferred payment method.




The details section displays billing information such as Currency, Title, Name, and Billing email.

4. Scroll down for more fields in the Billing details section. The Company Tax ID field indicates your company tax ID. (This is mandatory for Israeli companies.)

Note:

Due to Value-added tax (VAT), Israeli companies must include their Tax ID. Therefore, the Company Tax ID field is mandatory for Israel, and if this field is not completed, our company will not be able to provide you with backup services.





- 5. Update the required fields. The fields marked with the * symbol are mandatory.
- 6. Click **UPDATE BILLING DETAILS**.
- 7. The updates are saved.


At the bottom of the page, you can choose whether you want to receive the Invoices or Receipts as a link or as an attachment to the email.

Note: You can change the billing currency by contacting CloudAlly support.



6.2.2 Annual Subscriptions

If you have chosen an annual payment plan, you can update your billing details here. When you are done, click **SAVE**.







6.3 Billing Status

Annual Subscription

When you have paid your annual subscription, this page displays the next payment forecast for the upcoming payment date. The details include Service type and backup name, Quantity, Unit Price, and the Total Amount.



If you have neglected to pay your annual subscription, the status will look like this:




You can click **Pay Invoice**, and you will be directed to the following screen, where you can pay your invoice via PayPal or by credit card:





Monthly

Similarly, if you neglected to pay your monthly subscription fee, the status will look as follows:



From here, click **Update credit card details** and provide the new information.



6.4 History

This page displays the history of payments.



By clicking on the reference number, you can download the receipt, which provides details about the number of backed-up accounts or the amount of stored data, and the total amount paid. It also displays the payment method used.

An example of a receipt is displayed below.





To: pizza-perfecto.com - PPV001

CloudAlly Ltd.

Pizza Perfecto Ltd 18 Mozarella Lane United Kingdom ID 307 123 08 Tax ID: 514596667 12 Harimon st., Gan Hayyim 4491000, Israel

www.cloudally.com accounting@cloudally.com

Invoice / Receipt 51646

Certified Copy

26 Apr 2021

Invoice / Receipt for admin@pizza-perfecto.com, 1 year backup starting April 22, 2021, GBP

| QTY | Description | Price | Total |
|-----|-------------------|---------------|--------------|
| 70 | Dropbox 696.56 GB | 16.25 GBP | 1,137.50 GBP |
| | | Subtotal | 1,137.50 GBP |
| | | VAT 0% | 0.00 GBP |
| | | Total payable | 1.137.50 GRP |

Payments Details

| Туре | Description | Date | Amount |
|--------|--|---------------|--------------|
| PayPal | Account 12345678 / Transaction # 987654321 | 26 April 2021 | 1,137.50 GBP |
| | | | |

Total 1,137,50 GBP

崇

Invoice / Receipt for Proforma Invoice 11392 Paid with PayPal Merchant Account: KQMTW2PHR5CUG

Signature:

CloudAlly Ltd c.n 514596667

Secured Electronic Signature
Digital Document Signed by Green Invoice

Created 26/04/2021 16:29 | Invoice / Receipt 51646 | page 1 of 1




6.5 Billing Notification Messages

Administrators can define whether individual users will see the Billing Notification Messages on their screens (e.g., Payment Due, Payment Overdue, Payment Failed).

To turn notifications on or off:

- 1. From the Navigation Panel, click Settings > User Management.
- 2. For an existing user, click the pencil icon of to the right of the user's name. For a new user, the notification options will appear when you define the new user's details.
- 3. Click "View billing notification messages" on or off.





7 Helpful Resources

7.1 About CloudAlly

Founded in 2011 as one of the world's first cloud-to-cloud backup services for Google Apps and Salesforce, CloudAlly led the industry with the first commercially available Microsoft cloud backup in Q1 2014. ISO 27001 and HIPAA certified CloudAlly adheres to industry-standard best practices for information security management, including EU-GDPR compliance.

7.2 Knowledge Base

Search through articles in our Knowledge Base at https://support.cloudally.com to find answers to the most common user questions.

7.3 Support

Support - If you have any question or need further help, do not hesitate to contact us via email at support@cloudally.com. or visit our customer support hub: https://support.cloudally.com

7.4 Privacy

CloudAlly takes privacy seriously. Read our Privacy Policy at https://www.cloudally.com/privacy-policy


7.5 Security

CloudAlly provides a secure online backup solution with internationally recognized accreditation for information security management. Read how we protect your data at https://www.cloudally.com/resources/secure-saas-backup/



8 Support Pages

The Support option at the bottom of the Navigation Panel redirects you to our support hub. In the support hub, you can find articles covering some of the most common questions and providing instructions.



CloudAlly provides multi-channel support options:

Phone Numbers:

USA: +1 (424) 304-1959

AU: +61 2 8599 2233

UK: +44 114 303 2758

Email Addresses:


General Inquiries: Info@cloudally.com

Customer Support: Support@cloudally.com

Sales: Sales@cloudally.com

Open a ticket and the support team will contact you to help you with any question or problem.





Browse the articles, instructions, and tutorials in the Help Topics section. These materials are especially useful for new users as they explain the settings and procedures of backup activation, management, and recovery.

