

# **User Guide**

# Google Workspace Backup & Recovery

GWS UG-CE 24.4.1

# **Table of Contents**

1	Prefa	ace	4
	1.1	About This Guide	4
	1.2	Audience	4
	1.3	What's in This Guide	4
2	Crea	ting and Accessing Your Backup Account	6
	2.1	Sign Up/Sign In from the CloudAlly Home Page	6
	2.2	Resetting Your Password	8
3	Back	ing Up Your Google Workspace Data	12
	3.1	Creating a New Backup Task	12
	3.2	Configuring Backup Settings	14
	3.3	Activating Your Backups	16
	3.4	Bulk Activation	18
	3.5	Securing Your Backups	20
	3.6	Deleting a Backup	22
		3.6.1 Deleting a Backup Task	22
		3.6.2 Deleting an Individual user	23
	3.7	Usage Reports	23
	3.8	Modifying the Settings of an Existing Backup	24
4	Reco	overing Your Backed Up Data	26
	4.1	Using the Recovery Menu	26
		4.1.1 Restore or Download Via Snapshot	27
		4.1.2 Restore or Download Via Item Search	32
	4.2	Tracking Recovery Tasks on the Jobs Page	33
		4.2.1 High-Level Summary	34
		4.2.2 Filtering	34
		4.2.3 Description of Each Job	35
5	Com	pliance	37
	5.1	Delete Backed Up Data: GDPR's "Right to Be Forgotten" Option	37
6	Filte	ring and Viewing Drill-Down Details	40
	6.1	Filtering by user	40
		6.1.1 Filtering Using Names or Statuses	41
		6.1.2 Filtering Using Tags	41
		6.1.3 Creating a New Tag	41
		6.1.4 Filtering by Tag	42
		6.1.5 Actions	42
	6.2	Viewing Backup Statistics with the Drill-down Feature	43
7	Man	aging Your Account	45
	7.1	Viewing Account Activity	45
		7.1.1 System Activity	



		7.1.2 Security Audit	48
	7.2	Managing Your Account Settings	
		7.2.1 Account Settings	
		7.2.2 Canceling Your Subscription	
	7.3	User Management	51
		7.3.1 Adding a New User	52
	7.4	Security Settings	53
		7.4.1 Changing Your Password for Credential-Based Authorization	54
		7.4.2 Two-Factor Authentication	54
		7.4.3 SAML	55
		7.4.4 IP Restrictions	60
		7.4.5 Email Notifications	64
	7.5	Notifications Settings	64
	7.6	Integrations	66
		7.6.1 Splunk	66
		7.6.2 Which Events are Sent to Splunk?	67
		7.6.3 Pre-requisite: Setting Up Your Splunk Account	67
		7.6.4 Setting Up Splunk in the Portal	69
		7.6.5 RMM/PSA	70
		7.6.6 API	71
		7.6.7 Next Steps	73
8	Man	aging Subscriptions and Payments	74
	8.1	Subscribing to CloudAlly	74
		8.1.1 Monthly Subscriptions	74
		8.1.2 Annual Subscriptions	75
	8.2	Payment Details	
		8.2.1 Monthly Subscriptions	76
		8.2.2 Annual Subscriptions	80
	8.3	Billing Status	80
	8.4	History	83
	8.5	Billing Notification Messages	85
9	Help	ful Resources	
	9.1	About CloudAlly	
	9.2	Knowledge Base	86
	9.3	Support	
	9.4	Privacy	
	9.5	Security	
10	Supp	ort Pages	
		-	

#### Copyright and Trademark Notice

Copyright ©2024 CloudAlly™. All Rights Reserved. No part of this document may be reproduced in any format, without prior written permission from CloudAlly. Additional information about CloudAlly is available at https://www.cloudally.com. No part of this work



# Google Workspace Backup and Restore User Guide

Table of Contents

may be reproduced or copied in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems—without written permission from the publisher. CloudAlly, the CloudAlly logo and/or other products or services of CloudAlly, are trademarks or registered trademarks of CloudAlly, in the U.S. Patent and Trademark Office and other jurisdictions.

#### Third-Party Trademarks

Any other marks may be trademarks or registered trademarks of their respective owners. For further information, visit https://www.cloudally.com.



# 1 Preface

# 1.1 About This Guide

Thank you for selecting CloudAlly for Google Workspace. Relax! All your Google Workspace data is now securely protected with easy recovery from data loss. CloudAlly comprehensively backs up your data on industry-leading AWS S3 storage. Our product's ethos is to provide feature-rich backup and recovery with security, ease of use, and flexibility woven in.

CloudAlly is cloud-native, a full cloud-to-cloud solution. No installation is required, the setup is hassle-free, backup is easy, and there are flexible recovery and export options. Read on for instructions about how to activate and manage your backups, restore your data by keyword, from any point-in-time, and at any granular/hierarchical level, export your backups to your own storage, activate summary/exception reporting, and set up MFA and other helpful features.

Questions or comments? Please contact us at support@cloudally.com or search our Knowledge Base at https://support.cloudally.com/hc/en-us.

# 1.2 Audience

This guide is intended for individuals who administer CloudAlly for Google Workspace.

# 1.3 What's in This Guide

This guide is organized to help you find the information you need to manage CloudAlly for Google Workspace. It is divided into functional parts intended to support you as you manage your environment:

- Creating and Accessing Your Backup Account
- Backing Up Your Data
- <u>Recovering Your Backed Up Data</u>
- <u>Compliance</u>
- Filtering and Viewing Drill-Down Details



- Managing Your Account
- Managing Subscriptions and Payments



# 2.1 Sign Up/Sign In from the CloudAlly Home Page

- 1. In your Internet browser, open <u>cloudally.com</u> and click **Login**.
- 2. Click **Customers**. The Sign In page is displayed.

	Free Trial
Sign In to your Account Don't have an account? Sign up	
Emuil	
Pasaword	
Tornat your, Analysis (2	
, Bartin	
G Sign In with Google	
Sign in with Google	
O Sign in with Okta	
Terms of Service and Privacy Statement	
powered by aWS	

3. If you don't have an account yet, click **Free Trial.** The *Sign Up* page is displayed.

CLOUD/LLY Stads Data Protection Platform	* na 🚺
#1SasDataProtection Platform Gener Boolba, Sharin Souton ● 1Sayren Fiel ● 1Sayren Fiel ● 1Sabren Fiel ● 1	14 Day Free Trial         Interim       Interim         Interim

4. Complete the form, and then click Sign up.



- Note: CloudAlly gives you the choice of numerous AWS data centers available in the dropdown menu "Location." These include locations in Australia, Canada, EU (France, Germany, and Ireland), US, UK, South Africa, India, and Japan. The ability to choose from a wide range of data centers helps our customers comply with local data sovereignty laws that regulate the physical location and movement of data. In addition, we also offer a "Bring Your Own Storage" (BYOS) option on request. This allows you to backup sensitive data in your own AWS S3 buckets, S3 compatible storage service, Azure, or Google Cloud Platform. Please contact support@cloudally.com for more information.
- 5. Your trial account is created, and an email containing your activation link is sent to your email address. Click on the activation link contained in the email you received to activate your account. If you sign up with Google, Azure, or Okta, the activation link will not be sent to you.
- 6. Once your account is activated, you are redirected to the CloudAlly *login* page. Enter your email address/password and click **Sign In** to login and access your account.

**Note:** You can also enable Two-Factor authentication to provide additional security. For more information, see Managing Your Account .

7. After you log in, you will see the following screen, enabling you to begin creating your backup tasks:



	Microsoft 365								
s									
SharePoint	Exchange Teams	OneDrive							
	Google								
Box	Dropbox Business/Professional	Salesforce							

# 2.2 Resetting Your Password

If you do not remember your password, you can easily reset it using the **Password Reset** function.

1. On the sign-in page, click **Forgot your password?** to start the process of resetting your password.




	Sign In to your Account
	Don't have an account? Sign up
bob.smith@	∂ca4software.onmicrosoft.com
Password	ŝ
Forgot your pass	word2
	Sign In
	or
G	Sign In with Google
	Sign In with Microsoft
0	Sign In with Okta

2. The Password Reset page will appear.

Passwo	ord Reset
	password, enter s you signed up with
Email	
R	leset
ign in	Sign u

- 3. In the Email field, enter the email address that you used to sign up.
- 4. Click **Reset**, and the *Password Reset* window will appear.





The email will look as follows:

COUDALLY an opentext company	CloudAlly.com
CloudAlly Backup Password Change Request	<b>(</b>
Hi, Adəm Smith,	
Account ID: adam_smith@cloudally.com	
A request to reset your Clou been made by: adam_smith@	
If you approve this request, please click th the password reset.	e following link to complete
Reset CloudAlly Password	

5. In the email, click **Reset CloudAlly Password** to confirm the password reset, and the *Change Your Password* window will appear.



Fill-in the new passwor	rd
New Password	ø
Confirm New Password	Ø
Save	

6. Enter your new password in the **New Password** field and again in the **Confirm New Password** field, and click **Save**.

After resetting the password, you will be directed back to the *Sign In to your Account*.



# 3 Backing Up Your Google Workspace Data

Google Workspace lacks the daily backup and archiving process necessary for you to restore data after it has been manually or automatically removed from the recycle bin. CloudAlly's automated daily backup of your Google Workspace data ensures that you can both quickly recover data from any point in time as well as export your archives for local storage.

With a few simple clicks, you can activate backups for all or selected users.

# 3.1 Creating a New Backup Task

#### To create a new backup task:


- **Note:** If you wish to back up data in a Shared Drive, you'll need to create a separate Google Shared Drive backup task. Google Workspace only backs up data in My Drive.
- 1. Sign in to your account, or if you are already signed in, click the **Homepage** option in the Navigation Panel.

	( O Search									8
말 obs	9 Backups								( )	Add Backup Task
9										
overy	MS Exchange Microsoft Exchange		Groups/Teams Microsoft Groups	i de 🦉	SharePoint / Microsoft SharePoi	ent.	Microsoft OneDrive	4	G Google Work Google Worksp	space 🤌 🥔
8 svity	Succeeded		Succeeded		Succeeded		Succeeded		Succeeded	
	Total Mailboxes	12	Total Groups / Teams	19	Total Sites	22	Total Sites	8	Total Users	39
() tingt	Active Mailboxes	12	Active Groups / Teams	3	Active Sites	2	Active Sites	8	Active Users	39
	Total Size	53.19 MB	Total Size	499.64 KB	Total Size	73.00 MB	Total Size	17.83 MB	Total Size	133.04 GB
	Last Snapshot	6 hours ago	Last Snapshot	4 hours ago	Last Snapshot	3 hours ago	Last Snapshot	2 hours ago	Last Snapshot	11 hours ago
	Next Backup	In 18 hours	Next Backup	In 20 hours	Next Backup	In 20 hours	Next Backup	In 20 hours	Next Backup	In 13 hours
	G Recovery	Backup Now	G Recovery	Backup Now ]	G Recovery	ickup Now	S Recovery	up Now 1	S Recovery	Backup Now
	Google Share	d Drives 🤌 🥜	Salesforce San Salesforce	ndbox 🧖 🍦	box Box #		Dropbox Business	x		
	Succeeded		Succeeded		Succeeded		Succeeded			
	Total Drives	28			Total Users	11	Total Users / Team folders	81		
	Active Drives	28	Total Seats	4	Active Users	11	Active Users / Team folders	81		
	Total Size	2.68 GB	Total Size	24.72 MB	Total Size	97,15 GB	Total Size	103.02 GB		
	Last Snapshot	9 hours ago	Last Snapshot	14 days ago	Last Snapshot	12 hours ago	Last Snapshot	7 hours ago		
	Next Backup	In 15 hours	Next Backup	In 4 hours	Next Backup	In 12 hours	Next Backup	In 17 hours		
	S Recovery	Backup Now	@ Recovery	Backup Now	@ Recovery ( 7 Ba	ckup Now	A Recovery	up Now		

2. On the Homepage, click + Add Backup Task.



#### The following page is displayed:



3. Click Google Workspace. The following screen appears.

Enter your admin details	
Make sure to sign in to your Google Workspace administrator accou Google" button. On the next step you will need to select the correct Use of information received from Google APIs as part of the cloud-to adheres to Google API Services User Data Policy, including the Limite	: Google account to proceed with. :o-cloud backup operation,
Cancel	<b>G</b> Sign in with Google



4. Click **Sign in with Google**. You will be directed to the Google Sign In page - enter your email/phone, and then your password. Click **Confirm**.

**Note:** CloudAlly will automatically back up data both in your primary and secondary Google domains.

5. You will be redirected to the *Backup Settings* page, where you can adjust the settings of the backup.

C Homepage	cloudiox.com 🖉				
)obs	G (Connected #				0
© Recovery	Backup Settings				
8 Activity	The automatic addition/deletion of an account, site, domain, table or drive can affect your monthly or annual billing amount				
~	😥 Index all data for Search 😧	Backup Datacenter	0	Retention Period	0
© Settings	Automatically activate new users 🔘				
		Backup Frequency		Backup Hour (UTC)	
	Retain auto-archived backups for days before deleting 0	Dally		3:00	
					Concel Sove

On this page, you can adjust the backup settings and activate backups for the Google Workspace users. See the sections below for the detailed procedures.

# 3.2 Configuring Backup Settings

To access the configuration screen, click the gear-shaped settings icon.

Backup Datacenter	
	Retention Period
tings	- v / Untimited
Automatically activate new users  Backup Frequency Backup Frequency	Backup Hour (UTC)
Retain auto-archived backups for days before deleting	v 3:00



- 1. You can change the name of the backup task by clicking the pencil icon.
- 2. The icon next to the Google Workspace logo displays whether the application was able to connect to the specified Google Workspace account. If the authentication token granted for the application becomes invalid (e.g., it expires due to inactivity because you put the backup task on pause for a long time), the Connected icon changes to Disconnected. To grant the application a new token, click on the icon to open the authentication dialog, and repeat the authentication process.
- 3. By default, the "Index all data for Search" option is selected, which enables CloudAlly to provide you with its granular search and restore functionality. In the process, your data is temporarily decrypted for a brief period of time, and then re-encrypted once the index is built. If this goes against your company policy and you would like to disable automatic indexing, please contact support@cloudally.com.
- 4. The Automatically activate new users option instructs the system to detect new users, and activate them automatically.
- 5. Backups are automatically archived when an entire site is deleted. The **Retain auto-archived backups** option allows you to retain them for a specified number of days, after which they will be deleted. Otherwise, the backups will be retained indefinitely.

**Note:** The **Backup Data Center** and **Retention Period** fields are "display only," and their values can't be changed here.

6. The **Backup Data Center** field displays the Data Center location you selected when you signed up with your registration.

The **Retention Period** field displays whether a retention period has been set up. By default, we provide unlimited retention of your daily backups for as long as you maintain your account subscription. You can override this default and specify a retention period in days, months, or years by contacting CloudAlly support. Backups older than the retention period specified will be automatically deleted.



**Note:** Your backup storage location cannot be changed once it's been set during the account setup process. Contact CloudAlly support if you need to move backups to a different geographic region, or if you'd like more information on our "Bring Your Own Storage" (BYOS) option.

#### 7. Backup Frequency and Backup Hour

- a. Click the drop-down list adjacent to the **Backup Frequency** field and select how often you would like the backups to occur. The available options include:
  - i. Daily
  - ii. Every 3 days
  - iii. Weekly
  - iv. 3 times a day
- b. Click the drop-down list adjacent to the **Backup Hour (UTC)** field and select the backup hour. Click **Save**.
- **Note:** 3x daily backups might be subject to additional charges. Please contact CloudAlly support or your sales representative if you have any questions before changing the backup frequency.

# 3.3 Activating Your Backups

Once you have configured your backup settings, you need to **Activate** them, in order for them to begin backing up your data.

1. Scroll down to the list of users.



Jobs								
								۲
lecovery Acovry	4 Total Users Active Paused Archived							٢
(C) Settings	O Search by account hame or email	( 🐨 Filter by tag			Status	Togs -	Action	
	Username	© Email	0 Tags	Status 0	Backup Size 🔅	Last Backup	Backup	
	Agata Brown	Agata.Brown@ca4software.onmicrosoft.com		<ul> <li>Not Active</li> </ul>	0 Bytes	Never	-	v
	Alex Duglas	Alex.Duglas@ca4software.onmicrosoft.com		<ul> <li>Not Active</li> </ul>	0 Bytes	Never	<b>(</b>	v
	Bob Smith	bob.smithi@ca4software.onmicrosoft.com		<ul> <li>Not Active</li> </ul>	0 Bytes	Never	-	v
	Charles Wilson	Charles.Wilson@ca4software.onmicrosoft.com		O Not Active	0 Bytes	Never	<b>G</b>	v

- 2. Select one or more user(s).
- 3. Click Action > Activate. The status of your backups will now be "Scheduled." This means that they will be backed up at the time that you selected on the Configuration screen.


sbs B	G	Connected @							٢
overy	4 Total I Active Paulo	Users ed Archived						(	٢
) inp	4 Search	h by account name or email	😇 Filter by tag			Status	V Togs V	Action	-
	us 🧹	ername	C Email	: Tags	Status ‡	Backup Size 🔅	Last Backup 💲	Activat  Activat  Pause  Backup	
	e de	ata Brown	Agata Brownijica4software.onmicrosoft.com		Not Active	0 Bytes	Never	👚 Delete	
	e ele	rx Duglas	Alex.Duglasi@ca4software.onmicrosoft.com		O Not Active	0 Bytes	Never	6	~
	Bai	& Smith	bob.smith@ca4software.onmicrosoft.com		O Not Active	0 Bytes	Never	₿	V
	ch	aries Wilson	Charles.Wilson@ca4software.onmicrosoft.com		O Not Active	0 Bytes	Never	6	~
1		arfes Wilson	Charles.Witson@ca4software.onmicrosoft.com		Not Active	0 Bytes	Never	G	

4. Alternatively, if you prefer to perform an immediate, on-demand backup, click **Action** > **Backup Now**.

If you forget to activate any of your backups, there will be an indicator on the Homepage that reminds you:

Visit our <u>Customer Support Hub</u>





# 3.4 Bulk Activation

Google Workspace administrators often set up "organizational units" - groups of users - to simplify their user management. We support creating bulk activation rules that are based on one or more organizational units.

To set up a bulk activation rule:

- 1. From the *Homepage*, click **Google Workspace**, and then click the gear-shaped icon to enter the *Backup Settings* page.
- 2. Click +Run Bulk activation.
- 3. Click Activate by Google Organizational Units, and then click Next.
- 4. The list of your organizational units is displayed. Check one or more of them, and then click **Next**.




Bulk Activation Act	ivate by Google Organizat	ional Units	• 0 •
	Q Search Group		
	• 🗸 OU test 1		
	<ul> <li>OU test 2</li> </ul>		
	• V OU test 3		
	• OU test 4		
	OU_Test_5		
← Back			Cancel Next

5. You may remove individual mailboxes within the organization unit that you do not want to be part of the activation rule.

Account Name	Email	Group
Artur Egorov	aegorov@cloudrein.com	OU test 1
alina test	alina@cloudrein.com	OU test 1
M lambik' Mc'Duck	mlambik@cloudrein.com	OU test 3
TeamCity Build	teamcity@cloudrein.com	OU_Test_5



- 6. Select either:
  - a. **Perform one-time activation**, which means that changes in the Google Workspace organizational unit will not be reflected in the backup settings going forward, or
  - b. **Create an activation rule**, where the system checks daily to see changes to each group, and will back up mailboxes that are added to each of the groups.
- 7. When this question pops up, click confirm, to indicate a preference for the choices you made during the Bulk Activation sequence.



You will return to the Backup Settings page, where the new bulk activation rule is listed.

ackup Settings				
e automatic addition/deletion of an account, site, domain, table or drive can affect your monthly o	or annual billing amount			
index all data for Search 😗	Backup Datacenter	0	Retention Period	
Automatically activate new users 📵	Backup Frequency		Backup Hour (UTC)	
Retain auto-archived backups for days before deleting ③	Daily		23:00	
ulk Activation 💿				
Run Bulk activation				

# 3.5 Securing Your Backups

By default, all primary and secondary users can preview, browse, and recover any backed up data. This could be a security risk if sensitive information is contained in



the backup snapshots.

Primary users can limit access to one or more sites, drives, accounts, or users so that only they will be able to see, restore and export this data.

- 1. Primary user: From the *Homepage*, click the name of the service whose data you would like to restrict.
- 2. Click one or more users.
- 3. Click **Tags**, and check the **Limited Access** tag.

Active Paused Arctived						(
G Search by account name or email		🔵 🤇 🖶 Filter by tag			Status 🗸 🔽	Action
Username	¢	Email	‡ Tags	Status ‡	Q. Search tags	łackup
Bob Smith		bob.smith@ca4software.onmicrosoft.com		🙁 Success	් Úmited Access	50 P
Alex Douglas		.alex.douglas@ca4software.onmicrosoft.com		Success	· Parta	<b>3</b> 9
Rosy White		rosy.white@ca4software.onmicrosoft.com		<ul> <li>Success</li> </ul>		<b>11</b> 9
Charles Parker		charles.parker@ca4software.onmicrosoft.com		Success	2 Apply	- 11 9
Sarah Johnson		sarah.johnsonca4software.onmicrosoft.com		<ul> <li>Success</li> </ul>	3.55 MB 8 hours ago	Ci 9

4. Click Apply. You will be asked to confirm:

Are you sure you want to add/remove Limit	ed Access tag?	×
Only the primary administrator of the accour recover data that has a Limited Access tag.	it has permission to browse a	nd
	Cancel	Yes

5. The tag will now appear in the **Tags** column as follows.

								3	3
	🖉 Filter by tag				Status	s v) (Togs -		Action	
¢	Email	0	Tags	Status 0	Backup Size 0	Last Backup 🖇	Back	up	
	bob.smith@ca4software.onmicrosoft.com		( Limited Access	<ul> <li>Success</li> </ul>	51.01 GB	8 hours ago	tî)	9	
	alex.douglas@ca4software.onmicrosoft.com			<ul> <li>Success</li> </ul>	100.35 KB	8 hours ago	cî,	4	
	rosy.white@ca4software.onmicrosoft.com			<ul> <li>Success</li> </ul>	14.89 GB	one day ago	G	4	
	charles.parker@ca4software.onmicrosoft.com			Success	3.39 MB	8 hours ago	(îi	9	
	sarah.johnsonca4software.onmicrosoft.com			<ul> <li>Success</li> </ul>	3.55 MB	8 hours ago	(îi	17	
	0	Email     bob.smith@ca4software.onmicrosoft.com     akex.douglas@ca4software.onmicrosoft.com     rosy.white@ca4software.onmicrosoft.com     charles.parker@ca4software.onmicrosoft.com	Email     c       bob.smith@ca4software.onmicrosoft.com     alex.douglas@ca4software.onmicrosoft.com       rossy.white@ca4software.onmicrosoft.com     charles.parker@ca4software.onmicrosoft.com	Email     Tags       bob.smith@ca4software.onmicrosoft.com     Imited Accession       alex.douglas@ca4software.onmicrosoft.com     rosy.white@ca4software.onmicrosoft.com       charles.parker@ca4software.onmicrosoft.com     charles.parker@ca4software.onmicrosoft.com	c     Email     c     Tags     Status     c       bob.smithigka4software.onmicrosoft.com     initiated Accession     initiated Ac	Email     C Tags     Status     Status	c       Email       c       Tags       Status       c       Backup Size       c       Last Backup c         bob.smith@caksoftware.onmicrosoft.com       Imited Access       O       Success       51.01 GB       B hours ago         alex.douglas@caksoftware.onmicrosoft.com       Imited Access       O       Success       100.35 KB       B hours ago         rossy.white@caksoftware.onmicrosoft.com       Imited Access       O       Success       14.89 GB       one day ago         churles.parker@caksoftware.onmicrosoft.com       Imited Access       Success       3.39 MB       B hours ago         satah.johnsoncaksoftware.onmicrosoft.com       Imited Access       Success       3.35 MB       B hours ago	c       Email       c       Tags       Status       c       Backup Size       c       Last Backup c       Backup       Backup       C	c       Email       c       Tags       Status       c       Backup Size       Last Backup       Backup <td< td=""></td<>



Visit our Customer Support Hub

This will prevent secondary users from browsing and recovering the data.

To remove the tag, the primary user should simply reverse the process - un-check the Limited Access tag, and re-apply.

#### 3.6 Deleting a Backup


You can delete individual user backups or the entire backup service from your account if you do not want to use them further. The following sections guide you through the process of removing backup services and individual user backups.

#### 3.6.1 Deleting a Backup Task

To remove a backup task for a service, on the *Homepage*, click Menu > **Delete Backup** adjacent to the backup task you want to remove.

æ )	Google Workspace // Google Workspace Succeded	Total 🕘 . Ac 4	ctive 🕑 Total Size 0 0 MB	Last Snapshot Never	Next Backup In 17 hours	Backers
	Google Drives // Google Shared Drives Succeeded	Total 🕘 Ac 42	ctive  Total Size 0 MB	Last Snapshot Never	Next Backup In 18 hours	S lackup

The **Confirm Delete** pop-up window is displayed with a warning message.



Click **Delete**. The selected backup service is removed from your account.

To prevent mistaken deletions, there is a grace period of 7 days after your backup is deleted.



#### 3.6.2 Deleting an Individual user

#### To delete an individual user:

- 1. Click the backup task from which you want to delete the user. The backup task settings page is displayed.
- 2. Add a check next to the user that you want to delete. Click **Delete** in the **Actions** menu.

								3
O CO	Search by account name or email	) (= 10	er by tag		Status	s v) (Togs v	Action	_
	Username	: Email	: Tags	Status 0	Backup Size 💠	Last Backup :	Active  Active  Pause  Pause  Pause	
	Agata Brown	Agata.Brown@ca4software.onmi	crosoft.com	O Not Active	0 Bytes	Never	🕆 Delet	r
	Alex Douglas	Alex,Douglas@ca4software.onmi	crosoft.com	<ul> <li>Not Active</li> </ul>	0 Bytes	Never	G	
	Bob Smith	Bob.Smith@ca4software.onmicro	soft.com	Not Active	0 Bytes	Never	6	
	Charles Wilson	Charles.Wilsons@ca4software.or	microsoft.com	Not Active	0 Bytes	Never	6	

3. A pop-up window is displayed with a list of users selected for removal. Click **Delete.** The selected users are removed from your account.

To prevent mistaken deletions, there is a grace period of 7 days after your backup is deleted.

# 3.7 Usage Reports

In order to provide greater clarity to you about which users CloudAlly is backing up, you can export a CSV file that lists all of the entities that were backed up, including the status of each entity (active, inactive, or archived).

To export a usage report, click the **Export** button, next to **Add Backup Task**. The report will be sent to you via email.



Caseinth				
9 Backups				+ Add Bockup To
MS Exchange Backup 🥒 🥔	Groups/Teoms # # Microsoft Groups / Teams	SharePoint / @	OneDrive #     Microsoft OneDrive	G Google Workspace
Succeeded	Succeeded	Succeeded	Succeeded	Succeeded
Total Mailboves 12 Active Mailboves 12	Total Groops / Teams 19 Active Groups / Teams 3	Total Sites 22 Active Sites 2	Total Sites 8 Active Sites 8	Total Users Active Users
Total Size 53.19 MB	Total Size	Total Size 73.00 MB	Total Size 17.83 MB	Total Size 133
Last Snapshot 6 hours ago Nest Backup in 18 hours	Last Snapshot 4 hours ago Next Backup in 20 hours	Last Snapshot 3 hours ago Next Backup In 20 hours	Last Snapshor 2 hours ago Next Backup In 20 hours	Last Snapshot 11 hou Next Backup In 13
S Recovery Tachup Now I	Sectory ( Sachag Now ) i	(     Backup Nos     j	S Recovery Dachup New 1	Patterny Packup Now
Google Shared Drives 🥒 🦉	Salesforce Sandbox 🤌 🌏	box Box *	Cropbox Business / /	
Successed	Succeeded	Succeeded	Successivel	
Total Drives 28		Total Users 11	Total Users / Team folders 81	
Active Drives 28	Total Seats 4	Active Users 11	Active Users / Team folders 81	
Total Size 2.68 GB	Total Size 24,72 MB	Total Size 97.15 GB	Total Sze 103.02 GB	
Lest Snapshot 9 hours ago	Last Snapshot 14 days ago	Last Snapshot 12 hours ago	Last Snapshot 7 hours ago	
Next Backup In 15 hours	Next Backup In 4 hours	Next Backup In 12 hours	Next Backup In 17 hours	
G Recovery ( & Backup Now ) E	S Recovery ( & Backup Now )	Gr Recovery ( Sectus Now )	S Recoury ( & Eachup Now )	

# 3.8 Modifying the Settings of an Existing Backup

To modify an existing backup task:

1. Click the *Homepage* option from the Navigation Panel. The *Homepage* screen appears.

6	(Q Search									(B) =
	9 Backups (+) Add Bockup Task 🕑									
ð very	MS Exchange I Microsoft Exchan	Backup 🖋 🔐	Groups/Teams Microsoft Groups	∂ ₽ /Teams	SharePoint / Microsoft ShareP	oint	OneDrive & Microsoft OneDrive	<i></i>	G Google Work Google Workspi	space 🤌 👘
	Succeeded		Succeeded		Succeeded		Succeeded		Succeeded	
	Total Mailboxes	12	Total Groups / Teams	19	Total Sites	22	Total Sites	8	Total Users	39
	Active Mailboxes	12	Active Groups / Teams	3	Active Sites	2	Active Sites	8	Active Users	39
	Total Size	53.19 MB	Total Size	499.64 KB	Total Size	73.00 MB	Total Size	17.83 MB	Total Size	133.04 GB
	Last Snapshot	6 hours ago	Last Snapshot	4 hours ago	Last Snapshot	3 hours ago	Last Snapshot	2 hours ago	Last Snapshot	11 hours ago
	Next Backup	In 18 hours	Next Backup	In 20 hours	Next Backup	In 20 hours	Next Backup	In 20 hours	Next Backup	In 13 hours
	@ Recovery	Backup Now	G Recovery	Backup Now	@ Recovery	Backup Now i	G Recovery	ckup Now	Secovery 7	Backup Now
	Google Shared D	d Drives 🤌 🥔	Salesforce San Salesforce	idbox 🖉 🍦	box Box #	a.	Dropbox Business	s 7 - 2		
	Succeeded		Succeeded.		Succeeded		Succeeded			
	Total Drives	28			Total Users	11	Total Users / Team folders	81		
	Active Drives	28	Total Seats	4	Active Users	11	Active Users / Team folder	5 81		
	Total Size	2.68 GB	Total Size	24.72 MB	Total Size	97,15 GB	Total Size	103.02 GB		
	Last Snapshot	9 hours ago	Last Snapshot	14 days ago	Last Snapshot	12 hours ago	Last Snapshot	7 hours ago		
	Next Backup	In 15 hours	Next Backup	In 4 hours	Next Backup	In 12 hours	Next Backup	In 17 hours		
	@ Recovery	Backup Now	@ Recovery	Backup Now I	G Recovery	Backup Now	G Recovery 2 Ba	(kup Now )		



- 2. Click the Google Workspace icon from the list or enter a keyword in the Search field to find a specific task. The *Google Workspace Backup* page is displayed.
- 3. Click **Settings** on the top-right section of the screen to see the backup settings.

From here, it is possible to modify the fields described in <u>Configuring Backup</u> <u>Settings.</u>

cloudally NEVER FACE DATA LOSS

# 4 Recovering Your Backed Up Data

# 4.1 Using the Recovery Menu

The Recovery Menu provides you with options at a fine granularity for selecting which user to restore or export.

To recover your backed up data:

1. Click Recovery from the Navigation Panel. The *Restore* & *Download* page is displayed with all your active-backup account details.

ctive	Backup Accounts	
and	h	
<b>A</b> <sup>®</sup>	Microsoft Groups / Teams   1 group / team test	
5	Microsoft OneDrive   18 sites Test	
	Microsoft Exchange   30 accounts Test	
	Box   8 accounts Test	
;	Google Workspace   3 google accounts cloudrein.com	
2	Microsoft SharePoint   13 sites	

- 2. Click the Google Workspace backup task from which you wish to recover the data.
- 3. The Restore or Download Google Workspace page is displayed.



#### **Google Workspace Backup and Restore User Guide** Recovering Your Backed Up Data

R	Restore & Download >Google Workspace >avi@cloudrein.	com				
	Please select your preferred ch	hoice for restore	e			
	● Via Snapshot ∨					
	A snapshot is a copy of your online ap of your data, or drill down into the sna			d time. Use this option	to recover all	
	Data changed from					
	Select date		×			
	То					
	Select date		~			
	○ Via Item Search ▲					
	Use this option to search all the backu exact phrase, including an email addre update".					

- Select the radio button for your preferred restore method:
  - Via Snapshot (see Via Snapshot)
  - Via Item Search (see Via Item Search)

#### 4.1.1 Restore or Download Via Snapshot

- 1. Enter the date range that you would like to restore using the *Data changed from and To* fields, and press **Continue**.
- 2. The list of backup snapshots within that date range is displayed. Select the snapshot you want to recover.

Humepage	Restore or download from Google Workspace archive The service of the service of the service, or "download" to create a zip extract of the data.					
jutes G						
Recovery	DATE	SUB SERVICE	ACTION			
8	Sep 11 2023 02:02 AM	M Emails	Q			
Activity	Sep 11 2023 02:02 AM	S Documents	Q			
0	Sep 11 2023 02:02 AM	✓ Tasks	٩			
fettings.	Sep 11 2023 02:02 AM	Contacts	Q			
	Sep 11 2023 02:02 AM	Calendar	a.			
	Sep 10 2023 02:02 AM	M Emails	P			
	Sep 10 2023 02:02 AM	M Emails	٩			
	Sep 10 2023 02:02 AM	of Documents	Q			
	Sep 10 2023 02:02 AM	o Documenta	Q			
	Sep 10 2023 02:02 AM	✓ Tasks	Q			



4. Once you select a snapshot (if you wish to recover all the data in the backup), or one or more items (if you wish to recover only selected items), the **Restore** and **Download** buttons become available.

#### 4.1.1.1 Restore

If you click **Restore**, you will see different confirmation windows, depending on which sub-service you selected.

- You can add an optional 50-character Job Label to differentiate it from other Exports and Restores on the Jobs page.
- Email, Tasks, Contacts or Calendar: You can choose which account you would like to restore the emails, tasks, contents or calendar to.

Please confirm the restore request	×				
You are about to restore items from the archive of <b>acdfh@cloudiox.co</b> r	n				
Maximum 50 characters					
Job Label <i>(optional)</i> Enter Job Label					
Restore to acdfh @cloudiox.com					
*You can restore the data to a different account.					
A confirmation Email will be sent to you upon completion.					
Cancel OK					



#### Documents:

- You can add an optional 50-character Job Label to differentiate it from other Exports and Restores on the Jobs page.
- You can choose to which account to restore the documents.
- You can choose whether to restore the data with the original sharing settings, or not.

Please confirm t	he restore request	×
You are about to rest	ore items from the archive of <b>BE-AutoTests</b>	
	Maximum 50 characters	
Job Label <i>(optional)</i> 🕕	Enter Job Label	
Restore to	BE-AutoTests 🗸	
*You can restore the	data to a different team drive.	
Please select your r	estore method:	
	ith the original sharing settings. ithout the original sharing settings.	
A confirmation Email	will be sent to you upon completion.	
Cancel	ОК	

The backup data that you selected will be restored to the location that you specified. When the recovery process is complete, a summary will be sent to your email.

You can also check the Jobs page to see the progress of your task. See <u>"Tracking</u> Recovery Tasks on the Jobs Page."

#### 4.1.1.2 Export/Download


If you click **Download**, you will see different confirmation windows, depending on which sub-service you selected.



Email, Tasks, Contacts, and Calendars: The confirmation screen looks as follows:

Please confirm the expo	rt request 🛛 🗙
You are about to export items discoverytest@cloudrein.con	
Job Label (optional) 🕕	Maximum 50 characters
Enter Job Label	
Export in .zip format:	
for download	~
<b>Export format:</b> Standard in .EML ③ O Outlook compatible .PST	
<b>Optionally include:</b> <ul> <li>All deleted items</li> <li>A notification Email with a dow to you upon completion.</li> </ul>	nload link will be sent
Cancel	ОК

• Click the drop-down list and select one of the following storage locations:



 Select the export format: Standard .EML or .PST (Email) or .iCAL (Tasks and Calendar) or .VCF (Contacts)



- Check the box to include all deleted items. (Email)
- Documents: The confirmation screen looks as follows. Click the drop-down list to select one of the storage locations.

Please confirm the export requ	est ×			
You are about to export items from the discoverytest@cloudrein.com	archive of			
Job Label (optional)  Maximu	m 50 characters			
Enter Job Label				
Export in .zip format:				
for download	~			
A notification Email with a download lin to you upon completion.	k will be sent			
Cancel OK				

- 5. Click **OK**. The download instructions are sent to your registered email address. The download link is only valid for 72 hours.
- Or, you can check the *Jobs* page. (See <u>"Tracking Recovery Tasks on the Jobs</u> <u>Page."</u>) When the task is completed, the **Download Results** button will be active.

Google Workspace Google Workspace ben@cloudiex.com		Export			Succeeded
Starbed at: Oct 27 2022 at 06:43 PM	Backup Date: Oct 27 2022 et 03:30 PM	initiator: bob smith@całeoftware.ormscrosoft	Destination: Direct Download	Total Items: 1	Size 2.76 KB
		bob.amith@callooftware.onmicrosoft		1 Dow	2.76 KB

7. Click **Download Results**, and a page will open, where you can access your backup file.



Homepage	Jobs		Recent Downloads ×
1	Jobs > Download Files)		bob.smith_documents_2023-082714041_0.zip
≣ jobs	Google Workspace		Show all downloads [2]
0	Bob.smith@ca4software.onmicrosoft.com		
Recovery	File Name	≎ Size	Actions
8 Activity	Bob.smith+ca4software.onmicrosoft_Documents_20221910_1.zjp	23.79 MB	0
() Settings			

#### 4.1.2 Restore or Download Via Item Search

- 1. Enter your search criteria for any of these sub-services:
  - a. **Email** Enter a keyword in the Search for field. For advanced search options, click the downward-arrow, and provide the following details in the drop-down form:
    - **From**: Enter a name or email address from which the email was received.
    - To: Enter a name or email address to which the email was sent.
    - **Subject**: Enter a keyword that matches any text in the email subject.
    - Date from / Date to: Enter the date range of the emails you would like to restore.
  - b. Contacts: Enter a name in the Search for field.
  - c. Tasks: Enter a keyword in the Search for field.
  - d. **Calendars**: Enter a keyword in the Search for field. For advanced search options, click the downward-arrow, and provide the following details in the drop-down form:
    - **Description**: Enter all or part of the event description.
    - **Owner**: Enter the user name or the email address
    - Date from / Date to: Enter the date range of the calendar you would like to restore.



#### **Google Workspace Backup and Restore User Guide** Recovering Your Backed Up Data

∩ nepage	Restore or download Google Workspace Backup task: Google Workspace
S	Please select your preferred choice for restore
overy	Via Snapshot 🔺
B ivity	A snapshot is a copy of your online application data taken at a specific date and time. Use this option to recover all of your data, or drill down into the snapshot to recover a particular item.
🕃 tings	● Via Item Search ↓ Use this option to search all the backup snapshots of this service for a particular keyword or name. To search for an exact phrase, including an email address, use double-quotes ("). For example: "user@company.com" or "Important update".
	Email     Email
	O 🧭 Documents
	O 🥵 Contacts
	O ✔ Tasks
	Calendars
	Search in Email

- 2. Click **Continue**. The *Restore or download* page is displayed, showing the search results with details such as . The details columns are different for different types of restored items.
- 3. Select items you would like to restore or download. When at least one item is selected, **Restore** and **Download** become available.
- 4. Follow the instructions in the <u>Restore</u> or <u>Export/Download</u> sections to complete the recovery process.

# 4.2 Tracking Recovery Tasks on the Jobs Page

The Jobs page provides you with both high-level and drill-down views of your restore and export jobs over the last seven days.


**Note:** To see the status of your Backups, click the name of the backup from the *Homepage*.

From the Navigation pane, click Jobs.



#### 4.2.1 High-Level Summary

The top portion of the Jobs dashboard summarizes how many of your jobs are in progress, how many have successfully completed, and how many have partially succeeded or failed over the past 7 days.



To see a list of jobs that have any of these 3 statuses, click on the status, and your results will be filtered accordingly

#### 4.2.2 Filtering

The next section allows you to filter by numerous criteria:

- Initiator: Who initiated the backup / restore?
- Activity: Filter by restores or exports.
- Service: Filter by one of the following services, such as:
  - Google Workspace
  - Google Shared Drives
  - Salesforce
  - Box
  - Dropbox
  - Google Account



- **Status**: Filter by one of the following:
  - In progress
  - Succeeded
  - Partially succeeded
  - Failed
  - Pending
  - Canceled
- Search by Task: Filter by a task, such as:
  - Box
  - Dropbox
  - Google Workspace
  - Salesforce

If you choose to filter using a particular service, then you can focus on a specific item in the search bar. You can also order by:

- Latest First
- Oldest First


#### 4.2.3 Description of Each Job

- The rest of the screen provides a detailed description of each individual job that you ran.
  - **Type of Job**: Export, or Restore this appears as a large title within each job description.
  - Name, Service, and Account of the job.
  - Start date, backup date, initiator, destination, total items backed up or restored, and the size of the file(s).
- **Cancel** enables you to stop a job that is in progress.
- Download Results enables you to download a zip file with your recovery data.
- View Log redirects you to the System Activity page, which displays your account activity with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.



This page enables you to filter and search the list of backup tasks, export the list as a CSV file, and view more details on any backup task.

The latter can be achieved by clicking the information icon in the Activity column. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution.





# 5 Compliance

# 5.1 Delete Backed Up Data: GDPR's "Right to Be Forgotten" Option

The way to delete data items - emails and files- from a CloudAlly backup is to enable the GDPR (General Data Protection Regulation) "right to be forgotten" option.

To enable the ability to delete backed up items:

- 1. Request from CloudAlly support that they enable the GDPR delete button for you. They will ask you for the name of your account, and the service for which you would like to enable this.
- 2. From the Homepage, click **Recovery**.
- 3. Click the service that contains the item you would like to delete.

Note: It is not possible to delete an entire folder, only one or more items.

4. Click the arrow at the end of the row of the user that contains the item you would like to delete.


& Dewnload ≻Gogle Workspace						
listed below are the active users within your Google Workspace domain ready for restore and download.						
USER	FIRST BACKUP	LAST BACKUP	ACTION			
Search	X All V					
Agata.brown@ca4software.onmicrosoft.com	215 days ago	10 hours ago	>			
Alex.douglas@ca4software.onmicrosoft.com	215 days ago	10 hours ago	>			
Bob.smith@ca4software.onmicrosoft.com	215 days ago	10 hours ago	>			
Charles.wilson@ca4software.onmicrosoft.com	215 days ago	10 hours ago	>			
ida.taylor@ca4software.onmicrosoft.com	196 days ago	10 hours ago	>			
lessica.miller@ca4software.onmicrosoft.com	215 days ago	10 hours ago	>			
Rosy.white@ca4software.onmicrosoft.com	215 days ago	10 hours ago				



5. Click "Via Item Search" and enter the desired search criteria. For example, if you would like to delete all emails received from a specific person, type their email address. Or you can search by keyword.

Note: It is not possible to perform a GDPR delete using "Via Snapshot."

Via Shiphotri A A snapshot is a copy of your online application data taken at a specific date and time. Use this option to recover all of your data, or drill down into the snapshot to recover a particular tem.	
Use this option to search all the backup snapshots of this service for a particular layword or name. To search for an exact phrase, including an email address, use double-quoter (1). For example: "user@company.com Search phrase	n" or "important update".
Search for	
Table/Metadate type	
Account	
Created by ID	
Enter Salesforce User ID	
Updated By ID	
Enter Salesforce User ID	
By unique Salesforce Record (Qta)	
Example: 5003000008cut. 50030000008cutQAA	
Date from	
Sent late	
Date to	
Dene to Select date	





### 6. Select the item(s) you would like to delete, and click Delete.

n the archive list below select the relevant items, then click on "restore" to perform a non-destructive restore directly to the online service, or "download" to create a zip extra e data.						
ort		v Search				
I DATE	SUBJECT	FOLDER				
Sep 2 2023 11:54 PM	NEW! Access ChatGPT on Any 🐐	category_promotions, unread				
Jan 11 2023 03:22 AM	NEW! Simple invoice tracker	category_promotions, unread				
Dec 18 2022 11:46 PM	Unwrap the best email marke 🐥	category_promotions, unread				
Aug 25 2022 05:03 PM	Get Instant Budget Approval 👼	category_promotions, unread				
Jul 7 2022 06:30 PM	Get Instant Budget Approval 🐥	category_promotions, unread				
Jun 16 2022 05:01 PM	Get Instant Budget Approval 👼	category_promotions, unread				
Jun 14 2022 04:06 PM	Google Drive Backup: What A 🔺	category_promotions, unread				
Jun 3 2022 06:02 PM	What's New in the SaaS Mult 🗸	category_promotions, unread				
May 31 2022 04:06 PM	Password Spraying: What It 🔹	category_promotions, unread				
May 17 2022 04:06 PM	The SaaS Backup and Recover 🗸	category_promotions, unread				
View 1 - 50 of 470	< < Page 1 of	10 > >>				

**Note:** Ensure that the item you wish to remove is already removed from the source. If it is not, CloudAlly will continue backing it up, even if you deleted it using the "Delete" button.

7. The system will ask you to confirm the delete request. Once you have confirmed, the item will be removed from our system within a few days.

Please confirm the delete request X
You are about to delete items from the archive of
bob.smith@ca4software.onmicrosoft.com
Note: Ensure that the item you wish to remove is already removed from the source. If it is not, it will continue to be backed up, even if you deleted it using the Delete button
We are processing your deletion request. You will receive a confirmation email upon deletion, which will be reflected in the application within 12 hours after the email is sent.



# 6 Filtering and Viewing Drill-Down Details

This section explains the process of finding the exact backup data you are looking for using filtering.

# 6.1 Filtering by user

1. Click the *Homepage* option from the Navigation Panel. The *Homepage* screen appears.

0				~
+ Add Backup Task				9 Backups
Google Workspace	Microsoft OneDrive	SharePoint /	Groups/Teams & 2 Microsoft Groups / Teams	MS Exchange Backup / /
Succeeded	Succeeded	Succeeded	Succeeded	Succeeded
Total Users 3	Total Sites 8	Total Sites 22	Total Groups / Teams 19	Total Mailboxes 12
Active Users 31	Active Sites 8	Active Sites 2	Active Groups / Teams 3	Active Mailboxes 12
Total Size 133.04 GE	Total Size 17.83 MB	Total Size 73.00 MB	Total Size 499.64 KB	Total Size 53.19 MB
Last Snapshot 11 hours age	Last Snapshot 2 hours ago	Last Snapshot 3 hours ago	Last Snapshot 4 hours ago	Last Snapshot 6 hours ago
Next Backup In 13 hours	Next Backup In 20 hours	Next Backup In 20 hours	Next Backup In 20 hours	Next Backup In 18 hours
Stecovery V Backup Now	Sackup Now 1	Recovery     P Backup Now     I	Recovery Sackup Now 1	( Recovery ) ( P Backup Now ) 1
	Dropbox Business //	box Box /	Salesforce Sandbox A	Google Shared Drives
	Succeeded	Succeeded	Succeeded	Succeeded
	Total Users / Team folders 81	Total Users 11		Total Drives 28
	Active Users / Team folders 81	Active Users 11	Total Seats 4	Active Drives 28
	Total Size 103.02 GB	Total Size 97.15 GB	Total Size 24.72 MB	Total Size 2.68 GB
	Last Snapshot 7 hours ago	Last Snapshot 12 hours ago	Last Snapshot 14 days ago	Last Snapshot 9 hours ago
	Next Backup In 17 hours	Next Backup In 12 hours	Next Backup In 4 hours	Next Backup In 15 hours
	S Recovery ( Backup Now )	Recovery     (     Backup Now     I	@ Recovery ( Backup Now )	G Recovery ( Backup Now )

- 2. Click the Google Workspace icon from the list or enter a keyword in the Search field to find a specific task. The *Google Workspace Backup* page is displayed.
- 3. The *Google Workspace Backup* page displays all the Google Workspace users available for the administrator account you are using. The page displays the details such as Username, Email, Status, Backup Size, and Last Backup Date. It also provides the means to filter the users and control the associated backup tasks.



### 6.1.1 Filtering Using Names or Statuses

You can filter using the following options:

- Enter a search phrase in the *Search by* field to view all the users with the entered keyword.
- Filter by statuses such as Not Active, Scheduled, Success, In Process, Failed, Paused, Archived, or Partial.

### 6.1.2 Filtering Using Tags

CloudAlly provides you with the means to add extra metadata to your backed up data in the form of "tags." For example, you might want to denote all users that belong to Managers, or all those that belong to the Sales Team.

You can use tags to quickly filter your list of users.

The **Tags** option is used to search for existing tags. By default, it is not active. To activate **Tags**:

- 1. Select at least one user.
- 2. Click **Tags**, and the following screen appears.



3. To search your existing tags, enter a tag name in the Search tags field.

### 6.1.3 Creating a New Tag

#### To create a new tag:

1. Click Create New Tag. A pop-up appears where you can enter a new tag name.



#### **Google Workspace Backup and Restore User Guide** Filtering and Viewing Drill-Down Details

Please enter a new tag	g name	

2. Enter a new tag name and click Create.

#### To apply tags to your users:

- 1. Select at least one user.
- 2. Click **Tag**.
- 3. Choose the desired tag for your user s.
- 4. Click **Apply**.

### 6.1.4 Filtering by Tag


In the **Filter by tag** field, enter a tag name. The accounts, teams or sites with those tags will appear.

O Homepage	Full MS Exchange Backup Homepage > Full MS Exchange Backup							
jobs								0
© Recovery	3 of 12 Totol Mailboxes Active Pearet Arthurd						٢	(+)
Activity Settings	C Search by account name or email	) (= (MangerX)			Stotus	Y Togs	-) (Action	
	Melibox	© Email	© Tags	Status 0	Backup Size 💈	Last Backup	Actions	
	Asata Brown	Agata.Brown@ca4software.onmicrosoft.com	Manager		703.74 KB	one day ago	60	~
	Bob Smith	bob.smith@ca4software.onmicrosoft.com	Manager		6.58 MB	one day ago	9 0	×
	Jacob Anderson	Jacob.Anderson@ca4software.onmicrosoft.com	(Manager)		551.02 KB	one day ago	6 0	~

### 6.1.5 Actions

To perform actions on a user, select at least one of them on the list, and the **Action** button will be enabled. Click **Action** to see the following drop-down menu:





- Activate enables backup in all the selected users.
- **Pause** halts the backup procedures on the selected users.
- Backup now starts the backup immediately. The backup in this case starts as soon as a backup processing machine is available, which may take several minutes.
- Delete removes the backup task and backup data for the selected users.

## 6.2 Viewing Backup Statistics with the Drill-down Feature

Select the desired user, and click the downward-facing arrow at the end of the row. This option enables you to drill down to the backup history dashboard.

When you drill down, you can find a diagram describing past backups, and a brief summary of the backup outcomes.

lox Test		ioxtestadmin1	@cloudiox.com		Success	1.38 MB	9 hours ago 🖓 9
17/10	າຍ່າວ າງກ່າວ 20່າວ	21/10 2	izho 23ho 24	ho 25ho	26ho 27ho	28 <sup>1</sup> 10 29 <sup>1</sup> 10	30/10 31/10
면 Contacts Items: 51 @	Success 🥝 31/10/2022 at 05:04 AM	Documents	Success 🥝 31/10/2022 at 05:04 AM	09 Calendar Items: 2 @	Success 🥑 31/10/2022 at 05:04 AM		Success 🥝 31/10/2022 at 05:04 AM
🖾 Emails Items: 146 🕕	Success 🤤 31/10/2022 at 05:04 AM						

The diagram depicts the number of items backed up each day. By hovering your mouse over a column in the diagram, you can see the number of items backed up in each service. This number includes all new and changed items, so it may be greater than the total number of items in the backup. You can select the date range of the chart with the sliders underneath it. The maximum range displayed is 30 days.



The summary tiles below the chart provide at-a-glance information about the backup: for each sub-service, they display the total number of items in the backup, the date of the last backup, and the outcome.



# 7 Managing Your Account

This section guides you through the processes of managing your Account activity, account settings, password, setting up two-factor authentication, and managing users.

# 7.1 Viewing Account Activity

The Activity menu enables you to view your account activity, including System Activity and Security Audit. Click *Activity* on the navigation pane.

⊖ Homepage	Activity	
Jobs	System Activity	Security Audit
ج Recovery		Q
Billing	Search for activities performed by the system	Check users actions performed in the system
ک Activity		
🔅 Settings		



## 7.1.1 System Activity

### Click System Activity.

Homepage	Activity	
Jobs	System Activity	Security Audit
Recovery		Q
Billing	Search for activities performed by the system	Check users actions performed in the system
<u>گ</u> Activity		
🐯 Settings		

The System Activity page displays your account activity, with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.

=	(Start date - En	d date 🖹 (Activity ~)	(Service ~)	(Status ~)		Q. Search by Tas	k name v) (Q. Search items. v) (
== Jobs	Activity	Date and Time	Service	Sub Service	Status	Task Name	Item
G covery	Export	jul 12 2022 04:08 PM	96	Calendars	Succeeded	Full MS Exchange Backup / bob.smith@ca	bob.smith@ca4software.onmicrosoft.com
	Backup	jul 11 2022 01:01 PM		(2)	Succeeded	Sharepoint backup	/sites/AltaroRestored_Shared_mailbox_20 21_08_31_11_05
8 tivity	Export	jul 11 2022 01:00 PM	86	Channels	Succeeded	Full Teams Backup / AltaroRestored_Lind	AltaroRestored_Linda_Fuller_2021_08_31_0
ø	Restore	Jul 11 2022 01:00 PM	•		Succeeded	One Drive / cloudally1-my.sharepoint.co	/2sepo_kazandev_pro
ettings	Backup	jul 11 2022 05:04 AM	30	Calendars	Failed	Full MS Exchange Backup	Mila Scott@ca4software.onmicrosoft.com
	Backup	Jul 6 2022 05:06 AM	30	Notes	Succeeded	Full MS Exchange Backup	jacob Anderson@ca4software.onmicrosoft. com
	Backup	Jul 6 2022 05:06 AM	30	Notes	Succeeded	Full MS Exchange Backup	Agata.Brown@ca4software.onmicrosoft.co m



This page enables you to:

- Filter and search the list of backup tasks
- View more details on any backup task. This can be achieved by clicking the "i" (Info) icon. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution.

🕗 Backup	
Execution Time:	Nov 5 2024 11:55 AM
Data Size:	452.70 KB
Number of Records:	51
Description:	Contacts Completed (test-101@cloudiox.com, 51 items, 63.45 KB delta data size, 0 minutes).

 Export the Activity Log as a CSV file. Any filters selected on the page will also apply to the exported log file. For example, you could choose to only see Restore tasks that have failed.

Restore O	Failed     Delete Backup     Backup		Succeeded			9
Activity	Date and 🛛 🗹 Restore	Service	🗹 🛞 Failed		Task Name	Item
Restore	jul 12 2023 0 Export. Compare	٠	Cancelled	rd	Salesforce Sandbox	bob.smith@ca4software.onmicrosoft.com
Restore	Jul 12 2023 03:05 PM	-		S Failed	Salesforce Sandbox	bob.smith@ca4software.onmicrosoft.com
Restore	May 8 2023 02:54 PM	-	3	S Failed	Salesforce Sandbox	bob.unithijca4software.onnicrosoft.com
Restore	Apr 10 2023 01:57 PM	1	Channels	S Failed	Groups/Teams backup / CA4 Software	CA4 Software
Restore	jan 2 2023 03:16 PM	4	\$	S Falled	Google Shared Drives / IADD123	3ADD123

**Note:** Administrators can grant users permission to see the *System Activity* page by clicking **Settings > User Management**, and checking "View Account Activity."



### 7.1.2 Security Audit

The *Security Audit* page provides information about all the security-related actions that have happened in your account. The user activity that is displayed includes:

- Backup deleted
- User deactivated
- Settings changed
- Sign-in success or failure
- Permissions changed
- Notifications.

The page includes the date of the event, the type of activity, the service involved, the status of the activity, the account performing the activity, and the description.

C .	Activity Activity > Security audit						
管  005	Show: From:	τα	User Activity: All v S	atusi 🛛 Ali 🔍 🗸	Reset		Export
(G) Recovery	Date	User Activity	Service	Status	Task	Performed By	Description
8 Activity	Seo 11 2023 03:09 PM	Sign-in		Completed	bob.smith@ca4software.onmicrosoft.com	bob.smith@ca4software.onmic	Native Sign in (OK) Chrome from io 46, 117, 234, 42.
0	5eo 11 2023 01:57 PM	Sign-in		Completed	bob.am/th@ca4software.onmicrosoft.com	bob.smith@ca4software.onmic	Native Sign in (OK) Chrome from io 46.117.234.42.
Serrings	Sep 11 2023 01:39 PM	Sign-in		Completed	bob smith@ca4software.onmicrosoft.com	bob.smith@ca4software.onmic	Native Sign in (OK) Chrome from ip 4d 117.234.42.
	5ep 11 2023 12:05 PM	Notification	Google Shared Drives	Completed	Google Shared Drives / 1901january2.0	bob smith@ca4software.onmic	Download Task for drive 1901 January 2.0 has been sc
	Sep 11 2023 12:05 PM	Notification	G Google (Email)	Completed	Google Workspace / lapostrophe@cloud	bob.smith@ca4software.onmic	Mail: Download Task for mailbox 'apostrophe@cloudr
	Seo 11 2023 12:04 PM	Sign-in		Completed	bob smith@ca4software.onmicrosoft.com	bob.smith@ca4software.onmic	Native Sign in (OK) Chrome from io 46.117.234.42.
	5ep 11 2023 10:52 AM	Sign-in		Completed	bob smith@ca4software.onmicrosoft.com	bob smith@ca4software.onmic	Native Sign in (OK) Chrome from io 46 117.234.42.
	5eo 10 2023 02:00 AM	Backup Deleted	Scogle Shared Drives	Completed	Google Shared Drives		The backup for the drive BE-AutoTests has been mark
	Sep 10 2023 02:00 AM	Notification	🙆 Google Shared Drives	Completed	Google Shared Drives		Backup for the drive BE-AutoTests has been deactiva
	Sep 10 2023 02:00 AM	Notification.	Google Shared Drives	Completed	Google Shared Drives		Backup for the drive BE-AutoTests has been deactiva
	Sep 10 2023 02:00 AM	Backup Deleted	Google Shared Drives	Completed	Google Shared Drives		The backup for the drive BE-AutoTests has been mark
	Sep 8 2023 12:00 AM	Backup Deleted	G Google Workspace	Completed	Google Workspace		The backup for the mailbox gakashtest@cloudrein.co
(D) Support	Seo 8 2023 12:00 AM	Notification	G Google Workspace	Completed	Google Workspace		Backup for the malibox gakashtest@cloudre 💿 Help

The Security audit table can be exported as a CSV file by clicking **Export**.

**Note:** Administrators can grant users permission to see the *Security Audit* page by clicking **Settings > User Management**, and checking "View Security Audit Page."



# 7.2 Managing Your Account Settings

The *Settings* page provides you with tools to control both your account and the accounts of users whose external credentials are linked to your account. The Settings section consists of the following sub-sections:

- Account
- User Management
- Security
- Notifications
- Integrations

You can find more details on each of the *Settings* pages below.

5	Account	User Management	Security	Notifications	Integrations
ery	0	00 (	$\bigcirc$	4	¢¢;
g	Manage account settings	Manage other users	Manage security settings	Manage system notifications	Manage integrations with tools and services
ty					

### 7.2.1 Account Settings

This page allows you to change the name of your account and the email address. You can only change the Data Center Location by contacting CloudAlly support. Finally, this page also allows you to terminate your account.

To update or change your account details:

1. From the Navigation Panel, click **Settings** and then click **Account**. The Settings > Account page is displayed.



O Homepage	Settings Settings > Account	
冒 Jobs	Account Name:	Bob Smith
© Recovery	Email:	bob.smith@cstsoftware.onmicrosoft.com
8 Activity	Data Center Location :	Europe (Indust)
() Settings	Partner ID:	
		Save Cancel
	To terminate your	CloudAlly subscription, click on the REMOVE ACCOUNT button.
	This includes removing	g all your data at CloudAlly
	I approve the removement of	of my data from Clouddly
		Remove Account

You can update the Account Name and/or Email.

**Note:** If you change your email address, you will receive an email sent to your new address for confirmation. The new address will not become active until it is confirmed.

Click **SAVE**. The following screen will appear. If you did not receive the confirmation email, click **Resend Email Confirmation** 

Homepage	Settings Settings > Account				
Recovery	Account Name:	Bob Smith			
Billing	Email:	Bob.smlth@ca4software.onmicrosoft.com	New Email - Waiting for Approval		Discard
Security		Note: Confirmation was sent to your new	email username@company.com and	is waiting for your approval.	Resend Email Confirmation
© Settings	Data Center Location:				
					Save Cancel

## 7.2.2 Canceling Your Subscription

To cancel your subscription:



- 1. Check the box for "I approve the removal of my data from CloudAlly" field and click **REMOVE ACCOUNT**.
- 2. The Are you sure? pop-up window is displayed with a confirmation request.
- 3. Click **YES** to confirm the cancellation.



**Note:** To prevent mistaken deletions, there is a grace period of 7 days after your account is terminated. After the grace period, if your account is not reactivated, all data from all your backups will be deleted.

# 7.3 User Management

The page provides tools for fine-level control of the permissions and access levels of your users.

BETA) End User Recovery				
nd User Recovery allows all users in your M	licrosoft domain who ha	ue Exchange backups to log in with th	air Microsoft cradentials access their own l	hackuns, and recover their data
na oser necovery allows all users in your in	ici osoli, domain ano na	re excitorige backops, to log in white	en microsoft credendals, access their own	backeps, and recover their data.
e following external credentials a	are currently linked	to your CloudAlly account		
can remove the credentials anytime if yo				
				+ Add new
Email	Туре	2FA Authentication		
Bob.smith@ca4software.onmicrosoft.com	Email	•		
	Email	•	00	
Alex.douglas@ca4software.onmicrosoft.com				
	Email	0	0 0	
Alex.douglas@ca4software.onmicrosoft.com	Email		00	Showing 1-3 of 3



### 7.3.1 Adding a New User

System Administrators, both those who logged in to CloudAlly with a username and password, or with Microsoft credentials, can add new users.

Click + Add new user to create a new user and start the configuration procedure for that user, or the pencil icon to edit an existing user's settings.

- Enter the new user's email address.
- Select the Authentication Type: Azure, Email, Google+, or Okta.
- Select the permissions role for the user. Selecting the role "Administrator" enables permissions to all services and operations. Or, you can selectively choose which permissions to grant from the list of services:

O Homepage	Settings Settings > User Management >	New user				
Jobs	Email:	Alex.Douglas@onmicrosoft.com	Type:	Email		Υ.]
© Recovery	Password		Role Custom			÷
8 Activity	~ Operations		- Services			
⊗ Settings			Microsoft Sh Microsoft Or Google Acco	roups / Teams harePoint meDrive	11	
	View security audit page Manage Notifications View backups game @ Becoup Tasks Actuate rew Backup tasks @		Salesforce Proptox Bu Box Google Worl Google Shar	kspace		
@ Support						Q

To save changes, scroll to the bottom of the page and click **SAVE**.

You will be returned to the Settings page. To complete the process, the user must confirm their email address using the link sent via email. This is a security measure, which ensures that the user's email address is valid.

The link is valid for 24 hours. If they did not confirm within this time period, or did not receive the confirmation email, click **Resend Email Confirmation**.



omepage	Settings Settings > User Management				
<b>■</b> Jobs	The following external credentials a You can remove the credentials anytime if yo				
ج Recovery					
jessica.mille	ion message has been sent to r:@ca4software.onmirosoft.com	Туре	2FA Authentication		
Follow the li new address	ink in the message to confirm the s.	Email	•		
8 Activity	jessica.miller@ca4software.onmirosoft.com	Email	0	00	Resend Email Confirmation
Activity	Sarah.Johnson@ca4software.onmicrosoft.com	Email	•		
					Page 1 of 1

# 7.4 Security Settings

The Security Settings page enables you to:

Personal Password Policies		
Change your CloudAlly account password	Change password	
You can also use Two-Factor Authentication	Activate 2FA	

- Update your password
- Set up two-factor authentication

You can also enforce certain security policies for your users' accounts.

Enforce The Following Password Policies On All Users		
C Enforce Two-Factor Authentication on all users 0		
Password Expiration: Password expires after (days): 90		
		-
	Concel	Sove

- With the **Enforce Two-Factor Authentication** option, you can make two-factor authentication mandatory for all the users in your account.
- By setting the Password Expiration, you can enable the password expiration option for all your users – you will be also be asked for the number of days before the users' passwords expire.



### 7.4.1 Changing Your Password for Credential-Based Authorization

You can change your existing account password by performing the following procedure:

- 1. From the **Settings** >**Security** page, in the Personal Password Policies panel, click **Change Password**.
- 2. The Change password pop-up is displayed.

Change password	Х
Current Password: New Password:	
Confirm New Password:	SAVE
	SAVE

- 3. Enter the current password in the Current Password field.
- 4. Enter the new password in the *New Password* field.
- 5. Re-enter the new password in the *Confirm New Password* field.
- 6. Click **SAVE**. You can now use this password to access your account.


### 7.4.2 Two-Factor Authentication

Two-factor authentication provides additional security to your account and your backup data.

To enable two-factor authentication:



1. Click Activate 2FA. The Two-Factor Authentication page is displayed.



- 2. Download an Authenticator app, depending on your platform.
- 3. Open the Authenticator app and add your account by scanning the QR code provided in the web application.
- 4. If you cannot use a QR code, then enter the text code provided in the web application.
- 5. A six-digit code is generated.
- 6. Click NEXT.
- 7. Enter the 6-digit code that the application generated.
- 8. Click **ENABLE** to complete the process of activating the Two-factor authentication.

From now on, every time you sign in to your Account, you are asked to enter a 6digit code from your authentication app, after you click **SIGN IN**. Click **VERIFY** to verify the code and access the application.

### 7.4.3 SAML

The Security Assertion Markup Language (SAML) is an open federation standard that allows an identity provider (IdP) to authenticate users and then pass an authentication token to another application known as a service provider (SP).

CloudAlly supports Okta as its SAML provider.



There are two steps to setting up Okta so that you can use it to log in to CloudAlly:


- Setting up CloudAlly in the Okta Application
- Setting up Okta in the CloudAlly application

## 7.4.3.1 Setting up CloudAlly in the Okta Application

 In the Okta application, click Applications > Applications > Browse App Catalog.

okta		Q Search
Dashboard	č	Applications
Directory	ř	· · · · · · · · · · · · · · · · · · ·
Customizations	×	Developer Edition provides a limited number of apps.
Applications	^	Deactivate unused apps or check out our plans page. Contact us to find a plan that is right for your organization.
Applications		Create App Integration Browse App Catalog Assign Users to App More *
Self Service		

In the search bar, enter CloudAlly.



 Click the arrow next to CloudAlly SAML 2.0, and Assign to Users or Assign to Groups.



okta		Q Search			Bob.smith@ca4	6 8
Dashboard	~					
Directory	¥	Applications				O Hel
Customizations	v	Developer Edition prov	/ides a lir	mited number of apps.		
Applications	~	Deactivate unused apps or check out ou	r plans page. Co	ontact us to find a plan that is right for your organization.	12	
Applications		Create App Integration Browse A	pp Catalog	Assign Users to App More *		
Self Service						
Security	~	CloudAlly				
Workflow	v	STATUS	( <b>6</b> 0.000/07	CloudAlly		••
Reports	~	ACTIVE 5				
Settings	~	INACTIVE 1	0	CloudAlly Feature Branch		• •
			0	CloudAlly SAML 2.0		• •
					1 Assign to Users	
			0	CloudAlly SAML 2.0 DevRein	Assign to Groups	
			0	CloudAlly SAML PROD	() Deactivate	
			Q.	erear and erear the erear		

Click CloudAlly SAML 2.0, and on the next page, click the **General** tab.

okta		Q Search			0 8	Bob smith@ca4software
Dashboard	v	+ Back to Applic	tions			
Directory	~	CLOUDAL	CloudAlly			
Customizations	~	(Sectobol)	Active • Bp View Logs Monitor Imports			
Applications	^	General S	gn On Mobile Import Assignments			
Applications						
Self Service		Assign *	Convert assignments * Q Search Peopl	e •	REPOR	
Security	~	Filters	Person Type		and a second	rent Assignments ent Unassignments
Workflow	÷	People	Bob Smith Bob smith@ca4software.onmicrosoft.com Individual	×	ing Med	ent Unassignments
		Groups	Boo smithig carson wate of microsoft com			
Reports	×				SELF S	ERVICE
Settings	×				ser bef ser	need to enable self vice for org managed apps ore you can use self vice for this app. to self service settings

Scroll down until you see the App Embed Link section. Copy the URL that is displayed - you will need this to set up Okta in the CloudAlly app.



App E	Embed Link Edit
Embed	l Link
You can Okta.	use the URL below to sign into CloudAlly SAML 2.0 from a portal or other location outside of
https:	//Bob.smith@okta.com/home/123456789_cloudallysaml20_1/Ooa2refpe!d3092Tr09va
	//Bob.smith@okta.com/home/123456789_cloudallysaml20_1/Ooa2refpe!d3092Tr09va
Applic	
Applic:	ation Access Error Page
Applic:	ation Access Error Page one who is not assigned to the application attempts to use an embed link, they will be redirected t error page or one that can be customized. An application level setting will override default URL
Applica If someo a defaul	ation Access Error Page one who is not assigned to the application attempts to use an embed link, they will be redirected t error page or one that can be customized. An application level setting will override default URL

## 7.4.3.2 Setting Up Okta in the CloudAlly Application

1					8
1	9 Backups				+ Add Backup Task (
	MS Exchange Backup 🖉 🧬	Groups/Teams & @ Microsoft Groups / Teams	SharePoint 🥖 🥔	OneDrive      Microsoft OneDrive	Google Workspace 🖉
	Succeeded	Succeeded	Succeeded	Succeeded	Succeeded
1	Total Mailboxes 12	Total Groups / Teams 19	Total Sites 22	Total Sites 8	Total Users 35
	Active Mailboxes 12	Active Groups / Teams 3	Active Sites 2	Active Sites 8	Active Users 39
1	Total Size 53.19 MB	Total Size 499.64 KB	Total Size 73.00 MB	Total Size 17.83 MB	Total Size 133.04 GB
	Last Snapshot 6 hours ago	Last Snapshot 4 hours ago	Last Snapshot 3 hours ago	Last Snapshot 2 hours ago	Last Snapshot 11 hours ago
	Next Backup In 18 hours	Next Backup In 20 hours	Next Backup In 20 hours	Next Backup In 20 hours	Next Backup In 13 hours
	SRecovery	S Recovery Backup Now I	( Pecovery Backup Now 1	Recovery Backup Now	G Recovery
	Google Shared Drives &	Salesforce Sandbox @	box Box	Cropbox Business	
	Succended	Succeeded	Succeeded	Succeeded	
	Total Drives 28		Total Users 11	Total Users / Team folders 81	
	Active Drives 28	Total Seats 4	Active Users 11	Active Users / Team folders 81	
	Total Size 2.68 GB	Total Size 24.72 MB	Total Size 97.15 GB	Total Size 103.02 GB	
	Last Snapshot 9 hours ago	Last Snapshot 14 days ago	Last Snapshot 12 hours ago	Last Snapshot 7 hours ago	
	Next Backup In 15 hours	Next Backup In 4 hours	Next Backup In 12 hours	Next Backup In 17 hours	
	G Recovery ( Backup Now )	G Recovery ( Backup Now )	Recovery     (     Backup Now     i	Recovery ( Backup Now ) :	

1. From the Homepage, click **Settings** in the Navigation panel.



2. On the Settings page, click **Security**.

 Нотераде	Settings			1	
≡ Jobs	Account	User Management	Security	Notifications	Integrations
G Recovery	0 @	8	$\bigcirc$	4	¢;
C) Billing	Manage account settings	Manage other users	Manage security settings	Manage system notifications	Manage integrations with tools and services
& Activity					
© Settings					

3. Click the **SAML** tab.


 Homepage	<b>Settings</b> Settings > Security		
Jobs	Password	IP Restrictions	SAML

4. Paste the URL that you copied from the Okta site.

Homepage	Settings Settings - Security	Email & Password: Active
Jobi	Password IP Restrictions SAML	
Recovery Activity	SAML provider So Disa Identity Provider Metadata File Please upload SAML metadata XML file generated by Oksa	
Settings	Upload URL https://Bok.mithi@skta.com.ihome/123456789_cloudallysami20_1/Ooa2refpeld30921109va URL to the SAML Identity Provider Metadata lile.	
	Uplead File  J. Choose File  No file thoses.	
		Activate



- 5. Click Activate.
- 6. Read the "Are you sure you want to activate SAML Authentication with Okta" message in the next window, and click **Confirm**.



After clicking **Confirm**, the Activate state changes from **Email & Password: Active** to **SAML: Active.** 

Email & Password: Active	SAML: Active

### 7.4.4 IP Restrictions

Need fine-grained access control of your endpoints? You can restrict access to the Portal based on the users' IP addresses. This is especially helpful to enforce security policies and prevent unauthorized access by limiting backup/restore requests to company-approved IP addresses, such as an office IP, or a particular VPN.

### **Setting Up IP Restrictions**

To enable IP restrictions in your account, first create the list of trusted IP addresses.

**IMPORTANT!** 



It is strongly recommended to use this feature only if you have a static IP address, to prevent users from being locked out.

#### 1. In the *Settings* panel, click **Security**, and then **IP Restrictions**.

3		bob.smith@ca4software.onmicrosoft.com Bob Smith Log Out 🗄
Homepage	Settings Settings > Security	Email & Password: Active
jobs	Password IP Restrictions SAML	
(G) Recovery	IP Address Restrictions Settings	Your IP Address: 79.182.47.197
8 Activity	IP Address restrictions allow you to control who can access your account based on their IP address. Once you configure a set of trusted IP address and enable IP Address restrictions, any user attempting to log in via an IP address that is not trusted will be blocked. You can define a single IP address or a range of IP addresses. Only IPv4 is accepted.	
Settings	CAUTION: Make sure to add your own IP address and to use static IP addresses. Setting up wrong IP addresses may result in being locked out of your account.	
	Trusted IP Addresses	+ Add IP Address
	IP Description IP Address	Actions
(C) Support		() Help

- 2. Click + Add IP Address.
- 3. Enter one or more IP addresses:
  - a. Enter individual addresses separated by commas, and an optional description.

Au	d New IP Add	aress	Your IP Address: 130.248.112.29
Ente	er IP Address desc	ription	(optional)
e.g	g. Office		
You	ı can add one or n	nore IP addresses, or a rai	nge of IP addresses:
۲	Trusted IP Addre	ss(es)	
	Separate multiple IF	addresses with ",".	
	Example 192.168.10	).5	
	Trusted IP Addre	ss Range	
	From	То	
	Example 192.168.10	0.0 - 192.168.10.255	
			Cancel Save



b. Or, enter a one or more ranges of contiguous addresses, and an optional description. Multiple ranges could be used to accommodate VPN and internal networks.

Add New IP Address	Your IP Address: 79.181.255.0
Enter IP Address description	(optional)
Secondary office	
You can add one or more IP addresses, or a range of IP a	ddresses:
<ul> <li>Trusted IP Address(es)</li> </ul>	
Separate multiple IP addresses with ",".	
	4
Example 192.168.10.5	
Trusted IP Address Range	
From To	
79.181.255.0 - 79.181.255.16	
Example 192.168.10.0 - 192.168.10.255	
	Cancel Save

4. Once you enter at least one address, the **Trusted IP Addresses** toggle will be turned on. You can always return to disable IP restrictions later on.

abritik D	Security Settings Settings > Security		Email & Password: Activ
5 Sana	Password SAMI	L IP Restrictions	
3 115	IP Address Restrictio	ns Settings	Your IP Address: 130.248.112.2
3 urity	Once you have configure a se	you to control who can access your account based on their IP address. If of trusted IP addresses and enable IP Address restrictions, any user attempting to log in via an IP address that is not fires or a range OP addresses. Only IP will as accepted.	t trusted will be blocked.
ings	CAUTION: Make sure to add yo	wr own IP address and to use static IP addresses. Setting up wrong IP addresses may result in being locked out of your accou	ent.
	Trusted IP Addresses		+ Add IP Addre
	IP Description	IP Address	Actions
	Office	192.168.10.5, 192.168.10.120, 192.168.40.157, 192.168.60.180	00
	onte		
	51114		
D	one		

You can edit your list of addresses by clicking the pencil icon, or delete ones that you no longer want on your trusted list by clicking the trash icon.



**Note:** If you forget to include your own IP address on the trusted list, IP restrictions cannot be enabled.

Your CloudAlly account is now protected from access by users who are not on your list.

#### **Blocking Access**


If a user tries to access your CloudAlly account from an untrusted IP address, the following "access denied" error message will appear:

	- Hone Pres Trial & Lag V
Sign In to your Account Don't have an account? Sign up	
bob.smith@ca4software.onmicrosoft.com	
	ø
Englished and process Access denied.	
G Sign in with Gongle	]
Sign in with Microsoft	]
O Sign in with Okta	J
Terms of Service and Privacy Statement	
powered by aWS	



### 7.4.5 Email Notifications

Whenever you enable or disable IP restrictions, or modify the addresses, CloudAlly will send you an email notification, letting you know what has changed.



# 7.5 Notifications Settings

This menu option enables you to manage your system notifications. From the Navigation Panel, click **Settings** > **Notifications**.

	Account	User Management	Security	Notifications	Integrations
v	0	8	$\bigcirc$	4	Ę.
	Manage account settings	Manage other users	Manage security settings	Manage system notifications	Manage integrations with tools and services



Page 65

The following screen will appear:

Summary Report							
Report Format:							
Backup tasks overview	Preview			Report Frequency:			
O Backup failure details	Preview			Once A Day 🛛 🗸			
Provide as:							
O CSV Attachment				Send the report only in ca	se of backup failure		
<ul> <li>Download Link</li> </ul>							
							SAVE
nd Notifications To:		Summary	Recovery	Exceptions	Auto Discovery	0	Add new reci
nd Notifications To: Email	Display Name	Summary Report	Recovery Notification	Exceptions Notification	Auto Discovery Notification	(+) / Smart Alerts	

The top of the screen enables you to configure the following options:

- Report Format: Backup tasks overview vs. backup failure details
- CSV Attachment vs. Download Link
- Report Frequency: daily, weekly or monthly
- Send the report only in case of backup failure

#### To set up a new recipient:

- 1. Click + Add new recipient.
- 2. Enter the Email of the recipient and the Display name. The Display name is used in the report email to address the recipient.
- 3. Select the desired notification types:
  - a. Summary Report
  - b. Recovery Notification
  - c. Exceptions Notification This notification is sent both when there are backup errors and integration errors. (For integration information, see "Managing Your Account" on page 45.)



**Note:** If no one is configured to receive Exception Notifications, then they will be sent to the Primary account user.

- d. Auto Discovery Notification
- e. Smart Alerts
- 4. Click **SAVE** to create the new recipient.

Settings Settings > Notifications > N	ew Email report				
User Info Email			Display Name		
Notifications	Recovery Notification	Exceptions Notification	Auto Discovery Notification	Smart Alerts	
					EAVE Cancel

# 7.6 Integrations

The Integrations page displays all of the available integrations to external services and systems, with an option to connect either as a self-service, or by calling Support and providing additional details. The page also includes details about the REST API integration with an option to generate API tokens.

The following types of integrations may be configured on this screen:

- SIEM (Security Information and Event Management)
- RMM (Remote Monitoring and Management /PSA (Professional Services Automation)
- API enables integrating with the CloudAlly REST API.

### 7.6.1 Splunk

The first available SIEM integration is with Splunk, using the Splunk HTTP Event Collector (HEC).

Versions Supported:



### 7.6.2 Which Events are Sent to Splunk?

You can choose to send one or more of the following to Splunk:

**Note:** CloudAlly sends events to Splunk periodically, approximately every 10 minutes.

- Customers' activity events, such as backups and restores
- Customers' Security Audit logs (see " Security Audit" on page 48)

### 7.6.3 Pre-requisite: Setting Up Your Splunk Account

Before you can connect your backup account to Splunk, you first need to establish an account with Splunk and configure the Splunk HTTP Event Collector.

Perform the following steps in the Splunk Admin Console.

1. Navigate to Settings>Data Inputs>HTTP Event Collector.

Data inputs	les and directories, network ports, and scripted inputs. If you want to set up forwarding a			
up data inputs nom n	res and directories, network ports, and scripted inputs, if you want to set up to wanting a	nd receiving between two spelink instances, g		
	Local inputs			
	Type	Inguity	Action	
	Files & Directories. Index a local file or manifor at entire directory.		+ Act new	

- 2. Under the Global Settings option:
  - a. Enable the HTTP Event Collector by setting All Tokens to **Enabled**.
  - b. Choose **json** as default source type.
  - c. Check Enable SSL.



Edit Global Setting	5				×
All Tokens	F	Enabled		Disabled	
Default Source Type		Lindered	_json 👻	Dialance -	
Default Index			Default •		
Default Output Group			None *		
Use Deployment Server					
Enable SSL					
HTTP Port Number ?	8088				
				Cancel	Save

3. Under the New Token option, create a new token and copy the value - it will be used in the CloudAlly Portal.

Name	Splunk Token	
Source name override ?	optional	
Description ?	optional	
Output Group (optional)	None 🔻	

IMPORTANT NOTE: Do NOT check "Enable indexer Acknowledgment".

4. Find Your HEC URL.



The standard form for the HEC URL varies, depending on the Splunk software type you have. Find the standard form on this page: <u>Set up and use HTTP Event</u> Collector in Splunk Web.

5. Verify that you have set up an SSL certificate issued by a commonly accepted certificate authority (CA) on the Splunk HEC endpoint.

## 7.6.4 Setting Up Splunk in the Portal


- 1. From the navigation pane, click **Settings > SIEM**.
- 2. Click **Splunk > Connect**. Complete the fields on the following screen:
  - a. Enter the Splunk HTTP Event Collector URL.
  - b. Paste the token value that you copied into the Splunk Token field.
  - c. Optional: Add the Event Source, which is the override value to assign to the event data.

Splunk SIEM Integration	③ Splunk HEC Setup
Splunk HTTP Event Collector URL(HEC)*	
Please verify Splunk SSL Certificate.	
https://splunk.company.com:8088/servi	ices/collector/event
Splunk Token*	
123456789-abcd-efgh-1u2j3k4l5m6n	
Event Source (Optional)	
Enter your event source	
Send Activity Events	
Send Audit Log	
	Cancel Save

3. By default, there are 2 options at the bottom that are selected. You can deselect any that are not relevant for you:



- a. Send customer activity events
- b. Send customer audit log
- 4. Click **Save**. The Splunk tile will now be Active.
- 5. To delete the integration, click **Edit > Delete**.



## 7.6.5 RMM/PSA

The RMM (Remote Monitoring and Management) and PSA (Professional Services Automation) page enables you to connect to Autotask.





Autotask is a PSA platform that provides complete visibility over your business with features like dashboards, sales, CRM, assets, inventory, and billing.

Once you have set up your account with <u>Autotask</u>, open a support ticket. Send us:

- Your Autotask ID
- Your Autotask Password
- The email address you'd like your reports to be sent to.

Once the support representative has enabled Autotask, we will send any backup task failure reports to the email address provided, starting from the next backup cycle.

### 7.6.6 API


The third option on the Integrations page enables you to connect to the CloudAlly API.

CloudAlly has a robust API, that enables you to perform billing management, backup, restore, and download management, Partner Portal management, and user management functions. It enables you to automate processes and integrate with the CloudAlly solution. The API can be used for many common business scenarios, such as exporting the data of customers who leave your company as part of the off-boarding process.

The REST API screen will be blank if you have never created an API key. If you have created one in the past, you will see it on the screen.



**Note:** The Created On Date is not available for client IDs created prior to CloudAlly release 24.4.1.



The first step towards integrating with our API is generating your own Client ID and Client Secret for authentication. Click **+Create key**. The Client ID and Client Secret will be generated, so that you can copy them for use in the headers of your API calls.

Client ID and So	ecret	
	y the "Client Secret" before you click on <b>Clo</b> , you will not be able to see it again and will h	
Client ID	12345-67890-abcde-fghij	Ð
Client Secret	*****	0
		Close

**IMPORTANT!** Ensure that you copy the "Client Secret" before you click Close. If you do not copy it, you will not be able to see it again and will have to create a new one.



ettings > Inte	erations						
1111 BC 1111	0,						
SIEM	RMM/PSA	API					
		1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.					
REST AF	2						
Integrate			user managemen	t functions with our accessible Al	1. Customers who wish to use ou	ir API can create their own API ke	y - Clien
Integrate ID and Cli	ent Secret - for auther	ntication.				ir API can create their own API ke	y - Clien
Integrate ID and Cli	ent Secret - for auther	ntication.		t functions with our accessible Al lear guidance on how to impleme		ir API can create their own API ke	y - Clien
Integrate ID and Cli Refer to ti	ent Secret - for auther ne <u>API Documentatio</u>	ntication.					
Integrate ID and Cli	ent Secret - for auther ne <u>API Documentatio</u>	ntication.					y - Client Create ke

If you need to delete your API key, click the trash icon.

### 7.6.7 Next Steps

Once you have generated an API key, the next step is to call the Authentication API using the Client ID and the Client Secret.

For each user, you need to create a unique access token and refresh token.

The complete list of CloudAlly API calls can be found <u>here</u>.



# 8 Managing Subscriptions and Payments

# 8.1 Subscribing to CloudAlly

Once the trial period has ended, you need to subscribe to CloudAlly to access and manage your backups, otherwise your backed up data will be deleted.

#### To subscribe to a plan:

1. Click the **Subscribe** link displayed in your account. Alternatively, you can click the **Billing** option of the Navigation Panel.

The *Review Billing* page is displayed with the option to select either **MONTHLY** or **ANNUAL** billing options.

**Note:** You can subscribe before the end of the trial period, and the payment period will start after the trial period is over.

2. Click **MONTHLY** or **ANNUAL**, depending on your preference.

You are redirected to the *Payment Details* page. Fill in the billing and credit card details to finish the subscription process. Refer to <u>Payment Details</u> for more information.

#### 8.1.1 Monthly Subscriptions

When you subscribe to a monthly plan, the credit card that you registered in the *Billing > Payment Details* page will be charged the amount that you owe.

CloudAlly's billing is handled by a PCI-compliant payment processor.

To finalize your subscription, enter your credit card details and general billing information, and then click **Subscribe**.

The initial payment will be charged at the end of your 2-week trial period.

A receipt will be emailed to you each month after you are charged.

If CloudAlly is unable to charge your credit card (e.g., because it has expired), you will be notified by email. Additionally, a message will appear in the application that



you need to go to the *Billing Status* page so you can review your billing details, and then update your credit card information if necessary.

**Note:** The billing status is usually updated within a few minutes after the payment is complete. If the status has not updated after 24 hours, please contact support@cloudally.com.

	DALLY Cloud to Cloud Backup	A Payment Failed; Unsble to charge your credit card.	Updated on Nov 07, 2022	bob.smith@ca4software.onmicrosoft.com Bob Smith   Log Out 🗗
And Homepage	Billing Billing > Status			

**Note:** The monthly payments are processed automatically once you provide the required information in the Payment Details section, and it has been verified that your credit card is valid. To disable automatic payment processing, please contact CloudAlly support. Instead, you will start receiving monthly invoices for the payments.

### 8.1.2 Annual Subscriptions

When you subscribe to an annual plan, you will receive a confirmation message that your request has been submitted, and then CloudAlly support will send you an email, asking that you confirm your annual subscription request.

Once you have confirmed, CloudAlly will email an invoice to you, payable in 30 days by credit card, PayPal, or bank transfer.

After the initial payment, CloudAlly will send you an invoice 30 days before your payment is due, in 11 months. You will also be reminded that your annual subscription is due online:

**Note:** The billing status is usually updated within a few minutes after the payment is complete. If the status has not updated after 24 hours, please contact support@cloudally.com.

		Cloud to Cloud Backup	Reminder: Please pay your annual subscription.	Updated on: Nov-06, 2022 X	bob.smith@ca4software.onmicrosoft.com Bob Smith Log Out 🔒
O Homepage	Billing Billing > 5	tatus			



Should you fail to make your annual payment, you will be reminded with a message like this:



After you finalize your subscription, the *Billing > Payment Details* page displays additional billing management options and provides a brief summary of the payment information for the current period and the next payment date.

# 8.2 Payment Details

Homepage	Billing Annual subscription, Renewal Date: Aug	18th 2022	
Jobs	Status	History	Payment Details
Recovery	(5)	<u>(;;</u>	
Billing		C	
<u>م</u> Activity	Billing status of clients		Change your payment details
<b>දි</b> හි Settings			

The Payment Details page contains the information used for billing.

### 8.2.1 Monthly Subscriptions

If you have chosen a monthly payment plan, you can update your credit card and billing details here:



Credit Card Details					
Card Number:	CREDIT: X000-X000K-X000-1111 (12/2023)				
				ADD NEW CARD	ACTIVATE CARD Delete car
Billing Details					
Currency:	EUR		Title:	Mr	
First Name:	Bob		* Last Name:	Smith	
Billing Email:	bob.smith@ca4software.onmicrosoft.com		Company Tax Id:	12345	
Company Name:	12345		* Address Line 1:	123 Main Street	
Address Line 2:			Address Line 3:		
Country:	United Kingdom	Ű.	State:		
City:	Anytown		* Zip Code/Postal Code:	12345	
Phone number:	2011234567		Email Invoice/Receipt:	Link      Attachment	
Payment Day:	6				

### 8.2.1.1 Add New Card

The **ADD NEW CARD** option enables you to define your card information for a monthly subscription payment.

Billing						
Billing >> Payment details						
Monthly subscription, next	t payment: Dec 13th 2020					
· Credit Card De	tails					
Card Number:	undefined: XXXX-XXXX-XXX	XX-444 🗸				
				ADD NEW CARD	ACTIVATE CARD	Delete card
Add new card of	details					
Card Holder's Name:	Card Holder's Name:					
Card Number:	Card Number	MM / YY	CVV			
			1710.00			
						ADD NEW CARD

#### To create a new payment method:



- 1. Click ADD NEW CARD.
- 2. Enter the card details such as Card Number, CVV, Card holder's name, and card expiry date.
- 3. Click ADD NEW CARD.

The new card information is saved and activated, and you can use this card.

#### 8.2.1.2 Change Payment Method

#### To change your existing payment method:

- 1. Click the drop-down list and select the payment method from the Cards Number drop-down list.
- 2. Click the payment method from the list (the screen shot below depicts choosing a different credit card).
- 3. Click **ACTIVATE CARD** to set the selected card as the preferred payment method.

Billing		
Billing >> Payment details		
Monthly subscription, nex	t payment: Dec 7th 2020	
~ Credit Card De	tails	
Card Number:	CREDIT: XXXX-XXXX-XXXX-5048 (1 🗸	
	CREDIT: XXXX-XXXX-XXXX-5048 (12/2025)	
	CREDIT: XXXX-XXXX-XXXX-1111 (12/2023)	ADD NEW CARD ACTIVATE CARD Delete card

The details section displays billing information such as Currency, Title, Name, and Billing email.

4. Below, there are more fields in the Billing details section. The Company Tax ID field indicates your company tax ID. (This is mandatory for Israeli companies.)



**Note:** Due to Value-added tax (VAT), Israeli companies must include their Tax ID. Therefore, the Company Tax ID field is mandatory for Israel, and if this field is not completed, our company will not be able to provide you with backup services.

~ Billing Details			
* Currency:	USD	Title:	~
* First Name:		* Last Name:	
* Billing Email:		Company Tax Id:	
* Company Name:		*Address Line 1:	
Address Line 2:		Address Line 3:	
* Country:	~	State:	
* City:		* Zip Code/Postal Code:	
* Phone number:		Email Invoice/Receipt:	🔿 Link 💿 Attachment
			UPDATE BILLING DETAILS

- 5. Update the required fields. The fields marked with the \* symbol are mandatory.
- 6. Click **UPDATE BILLING DETAILS**.
- 7. The updates are saved.

You can choose whether you want to receive the Invoices or Receipts as a link or as an attachment to the email.

Note: You can change the billing currency by contacting CloudAlly support.



### 8.2.2 Annual Subscriptions

If you have chosen an annual payment plan, you can update your billing details
here. When you are done, click <b>SAVE</b> .

Hornepage	Billing Billing > AnnualSubscription	
2	Annual subscription, Renewal Date: Oct 19th 2023	
Jobs	~ Billing Details	
Recovery	Subscription Starting Date:	November 3, 2022
G	Currency:	
Billing	* Country:	United States
8 Activity	* State:	New York 🗸
0	* City:	New York
Settings	* Zip Code/Postal Code:	01234
	* Company Name:	Pizza Perfecto
	Company Tax Id:	987654321
	* Company Address:	14652 Broadway
	Purchase Order Number (Optional):	4350123
	<ul> <li>Billing contact</li> </ul>	
	* First Name:	Bob
	* Last Name:	Smith
© Support	* Billing Email:	Bob.smith@ca4software.onmicrosoft.com

# 8.3 Billing Status

#### **Annual Subscription**

When you have paid your annual subscription, this page displays the next payment forecast for the upcoming payment date. The details include Service type and backup name, Quantity, Unit Price, and the Total Amount.

Homepage	Billing Billing > Status								
)obs	Note: The billing statu	Note: The billing status is usually updated within a few minutes after the payment is complete. If the status has not updated after 24 hours, please contact support.							
6) Recovery	Subscription Annual	Payments status Paid	Next renewal date Sep 12, 2023	Forecast for next payment \$226.80					
Billing & Activity	Payment Forecast								
	Service	Total Qu	antity	Billable Quantity	Unit Price	Total Amount			
(C) lettings	MS Exchange (365)	é malibo	oes.	6 mailboxes	\$37.80	\$226.80			

When your subscription amount becomes due, the Billing Status page displays the following information:



- Issue date the date the invoice was issued
- Status Paid, Due or Overdue
- Due Date the date by which the invoice must be paid.
- Effective Date the date the subscription period begins.
- Total Amount amount owed.
- Download Invoice Click this to download a PDF copy of your invoice.
- **Email Invoice** Click this to send an invoice to your email address.
- **Pay Invoice** Click this to directly pay the amount owed online.

C CL		e Overdue: Please pay your annual subs	cription.	Updated on: Ma	v 03. 2023		?	Bob Smith 🗸	
O Homepage	Billing Billing > Status								
盟 Jobs	Note: The billing status is usually updated within a few minutes after the payment is complete. If the status has not updated after 24 hours, please contact support.								
Recovery	Subscription Annual	Payments status Amount Due \$253.00							
Billing Activity	Overdue Invoices								
	Issue Date	Status	Due Date	Effective Date	Total Amount	Download Invoice	Email Invoice		
Settings	Mar 18, 2023	Overdue	Apr 17, 2023	Apr 18, 2023	\$253.00	41197 ±	(8)	Pay Invoice	

You can click **Pay Invoice**, and you will be directed to the following screen, where you can pay your invoice via PayPal or by credit card:



		Choose payment method
		Pay With 🖡 PayPal
CloudAlly		On the Paypal page, you can also pay
		by credit, without the need for a user account
bob.sm	ith@ca4software.com, 1	decarde is
year b	ackup starting September	
28, 202	22, HR MS 365 Bundle Plan -	
Compr	ehensive Microsoft 365	
Backu	o Billed Per User	
Buyer	bob.smith@ca4software.com	
Due date	Apr 17, 2023	
Total	\$1,890.00	
business and	irren Invoice is not part of the interaction between the its customers, and is not liable for the goods & services e business, end/or the business' use of the customer's	

### Monthly

Similarly, if there was a problem with your monthly subscription payment, the status will look as follows:

CL	OUDALLY Cloud to C	Cloud Backup	ur credit card.	Updated prc Nov 07, 2022	bob.smith@ca4software.onmicrosoft.com Bob Smith Log Out
Homepage Jobs	Billing Billing > Status				
© Recovery	Note: The billing status	is updated once a day. If you made any recent payments i	t will be reflected in the next 24 hours.		
C9 Billing	Subscription Monthly	Payments status Amount Due \$51.52			Update credit card details
8 Acturity O	Unpaid Bills				
	Jun 20, 2022	Due Date Jun 20, 2022	Effective Date	Total Amount \$12.88	
	May 20, 2022	May 20, 2022	Jun 1, 2022	\$12.88	
	Apr 20, 2022	Apr 20, 2022	Mar 1, 2022	\$12.88	
	Mar 20, 2022	Mar 20, 2022	Apr 1, 2022	\$12.88	

From here, click **Update credit card details** and provide the new information.



# 8.4 History

This page displays the history of payments.

illing				
illing >> History				
fonthly subscription, next payment	: Dec 13th 2020			
Reference Number	Issue Date	Due Date	Amount	
68277 🖒	November 13, 2020	November 13, 2020	\$143.45	
67599 Ø	October 13, 2020	October 13, 2020	\$44.65	
67134 🕢	September 13, 2020	September 13, 2020	\$49.40	
66837 🖧	August 13, 2020	August 15, 2020	\$44.65	
		Page 1 of 1		Showing 1-4 of 4

By clicking on the reference number, you can download the receipt, which provides details about the number of backed-up accounts or the amount of stored data, and the total amount paid. It also displays the payment method used.

An example of a receipt is displayed below.



To: pizza-pe	rfecto.com – PPV001	CloudAlly Ltd.	
Pizza Perfecto 18 Mozarella L United Kingdo		Tax ID: 514596667 12 Harimon st., Gan H Israel www.cloudally.com accounting@cloudal	
Invoic Certified Copy	e / Receipt 51646	26 Apr 2021	
Invoice / F	Receipt for admin@pizza-perfecto.com, 1 yea	n backup starting April 2	2, 2021, GBP
QTY	Description	Price	Total
70	Dropbox 696.56 GB	16.25 GBP	1,137.50 GBP
		Subtotal	1,137.50 GBP
		VAT 0%	0.00 GBP
		Total payable	1,137.50 GBP
Payments I	Details		
Туре	Description	Date	Amount
PayPal	Account 12345678 / Transaction # 987654321	26 April 2021	1,137.50 GBP
		Tota	1,137,50 GBP
Paid with P	aceipt for Proforma Invoice 11392 ayPal lccount: KQMTW2PHR5CUG		



### 8.5 Billing Notification Messages

Administrators can define whether individual users will see the Billing Notification Messages on their screens (e.g., Payment Due, Payment Overdue, Payment Failed).

#### To turn notifications on or off:

- 1. From the Navigation Panel, click **Settings > User Management**.
- 2. For an existing user, click the pencil icon next to the user's name. For a new user, the notification options will appear when you define the new user's details.
- 3. Click View billing notification messages on or off.

omepage .	Settings Settings > User Management	> New user			
≣ Jobs	Email:	bob.smith@ca4software.onmicrosoft.com	Type:	Email	
(S) lecovery	Password		Role	Custom	×.
Billing	~ Operations		~ Services		
& Activity	General		All		
	View Account setting page 📵		Microsoft Exchange		
	View billing page and manage payment details		Microsoft Groups / Teams		
0	View billing notification messages 🚯		Microsoft	SharePoint	
ettings	View support page 1		Microsoft OneDrive		
	View account activity 🚯		Google Account		
	Show all your support tickets		Salesforce		
	Manage Notifications		Dropbox Business		
	View backups page 🕕		Вох		
			Google Workspace		
	Activate new backup taska III		Google Shared Drives		
	Modily backup tasks 📵		IMAP		
	Delete backup tasks 💿				



# 9 Helpful Resources

# 9.1 About CloudAlly

Founded in 2011 as one of the world's first cloud-to-cloud backup services for Google Apps and Salesforce, CloudAlly led the industry with the first commercially available Microsoft cloud backup in Q1 2014. ISO 27001 and HIPAA certified CloudAlly adheres to industry-standard best practices for information security management, including EU-GDPR compliance.

## 9.2 Knowledge Base

Search through articles in our Knowledge Base at <u>https://support.cloudally.com</u> to find answers to the most common user questions.

## 9.3 Support

Support - If you have any question or need further help, do not hesitate to contact us via email at <a href="mailto:support@cloudally.com">support@cloudally.com</a>. or visit our customer support hub: <a href="https://support.cloudally.com">https://support.cloudally.com</a>.

### 9.4 Privacy

CloudAlly takes privacy seriously. Read our Privacy Policy at <u>https://www.cloudally.com/privacy-policy</u>

## 9.5 Security

CloudAlly provides a secure online backup solution with internationally recognized accreditation for information security management. Read how we protect your data at <a href="https://www.cloudally.com/resources/secure-saas-backup/">https://www.cloudally.com/resources/secure-saas-backup/</a>



# 10 Support Pages

The Support option at the bottom of the Navigation Panel redirects you to our support hub. In the support hub, you can find articles covering some of the most common questions and providing instructions.

COUDALLY CUSTOMER SUPPORT HUB	← Back to CloudAlly	Free Trial Open a Ticket	Sign in Partner Sign in
Ŧ	łow can we help?		
Search this help center		Q	
1) Office 365 🥠	SharePoint 🛳 OneDrive	G Suite	
	<b>'e to help you</b> Im is available 24 hrs 365 Day		

CloudAlly provides multi-channel support options:

#### Phone Numbers:


USA: +1 (424) 304-1959 AU: +61 2 8599 2233 UK: +44 114 303 2758

#### Email Addresses:

General Inquiries: <u>Info@cloudally.com</u> Customer Support: <u>Support@cloudally.com</u> Sales: <u>Sales@cloudally.com</u>

Open a ticket and the support team will contact you to help you with any question or problem.





Browse the articles, instructions, and tutorials in the Help Topics section. These materials are especially useful for new users as they explain the settings and procedures of backup activation, management, and recovery.

