

User Guide

Salesforce Backup & Recovery



salesforce

Table of Contents

1	Preface	3
1.1	About this Guide	3
1.2	Audience	3
1.3	What's in this Guide	3
2	Creating and Accessing Your Backup Account	5
2.1	Prerequisites	5
2.2	Sign Up/Sign In from the CloudAlly Home Page	5
2.3	Resetting Your Password	7
3	Backing Up Your Salesforce Data	10
3.1	Creating a New Backup Task	10
3.2	Configuring Backup Settings	13
3.2.1	Compare, Replicate, and Smart Alert Buttons	15
3.3	Removing a Backup	15
3.4	Modifying the Settings of an Existing Backup	16
4	Recovering Your Backed Up Data	17
4.1	Using the Recovery Menu	17
4.1.1	Restore or Download Via Snapshot	18
4.1.2	Restore or Download Via Item Search	22
4.2	Tracking Recovery Tasks on the Jobs Page	23
4.2.1	High-Level Summary	24
4.2.2	Filtering	25
4.2.3	Description of Each Job	26
5	Comparing, Replicating, and Setting Smart Alerts	27
5.1	Compare	27
5.1.1	Initializing the Data Comparison	27
5.1.2	Viewing the Data Comparison Results	30
5.2	Comparing Metadata	33
5.2.1	Initializing the Metadata Comparison	33
5.2.2	Viewing the Metadata Comparison Results	38
5.3	Replicating your Database	40
5.3.1	Replicating Data	41
5.3.2	Replicating Metadata	51
5.4	Smart Alerts	55
5.4.1	Anomaly Detection	55
5.4.2	Setting a Smart Alert	55
5.4.3	Smart Alert List	59
5.4.4	Smart Alert Notifications	60
6	Managing Your Account	61
6.1	Viewing Account Activity	61

6.1.1	System Activity	62
6.1.2	Security Audit	63
6.2	Managing Your Account Settings	64
6.2.1	Account Settings	65
6.2.2	Canceling Your CloudAlly Subscription	65
6.3	User Management	66
6.4	Security Settings	68
6.4.1	Changing Your Password for Credential-Based Authorization	68
6.4.2	Two-Factor Authentication	69
6.4.3	SAML	70
6.4.4	IP Restrictions	74
6.4.5	Email Notifications	79
6.5	Notifications Settings	79
7	Managing Subscriptions and Payments	82
7.1	Subscribing to CloudAlly	82
7.1.1	Monthly Subscriptions	83
7.1.2	Annual Subscriptions	83
7.2	Payment Details	85
7.2.1	Monthly Subscriptions	85
7.2.2	Annual Subscriptions	89
7.3	Billing Status	90
7.4	History	92
7.5	Billing Notification Messages	94
8	Helpful Resources	95
8.1	About CloudAlly	95
8.2	Knowledge Base	95
8.3	Support	95
8.4	Privacy	95
8.5	Security	95
9	Support Pages	96

Copyright and Trademark Notice

Copyright © 2023 CloudAlly™. All Rights Reserved. No part of this document may be reproduced in any format, without prior written permission from CloudAlly. Additional information about CloudAlly is available at <https://www.cloudally.com>. No part of this work may be reproduced or copied in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems—without written permission from the publisher. CloudAlly, the CloudAlly logo and/or other products or services of CloudAlly, are trademarks or registered trademarks of CloudAlly, in the U.S. Patent and Trademark Office and other jurisdictions.

Third-Party Trademarks

Any other marks may be trademarks or registered trademarks of their respective owners. For further information, visit <https://www.cloudally.com>.

1 Preface

1.1 About this Guide

Thank you for selecting CloudAlly for Salesforce. Relax! All your Microsoft 365 data is now securely protected with easy recovery from data loss. CloudAlly comprehensively backs up your Microsoft 365 Exchange, OneDrive, SharePoint, OneNote, Teams & Groups data on industry-leading AWS S3 storage. Our product's ethos is to provide feature-rich backup and recovery with security, ease of use, and flexibility woven in.

CloudAlly is cloud-native, a full cloud-to-cloud solution. No installation is required, the setup is hassle-free, backup is easy, and there are flexible recovery and export options. Read on for instructions about how to activate and manage your backups, restore your data by keyword, from any point-in-time, and at any granular/hierarchical level, export your backups to your own storage, activate summary/exception reporting, and set up MFA and other helpful features.

Questions or comments? Please contact us at support@cloudally.com or search our Knowledge Base at <https://support.cloudally.com/hc/en-us>.

1.2 Audience

This guide is intended for individuals who administer CloudAlly for Salesforce.

1.3 What's in this Guide

This guide is organized to help you find the information you need to manage CloudAlly for Salesforce. It is divided into functional parts intended to support you as you manage your environment:

- [Creating and Accessing Your Backup Account](#)
- [Backing Up Your MS 365 Data](#)
- [Recovering Your Backed Up Data](#)
- [Comparing, Replicating, and Setting Smart Alerts](#)
- [Filtering and Viewing Drill-Down Details](#)

- [Managing Your Account](#)
- [Managing Subscriptions and Payments](#)

2 Creating and Accessing Your Backup Account


2.1 Prerequisites

To administer the CloudAlly Backup for Salesforce environment, the following is required:

- Salesforce Subscription. Not all editions of Salesforce support API access required for CloudAlly backup to operate. The following editions support the API access: Enterprise Edition, Unlimited Edition, Developer Edition, Performance Edition, and Salesforce Essentials Edition.
- Salesforce account with API access enabled in the profile.

2.2 Sign Up/Sign In from the CloudAlly Home Page

1. In your Internet browser, open cloudally.com and click **Login**.
2. Click **Customers**. The *Sign In* page is displayed.



3. If you don't have an account yet, click **Sign Up**. The *Sign Up* page is displayed.

4. Complete the form, and then click Sign up.

Note: CloudAlly gives you the choice of numerous AWS data centers available in the dropdown menu “Location.” These include locations in Australia, Canada, EU (France, Germany, and Ireland), US, UK, and Japan. The ability to choose from a wide range of data centers helps our customers comply with local data sovereignty laws that regulate the physical location and movement of data. In addition, we also offer a “Bring Your Own Storage” (BYOS) option on request. This allows you to backup sensitive data in your own AWS S3 buckets, S3 compatible storage service, Azure, or Google Cloud Platform. Please contact support@cloudally.com for more information.


5. Your trial account is created, and an email containing your activation link is sent to your email address. Click on the activation link contained in the email you received to activate your account. If you sign up with Google, Azure, or Okta, the activation link will not be sent to you.
6. Once your account is activated, you are redirected to the CloudAlly *login* page. Enter your email address/password and click **Sign In** to login and access your account.

You can also enable Two-Factor authentication to provide additional security. For more information, see [Managing Your Account](#).

2.3 Resetting Your Password


If you do not remember your password, you can easily reset it using the **Password Reset** function.

1. On the sign-in page, click **Forgot your password?** to start the process of resetting your password.




The screenshot shows the 'Sign In to your Account' page. At the top, it says 'Sign In to your Account' with a link 'Don't have an account? Sign up'. Below this is a text input field containing 'bob.smith@ca4software.onmicrosoft.com'. Underneath is a password input field with a red border and a red 'X' icon. To the left of the password field is an orange arrow pointing to the 'Forgot your password?' link. Below the password field is a 'Sign In' button. Further down, there are three social login options: 'Sign In with Google', 'Sign In with Microsoft', and 'Sign In with Okta'.

2. The *Password Reset* page will appear.




The screenshot shows the 'Password Reset' page. At the top, it says 'Password Reset'. Below this, it says 'To reset your password, enter the Email address you signed up with'. There is a text input field labeled 'Email'. Below the input field is a blue 'Reset' button. At the bottom of the page, there are two links: 'Sign in' and 'Sign up'.


3. In the Email field, enter the email address that you used to sign up.
4. Click **Reset**, and the *Password Reset* window will appear.



The email will look as follows:





5. In the email, click **Reset CloudAlly Password** to confirm the password reset, and the *Change Your Password* window will appear.



Change Your Password

Fill-in the new password

New Password 

Confirm New Password 

Save

[Cancel](#)

6. Enter your new password in the **New Password** field and again in the **Confirm New Password** field, and click **Save**.

After resetting the password, you will be directed back to the *Sign In to your Account*.

3 Backing Up Your Salesforce Data

For many businesses, Salesforce data serves as the infrastructure for success. To protect your business' critical data, a system administrator must perform time-consuming, manual on-site backups that can only be completed once a week. Whether as a result of accidental or malicious data deletion or inadvertent processes that result in data corruption, your business' lack of daily Salesforce data backups represents a tremendous and unnecessary risk. CloudAlly's automated daily Salesforce backup service eliminates this risk and ensures that your data is protected around the clock and is available for recovery whenever you need it.

Note: An Admin account is required to back up all Salesforce user accounts.

CloudAlly backs up all Salesforce organizational data, including chatter feeds and metadata.

3.1 Creating a New Backup Task

Pre-requisite: Enabling API Access

Before CloudAlly can access your Salesforce account, you need to enable API access in your Salesforce user profile:


1. Log in to your Salesforce account.
2. Click **Setup** at the top of the page.
3. Under **Administration Setup**, expand **Manage Users**, and then click **Profiles**.
4. Click **Edit** for the appropriate Profile.
5. Under **Administrative Permissions**, check API Enabled, View All Data, and Modify All Data.

To create a new CloudAlly backup task:


1. Sign in to your CloudAlly Account, or if you are already signed in, click the **Homepage** option in the Navigation Panel.
2. On the Homepage, click + **Add Backup Task**.



The *Activate A New Backup* page is displayed:




3. Click **Salesforce**. The following screen appears.



The screenshot shows a web form titled "Enter your admin details" with the Salesforce logo. A link "How to enable API access" is in the top right. The form includes a required field "Backup Name" with a text input box. Below the input box is a note: "You will be redirected to Salesforce for authentication. Your details will not be saved in CloudAlly system." There are two radio button options: "Production backup" (selected) and "Sandbox backup". At the bottom are "Cancel" and "Authenticate in Salesforce" buttons.

4. Fill in the name of the backup task. This name is used in the notifications and reports, and it can be changed later.
5. Select whether you'd like to back up your **Production** or **Sandbox** account. This option cannot be changed later.
6. Click **Authenticate in Salesforce**. You will be redirected to the Salesforce authorization page. Click the **Allow** button from the *Allow Access* page.
7. When prompted, enter your Salesforce Admin credentials from the Salesforce login screen, and click **Authorize**. You may be prompted to enter a code that was sent to your mobile device.
8. You will be redirected to the *Backup Settings* page, where you can adjust the settings of the backup.




The screenshot shows the "Backup Settings" page in the CloudAlly interface. The top navigation bar includes "Homepage", "SF", and a "Connected" status. The main content area has a "Backup Settings" section with a note: "The automatic addition/deletion of an account, site, domain, table or drive can affect your monthly or annual billing amount." Below this are settings for "Daily API Usage Limit" (75%), "Backup Datacenter" (Europe (Frankfurt)), "Retention Period" (Unlimited), "Backup Frequency" (Daily), and "Backup Hour (UTC)" (21:00). A "Status" bar at the top right shows "Success", "Size 28.26 MB", "Last Backup 37 minutes ago", and "Backup actions".

On this page, you can adjust the backup settings and activate backups for the Salesforce users. See the sections below for the detailed procedures.

3.2 Configuring Backup Settings

To access the configuration screen, click **Edit** on the right side of the screen.



The set of options on this screen enables you to select the backup settings for the account.

1. You can change the name of the backup task by clicking .
2. The icon to the right of the Salesforce logo displays whether the application was able to connect to the specified Salesforce account. If the authentication token granted for the application becomes invalid (e.g., it expires due to inactivity because you put the backup task on pause for a long time), the green Connected icon changes to the red Disconnected. To grant the application a new token, click on the icon to open the authentication dialog, and repeat the authentication process.
3. Enter the daily Salesforce API usage limit. The default value is 75% and the maximum value is 100%, which corresponds to the fraction of the total daily API limit.
4. By default, the “Index all data for Search” option is selected, which enables CloudAlly to provide you with its granular search and restore functionality. In the process, your data is temporarily decrypted for a brief period of time, and then re-encrypted once the index is built. If this goes against your company policy and you would like to disable automatic indexing, please contact support@cloudally.com.

Note: The **Backup Data Center** and **Retention Period** fields are “display only,” and their values can’t be changed here.

5. The **Backup Data Center** field displays the Data Center location you selected when you signed up with your registration.

The **Retention Period** field displays whether a retention period has been set up. By default, we provide unlimited retention of your daily backups for as long as you maintain your account subscription. You can override this default and specify a retention period in days, months, or years by submitting a support ticket. Backups older than the retention period specified will be automatically deleted.

Note: Your backup storage location cannot be changed once it's been set during the account setup process. Contact CloudAlly if you need to move backups to a different geographic region, or if you'd like more information on our “Bring Your Own Storage” (BYOS) option

6. Backup Frequency and Backup Hour

- a. Click the drop-down list adjacent to the **Backup Frequency** field and select how often you would like the backups to occur. The available options include:
 - i. Daily
 - ii. Every 3 days
 - iii. Weekly
- b. Click the drop-down list adjacent to the **Backup Hour (UTC)** field and select the backup hour. Click **Save**


Note: Adding more frequent backups is possible via a support request.


3.2.1 Compare, Replicate, and Smart Alert Buttons

- You can click **Compare** to initiate the data or metadata comparison process. This operation compares data or metadata between two backup snapshots or a backup snapshot and production database.
- You can click **Replicate** to start the data or metadata replication process. This process can help you copy the data or metadata of your organization to the sandbox of your or any other organization. The tool is especially helpful for Seeding purposes.
- You can click **Smart Alert** to create an alert that compares changes between the previous and latest backups.


Detailed instructions about all three of these features are provided in ["Comparing, Replicating, and Setting Smart Alerts."](#)

3.3 Removing a Backup

To remove a backup task for a service, on the *Homepage*, click Menu >  **Delete Backup** adjacent to the backup task you want to remove.



The **Confirm Delete** pop-up window is displayed with a warning message.




Click **Delete**. The selected backup service is removed from your account.

To prevent mistaken deletions, there is a grace period of 7 days after your backup is deleted.

3.4 Modifying the Settings of an Existing Backup

To modify an existing backup task:

1. Click the *Homepage* option from the Navigation Panel. The *Homepage* screen appears.



2. Click the Salesforce icon from the list or enter a keyword in the Search field to find a specific task. The *Salesforce Backup* page is displayed.
3. Click **Edit** on the top-right section of the screen to see the backup settings.



From here, it is possible to modify the fields described in [Configuring Backup Settings](#).


4 Recovering Your Backed Up Data

4.1 Using the Recovery Menu

The Recovery Menu provides you with options at a fine granularity for selecting which account to restore or export.


To recover your backed up data:

1. Click Recovery from the Navigation Panel. The **Restore & Download** page is displayed with all your active-backup account details.



2. Click the Salesforce backup task from which you wish to recover the data.

The *Restore or download Salesforce* page is displayed.




- Select the radio button for your preferred restore method:

- Via Snapshot (see [Via Snapshot](#))
- Via Item Search (see [Via Item Search](#))

4.1.1 Restore or Download Via Snapshot

1. Enter the date range that you would like to restore using the *Data changed from* and *To* fields, and press **Continue**.
2. The list of backup snapshots within that date range is displayed. Select the snapshot you want to recover.



3. Alternatively, you can click [Q](#) in the Action column to drill down into the snapshot and view the structure of the backed up data. There you can select one or more items for recovery.
4. Once you select a snapshot (if you wish to recover all the data in the backup), or one or more items (if you wish to recover only selected items), the **Restore** and **Download** buttons become available.

4.1.1.1 Restore

If you click **Restore**, the restore confirmation window appears, asking you about the following:

- Which account would you like to restore the data to? You can restore the data to a different Salesforce instance.
- Do you want to:
 - **Include metadata:** If you want to include information about the fields, configurations, code, logic, and page, etc.
 - **Activate inactive users:** If you would like the restore process to automatically attempt to active inactive users to restore the associated data using their accounts. The users will be deactivated after the restore process. If the checkbox is left unmarked, the restore will attempt to insert the data as the current user.
 - **Disable triggers in restore:** Mark this checkbox if you would like the restore process to automatically disable all Validation Rules, Workflows, Triggers, and Processes in the restored data. This doesn't affect the triggers in the existing data at the destination organization.
- Choose one of the three available restore modes:
 - **Replace:** The restored content will be merged with existing data. Deleted items and folders will be restored from the snapshot. Existing items will be overwritten with the snapshot version.
Use this option: to restore or repair deleted / modified items
 - **Bypass:** The restored content will be merged with existing data. Deleted items and folders will be restored from the snapshot. Existing items will be skipped.
Use this option: to restore deleted data.
 - **Duplicate:** The restored data will be duplicated in the same location as the existing data, with a suffix that indicates that it is a copy. (The suffix contains the year, month, day, hour, minutes, and seconds, e.g., 20230401000525.) Deleted items and folders will be restored from the snapshot.
Use this option: to compare both versions of each file, to ensure the correct version is preserved
- Choose available account types:
 - Production
 - Sandbox

Please confirm the restore request

You are about to restore items from the archive of
bob.smith@ca4software.onmicrosoft.com?

Restore to

bob.smith@ca4software.onmicrosoft.com

☐ Include metadata

☐ Activate inactive users ?

☐ Disable triggers in restore ?

Restore mode for identical records: ?

☒ Replace: Restore will overwrite existing live data.

☐ Bypass: Existing data will be bypassed and not restored.

☐ Duplicate: Existing data will be duplicated.

Account type:

☒ Production

☐ Sandbox

*You can restore the data to a different organization.

A confirmation Email will be sent to you upon completion.

Cancel


OK

The backup data that you selected will be restored to the location that you specified. When the recovery process is complete, a summary will be sent to your email.

You can also check the Jobs page to see the progress of your task. See ["Tracking Recovery Tasks on the Jobs Page."](#)


4.1.1.2 Export/Download

1. If you click **Download**, the following confirmation window appears.


 **CLOUDALLY**
by opentext

Visit our [Customer Support Hub](#)

SF UG-CE 23.2.1
Rev. Date: June 11, 2023




2. Click the drop-down list and select one of the following storage locations:



3. If you select options other than “for download,” you may be asked for additional credentials and/or access tokens for the selected storage locations.
4. You may optionally include:
 - a. Deleted items
 - b. Metadata: : If you want your to include information about the fields, configurations, code, logic, and page, etc.

5. Click **OK**. The download instructions are sent to your registered email address. The download link is only valid for 72 hours.
6. Or, you can check the *Jobs* page. (See ["Tracking Recovery Tasks on the Jobs Page."](#)) When the task is completed, the **Download Results** button will be active.



4.1.2 Restore or Download Via Item Search

1. Select **Via Item Search**, and enter a word or phrase to search on.
2. Or search using any of the following fields:
 - a. **Table:** Enter the name of the table from which the data has to be retrieved.
 - b. **Created by ID:** Enter a term that matches part of the user's ID
 - c. **Updated by ID:** Enter a term that matches part of the user's ID
 - d. **By unique Salesforce Record ID(s)**
 - e. **Date from / Data to:** Enter the date range that you would like to restore.
3. **Is Deleted:** Select the check box adjacent to this field if you want to include deleted items in your search.

Restore or download Salesforce Backup task: SF
Restore & Download > SF

Please select your preferred choice for restore

☐ Via Snapshot ^

☒ Via Item Search v

Search phrase
Search for...

Table
Account v

Created By ID
Enter Salesforce User ID

Updated By ID
Enter Salesforce User ID

By unique Salesforce Record ID(s) ?
Example: 5003000000D8cul , 5003000000D8culQAA

Date from
From initial backup

Date to
Today

☐ Is Deleted

4. Click **Continue**. The *Restore or download* page is displayed, showing the search results with details such as Type, Name and Date. The details columns are different for different types of restored items.
5. Select items you would like to restore or download. When at least one item is selected, **Restore** and **Download** become available.
6. Follow the instructions in the [Restore](#) or [Export/Download](#) sections to complete the recovery process.

4.2 Tracking Recovery Tasks on the Jobs Page


The Jobs page provides you with both high-level and drill-down views of your restore and export jobs over the last seven days.

Note: To see the status of your Backups, click the name of the backup from the *Homepage*.

From the Navigation pane, click **Jobs**.

4.2.1 High-Level Summary

- The top portion of the Jobs dashboard summarizes how many of your jobs are in progress, how many have successfully completed, and how many have partially succeeded or failed over the past 7 days.



To see a list of jobs that have any of these 3 statuses, click on the status, and your results will be filtered accordingly

4.2.2 Filtering

The next section allows you to filter by numerous criteria:


- **Initiator:** Who initiated the backup / restore?
- **Activity:** Filter by restores or exports.
- **Service:** Filter by one of the following services, such as:
 - Microsoft Exchange
 - Microsoft SharePoint
 - Microsoft Groups / Teams
 - Microsoft OneDrive
 - Google Workspace
 - Google Shared Drives
 - Salesforce
 - Box
 - Dropbox
 - Google Account
 - IMAP
- **Status:** Filter by one of the following:
 - In progress
 - Succeeded
 - Partially succeeded
 - Failed
 - Pending
 - Canceled
- **Search by Task:** Filter by a task, such as:
 - MS Exchange
 - Teams/Groups
 - One Drive
 - Sharepoint

If you choose to filter using a particular service, then you can focus on a specific item in the search bar. You can also order by:

- Latest First
- Oldest First

4.2.3 Description of Each Job

- The rest of the screen provides a detailed description of each individual job that you ran.
 - **Type of Job:** Export, or Restore – this appears as a large title within each job description.
 - **Name, Service, and Account** of the job.
 - Start date, backup date, initiator, destination, total items backed up or restored, and the size of the file(s).
- **Cancel** enables you to stop a job that is in progress.
- **Download Results** enables you to download a zip file with your recovery data.
- **View Log** redirects you to the System Activity page, which displays your account activity with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.



This page enables you to filter and search the list of backup tasks, export the list as a CSV file, and view more details on any backup task.


The latter can be achieved by clicking ⓘ in the Activity column. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution:

5 Comparing, Replicating, and Setting Smart Alerts

The CloudAlly Compare, Replicate and Smart Alert tools allow you to compare your data or metadata across backups or your production Salesforce database, and to alert you when something significant has changed. You can compare any backup snapshot or Salesforce Production/Sandbox and, in the case of metadata, even to other organizations.

5.1 Compare

You can access the Compare tool by clicking the Salesforce backup task from the *Homepage*.



5.1.1 Initializing the Data Comparison

To initiate the comparison procedure, follow these steps:

1. Click **Compare**.
2. The *Comparison* screen is displayed. The Data comparison option is selected by default:

Salesforce backup Comparison Select type and objects to compare

Data
Compare particular object (e.g Account or Opportunity) or all objects across two snapshots to identify changes to records and fields

Object
All objects

Metadata
Use this tool to compare all your metadata objects(e.g. Reports, Workflows, Apex Code, etc.) across two snapshots to identify changes

Cancel Next

3. You can select which objects you want to compare. By default, all objects are compared during the operation. You can select an object from the drop-down menu:

SF Comparison Select type and objects to compare

Data
Compare particular object (e.g Account or Opportunity) or all objects across two snapshots to identify changes to records and fields

Object
All objects

All objects
Account
PermissionSetTabSetting
WorkOrderStatus
FormulaFunctionAllowedType
Document
ServiceAppointmentStatus
ContentWorkspace

Cancel Next

4. In the next step you are prompted to select the date of the sources of the data for the comparison:

Salesforce Comparison Select left and right side to compare

Salesforce Backup

Backup Task

Ren

Snapshot date

« < Dec 2020 > »

Su	Mo	Tu	We	Th	Fr	Sa
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

☒ Backup

Backup Task

Enterprise edition

Snapshot date

☐ Salesforce

← Back Cancel Start Compare

5. Select the date of the backup task for which you initiated the comparison. If more than one backup was performed on the selected date, choose the time of the backup.

Salesforce Comparison Select left and right side to compare

Salesforce Backup

Backup Task

Renat

Snapshot date

☒ Backup

Backup Task

Enterprise edition


Snapshot date

« < Dec 2020 > »

Su	Mo	Tu	We	Th	Fr	Sa
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

← Back Compare


6. In the right panel, you can either select the backup task that will be used for comparison, or the Salesforce production database.
7. Once you have set the data sources, click **Start Compare**. The comparison task is started in the background, and the results will be available as soon as it is finished.



8. You can cancel the task with the **Cancel** button before it is finished.

5.1.2 Viewing the Data Comparison Results

Once the comparison task is finished, the **View Result** button becomes available.



Clicking on the **View Result** button takes you to the *Compare* page:

Backups
Backups >> Salesforce backup >> Compare

Backup task Salesforce backup 25/12/20 12:05:35 PM			Q Search Object	Backup task Enterprise edition 09/11/20 10:07:11 AM	
Total Records	Unique Records	Changed Records		Unique Records	Total Records
3	3	0	Task	1	1
27	27	0	LightningUsageByAppTypeMetrics	214	214
3	3	0	TaskPriority	3	3
920	920	0	SetupEntityAccess	3526	3526
3742	3742	0	PermissionSetTabSetting	1080	1080

27	27	0	LightningToggleMetrics	34	34
58	58	0	LightningUsageByPageMetrics	870	870
1	0	1	ApexPageInfo	0	1
3	3	0	MatchingRule	4	4
3	3	0	ApexComponent	20	20
2	2	0	Test__c	1	1
1	1	0	Community	1	1
1	1	0	BusinessProcess	5	5

The following 3 data object(s) had no changes

The following 40 data object(s) exist only in Backup task Renat - 25/12/20 12:05:35 PM

The following 49 data object(s) exist only in Backup task Enterprise edition - 09/11/20 10:07:11 AM

The results in this page are organized in a table displaying the Total number of records, the number of Unique records in each of the data sources, and the number

The CSV files created for the Unique and the Changed records are essentially different and describe different aspects of the records. Below is an example of a CSV file created for Unique records in an item:

	A	B	C	D	E	F	G	H	I	J	K
1	Id	DurableId	Label	MasterLabel	NamespaceProf	DeveloperName	LogoUrl	Description	UiType	NavType	UtilityBar
2	0000000000000000	06m5J00000m7	Sales	salesforce	standard	Sales	/img/salesforce-	The world's most popular sales	Aloha	Standard	
3	0000000000000000	06m2X000001D	Sales	salesforce.com	standard	Sales	/img/salesforce-	The world's most popular sales	Aloha	Standard	

Backups

Backups >> Salesforce backup >> Compare


Backup task Salesforce backup 25/12/20 12:05:35 PM		log	Backup task Enterprise edition 09/11/20 10:07:11 AM	
Total Records	Unique Records	Changed Records	Unique Records	Total Records
4	4	IdpEventLog 0	16	16
6	6	UserLogin 0	3	3
67	67	LoginIp 0	14	14
662	662	EventLogFile 0	55	55
6921	6921	LoginGeo 0	1107	1107

The following 3 data object(s) had no changes

The following 40 data object(s) exist only in Backup task Renat - 25/12/20 12:05:35 PM

The following 49 data object(s) exist only in Backup task Enterprise edition - 09/11/20 10:07:11 AM


SF UG-CE 23.2.1
Rev. Date: June 11, 2023



5.2 Comparing Metadata

5.2.1 Initializing the Metadata Comparison

To initiate the metadata comparison procedure, follow these steps:



1. Click **Compare**.

- The compare dialog screen is displayed. The data comparison option is selected by default. Select the **Metadata** option:

Salesforce backup Comparison Select type and objects to compare

Data
Compare particular object (e.g Account or Opportunity) or all objects across two snapshots to identify changes to records and fields

Metadata
Use this tool to compare all your metadata objects(e.g. Reports, Workflows, Apex Code, etc.) across two snapshots to identify changes

Object
All objects

Cancel Next

- You can select which objects you want to compare. By default, all objects are compared during the operation. You can select an object from the drop-down menu:

Salesforce backup Comparison Select type and objects to compare

Data
Compare particular object (e.g Account or Opportunity) or all objects across two snapshots to identify changes to records and fields

Metadata
Use this tool to compare all your metadata objects(e.g. Reports, Workflows, Apex Code, etc.) across two snapshots to identify changes

Object

All objects

All objects

ApexClass

ApexComponent

ApexEmailNotifications

ApexPage

ApexTrigger

AppMenu

AssignmentRules

Cancel Next

4. In the next step, you are prompted to select the date of the sources of the data for the comparison:

Salesforce backup Comparison Select left and right side to compare

Renat

Backup Task

Ren

Snapshot date

« < Dec 2020 > »

Su	Mo	Tu	We	Th	Fr	Sa
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

☒ **Backup**

Backup Task

Enterprise edition

Snapshot date

☐ Salesforce

☐ Other Organisation

← Back Cancel **Start Compare**

5. In the left panel of the page, select the date of the backup task for which you initiated the comparison. Below you can select the date of the backup, and, if more than one backup had been performed on the selected date, choose the time of the backup.
6. In the right panel, you can either select the backup task that will be used for comparison, the Salesforce production database, or metadata from another organization. In the latter case you can choose whether to use the production database or the sandbox:

Salesforce backup Comparison Select left and right side to compare

Renat

Backup Task

Ren

Snapshot date

☐ Backup

☐ Salesforce

☒ **Other Organisation**

You will be asked to authorise on the organisation website. Don't worry we don't store your credentials

Production

Production

Sandbox

← Back Cancel Start Compare

- Once you have set the data sources click **Start Compare**. The comparison task is started in the background, and the results will be available as soon as it is finished.

Comparing Metadata Object - ApexClass

Salesforce backup
BACKUP
30/11/20 01:46:27 PM

In Process 0%


Salesforce backup / Alyssa Roc...
BACKUP
10/11/20 12:09:48 PM

Cancel View Result

- You can cancel the task with the **Cancel** button before it is finished.

5.2.2 Viewing the Metadata Comparison Results

Once the comparison task is finished, the **View Results** button becomes available.



Clicking on **View Results** takes you to the *Compare* page:

Backups
Backups >> Salesforce backup >> Compare

Backup task Salesforce backup 27/09/20 04:14:43 AM			Backup task Salesforce backup 24/12/20 12:06:01 PM	
Total Records	Unique Records	Changed Records	Unique Records	Total Records
75	0	0	4	79
151	0	2	7	158
34	0	34	0	34
118	0	0	4	122

The following 30 metadata object(s) had no changes

The comparison results are organized on the page in a table displaying the Total number of records, the number of Unique records in both the data sources, and the number of changed records for Objects and Profiles.

You can filter the page using the search bar situated in the top portion of the page:

Backups
Backups >> Salesforce backup >> Compare

Backup task Salesforce backup 27/09/20 04:14:43 AM		object	Backup task Salesforce backup 24/12/20 12:06:01 PM	
Total Records	Unique Records		Unique Records	Total Records
151	0	objects	7	158
The following 30 metadata object(s) had no changes				

At the bottom of the page, you can find the summary of the number of objects that have no changes and the objects found only in one of the data sources. Clicking the numbers of such objects displays the list of corresponding objects:

The following 30 metadata object(s) had no changes

staticresources

components

remoteSiteSettings

roles

classes

tabs

workflows

installedPackages

quickActions

assignmentRules

homePageLayouts

matchingRules

reportTypes

apexEmailNotifications

pages

flows

flowDefinitions

flexipages

iframeWhiteListUrlSettings

settings

homePageComponents

objectTranslations

duplicateRules

triggers

cleanDataServices

labels

applications

autoResponseRules

escalationRules

communities

Cancel




To find more details on the Unique or Changed elements you can click the corresponding numbers in the table This leads you to the comparison GUI.

Backups
Backups >> Salesforce backup >> Compare >> Profiles

profiles 34 Changed Records Download ALL

Admin.profile


@@ -4744,6 +4744,11 @@			
4744	</fieldPermissions>	4744	</fieldPermissions>
4745	<fieldPermissions>	4745	<fieldPermissions>
4746	<editable>>false</editable>	4746	<editable>>false</editable>
		4747 +	<field>Case.AssetWarrantyId</field>
		4748 +	<readable>>false</readable>
		4749 +	</fieldPermissions>
		4750 +	<fieldPermissions>
		4751 +	<editable>>false</editable>
4747	<field>Case.BusinessHoursId</field>	4752	<field>Case.BusinessHoursId</field>
4748	<readable>>false</readable>	4753	<readable>>false</readable>
4749	</fieldPermissions>	4754	</fieldPermissions>
@@ -5093,6 +5098,16 @@			
5093	<readable>>true</readable>	5098	<readable>>true</readable>
5094	</fieldPermissions>	5099	</fieldPermissions>
5095	<fieldPermissions>	5100	<fieldPermissions>
		5101 +	<editable>>false</editable>
		5102 +	<field>ContactPointAddress.PreferenceRank</field>
		5103 +	<readable>>false</readable>
		5104 +	</fieldPermissions>
		5105 +	<fieldPermissions>
		5106 +	<editable>>false</editable>
		5107 +	<field>ContactPointAddress.UsageType</field>
		5108 +	<readable>>false</readable>
		5109 +	</fieldPermissions>
		5110 +	<fieldPermissions>
5096	<editable>>true</editable>	5111	<editable>>true</editable>

You can expand any row of the table by clicking the  button to view the comparison results, or you can download an archive with the corresponding objects via the  button. The records can be displayed side-by-side, or over-under – you can switch this with the  buttons.

5.3 Replicating your Database

The CloudAlly **Replicate** feature enables you to copy your data or metadata from your backup to a Salesforce sandbox database. The tool has a wide range of options and you can choose whether to copy all of the data or just selected objects, to apply various functions on the data, and to copy data to other Salesforce organizations.

You can access the **Replicate** tool by clicking the Salesforce backup task from the *Homepage*.



When you click Replicate, you will see the following screen:

SF Replicate Select type and snapshot date to Replicate

Data
Replicate selected Data object/s (e.g. Accounts or Opportunities) or all Data objects
Snapshot date

Metadata
Replicate selected Metadata object/s (e.g. Workflows or Apex Code) or all Metadata objects
Snapshot date

Cancel

5.3.1 Replicating Data

1. By default, **Data** is selected.
2. Choose the Snapshot date. If more than one backup was performed on the selected date, choose a backup time. Click **Next**.

SF Data Replicate Select Destination

Full Organisation
A "Full Org" replicate job will migrate all data across all Objects from the source Org Snapshot to the destination Org.

Multiple Parent Objects
Select Parent Objects to include in the replication data set. Our system will automatically identify the descendant related Object records and will include them in the replicate job as well. These records will be migrated to the destination Org with relationships

☐ Anonymize data ⓘ [Download the Full Anonymization Template](#)

← Back Cancel **Next**

You can choose whether you want to restore all Data Objects or select the Objects to replicate.


- Select **Full Organization** if you want to restore all data objects. See [Full Organization Replication](#) below.
- Select the **Multiple Parent Objects** options to select the Objects you want to be replicated and, if needed, apply selection filters on them. See [Multiple Parent Objects](#) below.

5.3.1.1 The Need to Anonymize Data

When you replicate part or all of your Production Salesforce data in your Sandbox, you may be exposing PII - Personally Identifiable Data. PII is information that can be used to identify, contact, or locate a person, such as their name, social security number, birthdate, or contact details. PII is extremely lucrative to hackers and is the main target of ransomware and malware attacks. Data security best practices and global regulatory laws including the GDPR, CCPA, HIPAA, and PIPEDA, mandate stringent protection and anonymization of PII by organizations.

5.3.1.2 Data Anonymization in CloudAlly Salesforce Data Replication

CloudAlly supports your efforts to anonymize your Salesforce data by providing a toggle switch that turns data anonymization on and off.



Anonymization Using the Default Template

By default, CloudAlly will anonymize your data using a template, that defines which data will be replaced by which type of values:

- Some of your data will be replaced with pre-set typical values, such as Last Name = Smith, or Address = 123 Main Street. The data will keep its original format, to ensure that it can be safely used for integration.
- Other data will be replaced with meaningless characters, such as notes or comments.

To learn the details of how each data field will be anonymized using the template, click **Download the Full Anonymization Template** to view the full list in an Excel format. As you will see, CloudAlly set the most frequently-used fields, with the appropriate information (pre-set values or random data). The template is an excellent solution for most System Administrators.

Customization of Anonymized Data

For some advanced users who want to delve into the details, instead of accepting the default template, you can change how each object is handled.

- To see how to customize anonymized data for a **Full Organization Replication**, click [here](#).
- Click here to see how to customize anonymized data for a **Multiple Parent Objects Replication**, click [here](#).

5.3.1.3 Full Organization Replication

After selecting the snapshot date, click **Full Organization** and then click **Next**.

Anonymizing Data

Click the toggle to turn **Anonymize data** on. By default, CloudAlly will use the Anonymization Template, which sets either fake or random values for the most commonly-used objects and fields. If you would like to delve into the details to customize your anonymized fields, you can do so on the screen after you click **Next**.

You will see the following screen:

SF Data Replicate Data Anonymization

Choose object from the list below to determine which fields you want to anonymize.

Search Object

All Objects

- SlaProcess
- FormulaFunction
- Account
- LightningUsageByAppTypeMetrics
- TaskPriority
- SetupEntityAccess
- PermissionSetTabSetting

Search Fields

Only Anonymized	Replace with	Preview
BillingCity	City	New York
BillingPostalCode	Postal Code	10013
BillingState	State	New York
BillingStreet	Street	N. Moore
Fax	Phone	212-379-8543

Back Cancel Next

- The left side of the screen contains all of the objects in your data set.
- The right side of the screen lists all of the fields in the highlighted object. Here, for each field, you can determine whether you want to:
 - Skip this field (it won't be anonymized)
 - Replace it with random characters
 - Or, replace it with one of the pre-defined fields in the template.

SF Data Replicate Data Anonymization

Choose object from the list below to determine which fields you want to anonymize.

Search Object

All Objects

- SlaProcess
- FormulaFunction
- Account
- LightningUsageByAppTypeMetrics
- TaskPriority
- SetupEntityAccess
- PermissionSetTabSetting

Search Fields

Only Anonymized	Replace with	Preview
BillingCity	City	New York
BillingPostalCode	Skip	10013
BillingState	Random	New York
BillingStreet	Phone	N. Moore
Fax	E-mail	212-379-8543

Back Cancel Next

When you are done customizing your fields, click **Next**.

Select the destination of the replicated data. You can replicate the data to a sandbox of the original organization or you can send it to a sandbox of a different organization. In the latter case, you will be asked to authorize the operation with the credentials of the destination organization.

Salesforce backup Data Replicate Select Destination

☒ Same Organisation Sandbox
Bob.smith@onmicrosoft.com

☐ Other Organisation Sandbox
You will be asked to authorise on the organisation website. Don't worry we don't store your credentials

☒ Automatically disable all Validation Rules, Workflows, Triggers and Processes

← Back Cancel Replicate

You can unmark the checkbox **Automatically disable all Validation Rules, Triggers, and Processes** if you want these elements to be enabled in the replicated data. By default, the checkbox is marked, thus disabling the validation of rules, workflows triggers, and processes. This is done as a precaution because the said elements may not work well with replicated data.

Click **Replicate** to create the replication task. The task will be assigned to the next available processing machine, which may take several minutes. You can view the progress of the task in the Replicates tab of the backup page.

Replicating Data Object - All objects 28/12/20 11:37:16 AM

"IsUseRest" : true, 27/12/20 05:12:31 AM In Process 0% alyssaroche@yahoo.com Sandbox

5.3.1.4 Multiple Parent Objects

After selecting the snapshot date, select **Multiple Parent Objects** and click **Next**.

The screenshot shows a web interface titled "Salesforce Sandbox Replicate: Select type and snapshot date to Replicate". It features two main selection boxes. The first, "Full Organisation", is described as migrating all data across all objects. The second, "Multiple Parent Objects", is highlighted in blue and describes selecting parent objects to include in the replication, with the system automatically identifying descendant records. Below these boxes is a toggle for "Anonymize data" (currently off) and a link to "Download the Full Anonymization Template". At the bottom are "Back", "Cancel", and "Next" buttons.

Salesforce Sandbox Replicate: Select type and snapshot date to Replicate

Full Organisation
A "Full Org" replicate job will migrate all data across all Objects from the source Org Snapshot to the destination Org.

Multiple Parent Objects
Select Parent Objects to include in the replication data set. Our system will automatically identify the descendant related Object records and will include them in the replicate job as well. These records will be migrated to the destination Org with relationships

☐ Anonymize data ⓘ [Download the Full Anonymization Template](#)

← Back Cancel **Next**

Anonymizing Data

Click the toggle to turn **Anonymize data** on. By default, CloudAlly will use the Anonymization Template, which sets either fake or random values for the most commonly-used objects and fields. If you would like to delve into the details to customize your anonymized fields, you can do so after you click **Next**.

You are taken to the step: **Select Data Object**:

Salesforce backup Data Replicate Select Data Object

Search object

- ☐ Account
- ☐ Book__c
- ☐ BusinessHours
- ☐ Calendar
- ☐ Campaign
- ☐ CampaignMember
- ☐ Case
- ☐ ChatterActivity
- ☐ Contact
- ☐ Document
- ☐ Include Attachments ⓘ

Hierarchy depth 0 ⓘ

← Back Cancel Next

Select the objects you want to replicate. You can search by typing at least 3 symbols matching part of the name of the object.

Click the checkbox **Include attachments** if you want the restored data objects to contain all original attachments.

The **Hierarchy depth** field refers to the objects that are dependent on the selected objects. By default, the **Hierarchy depth** is set to 0, meaning only the selected objects will be replicated.

You can set the Hierarchy depth to the desired depth, up to 7 levels: all objects dependent on the selected objects up to the selected depth will be marked for the next step.

By default, all records are selected for replication in the selected Objects. You can set up selection rules manually for any number of objects. To select multiple objects, click the corresponding lines in the list. You can define different rules for the objects – deselect the objects for which you have already set up the selection and select the other ones.

The screenshot shows the 'Object Filtering' step in the 'Salesforce backup Data Replicate' process. The interface is divided into two main sections. On the left, there is a search bar labeled 'Search object' and a list of objects: 'GroupMember', 'ProcessNode', and 'Product2'. Each object has a 'Use all records' button and a close icon (X). Below the list is a 'Deselect' button. On the right, the 'Filtering for' section shows 'All objects' selected. Below this, there are three radio button options: 'Use all records' (selected), 'Pick' (with a text input field containing '200' and a dropdown menu set to 'Newest'), and 'SOQL WHERE clause' (with an information icon). At the bottom of the interface are 'Back', 'Cancel', and 'Next' buttons.

To define the number of records that need to be replicated, click the option **Pick <number> records**. You can fill in the number of records to be replicated and choose one of the options: Newest, Oldest, or Random:

You can define the SOQL WHERE query that will be applied to select the records for replication. To do that click the **SOQL WHERE clause** option, fill in the query and click **Enter** to validate it.

Note: The replication system only validates the query syntax and doesn't check that the query can be applied to the selected objects. An inapplicable SOQL clause may lead to a failure in the replication procedure.

Salesforce backup Data Replicate Object Filtering

You can narrow down the data being replicated, by filtering each object

Search object

GroupMember SOQL WHERE clause X

ProcessNode Use all records X

Product2 SOQL WHERE clause X

Deselect

Filtering for All objects

☐ Use all records
☐ Pick 200 Newest records
☒ SOQL WHERE clause

Date_c IN(4252)

Press Shift + Enter to add a new line without validating the query

✓ Validation Complete

Back Cancel Next

Click **Next**.

Customizing Data Anonymization Fields

You will see the following screen:

SF Data Replicate Data Anonymization

Choose object from the list below to determine which fields you want to anonymize.

Default System Template

Search Object

All Objects

SlaProcess

FormulaFunction

Account

LightningUsageByAppTypeMetrics

TaskPriority

SetupEntityAccess

PermissionSetTabSetting

Search Fields

Only Anonymized	Replace with	Preview
BillingCity	City	New York
BillingPostalCode	Postal Code	10013
BillingState	State	New York
BillingStreet	Street	N. Moore
Fax	Phone	212-379-8543

Back Cancel Next

- The left side of the screen contains all of the objects in your data set.
- The right side of the screen lists all of the fields in the highlighted object. Here, for each field, you can determine whether you want to:

- Skip this field (it won't be anonymized)
- Replace it with random characters
- Or, replace it with one of the pre-defined fields in the template.

SF Data Replicate Data Anonymization

Choose object from the list below to determine which fields you want to anonymize.

Default System Template

Search Object

All Objects

SlaProcess

FormulaFunction

Account

LightningUsageByAppTypeMetrics

TaskPriority

SetupEntityAccess

PermissionSetTabSetting

Search Fields

Only Anonymized

Replace with

Preview

BillingCity	City	New York
BillingPostalCode	Skip	10013
BillingState	Random	New York
BillingStreet	Phone	N. Moore
Fax	E-mail	212-379-8543
	Account Name	
	Salutation	
	First name	
	Last name	

Back

Cancel Next

When you are done customizing your fields, click **Next**.

You are taken to the **Select Destination** step.

Select the destination of the replicated data. You can replicate the data to a sandbox of the original organization or you can send it to a sandbox of a different organization. In the latter case, you will be asked to authorize the operation with the credentials of the destination organization.

You can unmark the checkbox **Automatically disable all Validation Rules, Triggers, and Processes** if you want these elements to be enabled in the replicated data. By default, the checkbox is marked, thus disabling the validation rules, workflows triggers, and processes. This is done as a precaution because the said elements may not work well with replicated data.

The screenshot shows a dialog box titled "Salesforce backup Data Replicate Select Destination". It has two radio button options: "Same Organisation Sandbox" (selected) and "Other Organisation Sandbox". The "Same Organisation Sandbox" option shows the email "Bob.smith@onmicrosoft.com". The "Other Organisation Sandbox" option has a description: "You will be asked to authorise on the organisation website. Don't worry we don't store your credentials". Below these options is a checked checkbox labeled "Automatically disable all Validation Rules, Workflows, Triggers and Processes". At the bottom, there are three buttons: "Back" (with a left arrow), "Cancel", and "Replicate" (in a blue box with a document icon).

Click **Replicate** to create the replication task. The task will be assigned to the next available processing machine - this may take several minutes. You can view the progress of the task in the *Replicates* tab of the backup page.


The screenshot shows a progress bar titled "Replicating Data Object - 3 Objects" with a timestamp of "28/12/20 11:48:08 AM". On the left, a box contains "Salesforce backup" and "25/12/20 05:11:48 AM". In the center, the text "In Process 0%" is displayed above a horizontal progress bar. On the right, a box contains the email "alyssaroche@yahoo.com" and the word "Sandbox".

5.3.2 Replicating Metadata

To initiate the metadata comparison procedure, follow these steps:

The screenshot shows the Salesforce backup interface. At the top, it says "SF" and "Homepage > SF". Below that, there's a "Connected" status with a green checkmark. On the right, it says "Seats 7". Below the status bar, there's a row of buttons: "Compare", "Replicate", "Smart Alerts", and "How it works?". To the right of these buttons, there's a row of text: "Status: Success", "Size: 28.64 MB", "Last Backup: 16 hours ago", and "Backup actions" with icons for a list, a refresh, and a trash. At the bottom right, there's an "Edit" button.

1. Click **Replicate**. The **Replicate** screen is displayed.




SF Replicate Select type and snapshot date to Replicate

Data
Replicate selected Data object/s (e.g. Accounts or Opportunities) or all Data objects
Snapshot date

Metadata
Replicate selected Metadata object/s (e.g. Workflows or Apex Code) or all Metadata objects
Snapshot date

Cancel Next

2. The Data option is selected by default. Select the **Metadata** option, choose a snapshot date, and click **Next**.



SF Metadata Replicate Select Metadata Object

Full Organisation
A "Full Org" replicate job will migrate all Metadata from the source Org Snapshot to the destination Org.

Granular Selection
Select one or multiple Metadata Types to include in the replication data set.

← Back Cancel Next

Choose either **Full Organization**, to migrate all metadata from the source organization snapshot to the destination organization, or **Granular Selection**, to select which metadata types to include in the replication data set.

5.3.2.1 Full Organization

Select the destination of the replicated data. You can replicate the data to a sandbox of the original organization or you can send it to a sandbox of a different organization. In the latter case, you will be asked to authorize the operation with the credentials of the destination organization.


The screenshot shows a dialog box titled "SF Metadata Replicate Select Destination". It has two main options: "Same Organisation Sandbox" and "Other Organisation Sandbox". The "Same Organisation Sandbox" option is highlighted and shows the email "Bob.smith@onmicrosoft.com". The "Other Organisation Sandbox" option states: "You will be asked to authorise on the organisation website. Don't worry we don't store your credentials". At the bottom, there are three buttons: "Back" (with a left arrow), "Cancel", and "Replicate" (in a blue box with a document icon).

Click **Replicate** to create the replication task. The task will be assigned to the next available processing machine - this may take several minutes. You can view the progress of the task in the *Replicates* tab of the backup page.

The screenshot shows a progress bar titled "Replicating Data Object - 3 Objects" with a timestamp of "28/12/20 11:48:08 AM". The progress bar is labeled "In Process 0%". On the left, it says "Salesforce backup" and "25/12/20 05:11:48 AM". On the right, it shows the email "alyssaroche@yahoo.com" and the word "Sandbox".

5.3.2.2 Granular Selection

Choose **Granular Selection**. You are taken to a screen where you can select which metadata objects you would like to duplicate:



SF Metadata Replicate Select Metadata Object

Search object


- ☐ ApexEmailNotifications
- ☐ AppMenu
- ☐ AppointmentSchedulingPolicy
- ☐ AssignmentRules
- ☐ AutoResponseRules
- ☐ CleanDataService
- ☐ Community
- ☐ CustomApplication
- ☐ CustomLabels
- ☐ CustomObject

← Back Cancel Next

Make your selection(s), and click **Next**. You are taken to the **Select Destination** step.

Select the destination of the replicated data. You can replicate the data to a sandbox of the original organization or you can send it to a sandbox of a different organization. In the latter case, you will be asked to authorize the operation with the credentials of the destination organization.

Click **Replicate** to create the replication task. The task will be assigned to the next available processing machine - this may take several minutes. You can view the progress of the task in the *Replicates* tab of the backup page.



Replicating Data Object - 3 Objects 28/12/20 11:48:08 AM

Salesforce backup 25/12/20 05:11:48 AM In Process 0% alyssaroché@yahoo.com Sandbox

5.4 Smart Alerts

5.4.1 Anomaly Detection

How can you minimize the damage of a mistaken Sandbox refresh, unwanted database update, buggy code insert, bad data imports, or a mistaken deletion or updating records? By reducing the time it takes you to detect the red flag – your Recovery Time Objective (RTO) – and restoring your Salesforce data ASAP.

CloudAlly's Salesforce Backup now comes with Anomaly detection that alerts you of suspicious activity – updates or deletes – to your Salesforce data.


- Customize Smart Alerts to detect irregular objects changes such as addition, deletion, or updates between backup snapshots, based on your predefined threshold.
- Get email notifications with a snapshot report of Salesforce objects changes that triggered the Smart alert.
- Use historical backup snapshots to quickly restore your data to any point-in-time or keyword/metadata search for granular recovery.

5.4.2 Setting a Smart Alert

Smart Alerts enable you to compare changes between the previous and latest backups, and to alert you when significant changes are detected. You can determine which changes are "significant."

Note: Before you can set a smart alert, you must have at least one successful Salesforce backup that CloudAlly can use as the baseline for future comparisons. See [Creating a New Backup Task](#).

1. From the *Homepage*, click the Salesforce backup task. Click **Smart Alerts**.



2. By default, **All Objects** are selected. If this is your preference, click **Next**.

The screenshot shows a configuration window titled "Salesforce Backup Smart Alert" with a subtitle "Select Alert Level". In the top right corner, there are three dots, with the first one being filled. The window contains three main options:

- All Objects**: "Create an Alert for all Objects that compares changes between the previous and latest Backup". This option is highlighted with a light purple border.
- Specific Object**: "Create an Alert for Specific Object that compares changes between the previous and latest Backup". Below this is a section titled "Choose a Specific Object" containing a dropdown menu labeled "Trigger Object" with a downward arrow.
- Record Level Alert**: "Create an Alert when records are changed between the previous and latest Backup". A "COMING SOON" badge is visible in the top right corner of this section.

At the bottom right of the window, there are two buttons: "Cancel" and "Next".

3. If you prefer to choose which objects will trigger an alert, click **Specific Object**.
4. Choose the object from the drop-down list that you would like to trigger the alert. You can only choose one object per smart alert. When you have made your selection, click **Next**.

The screenshot shows the 'Salesforce Backup Smart Alert' configuration interface. The title bar reads 'Salesforce Backup Smart Alert Select Alert Level'. There are three radio buttons for selection: 'All Objects', 'Specific Object' (which is selected), and 'COMING SOON'. Below 'All Objects' is the text 'Create an Alert for all Objects that compares changes between the previous and latest Backup'. Below 'Specific Object' is the text 'Create an Alert for Specific Object that compares changes between the previous and latest Backup'. Under 'Specific Object', there is a section 'Choose a Specific Object' with a search bar labeled 'Trigger Object'. A dropdown menu is open, showing a list of Salesforce objects: Account, AppMenuItem, Campaign, CampaignMemberStatus, Case, Contact, ContentDistribution, and ContentDocument. At the bottom right, there are 'Cancel' and 'Next' buttons.

5. You will be directed to the configuration screen, which enables you to set the criteria for when you will receive an alert:

The screenshot shows the 'Smart Alert For All Objects' configuration interface. The title bar reads 'Smart Alert For All Objects Select Alert Configuration'. There are three radio buttons for selection: 'Single User' (which is selected), 'All Users', and 'COMING SOON'. Below 'Single User' is the text 'Changes made by a single user'. Below 'All Users' is the text 'Changes made by all users'. On the left side, under the heading 'Alert when more than', there are three input fields: 'Choose An Amount' with a value of '0', 'Choose Unit' with a dropdown menu showing 'Select Unit', and 'Choose an Event' with a dropdown menu showing 'Select Event'. At the bottom left, there is a 'Back' button with a left arrow. At the bottom right, there are 'Cancel' and 'Next' buttons.

- Alert when more than:
 - Number of items
 - Either % or number of records
 - Is added, updated, or deleted

Note: If you choose a low **Amount** value, CloudAlly will display a warning: "You have created an alert with very wide criteria. This means you will probably receive an alert after each backup cycle. Are you sure you want to proceed?"

- You can choose whether you'd like your alert to be triggered by a single user's changes or when ALL users have made this change, as defined in the "Alert when more than..." panel on the left.

Note: Which option is preferable, changes made by a single user or all users? It depends on the volume of records in your organization's Salesforce database, the record volatility, and the data sensitivity.

- When you are done, confirm your configuration, and click **Add New Alert**.

Smart Alert For All Objects Review & Confirmation

You have configured to notify you when

More than

In All Objects are

Triggered by

← Back Cancel **Add New Alert**

5.4.3 Smart Alert List

After you click **Add New Alert**, CloudAlly adds the new alert to the Smart Alert list.

CloudAlly SF Connected

Status: Success Size: 31.83 MB Last Backup: 13 hours ago Backup actions

Seeds 7

Compare Replicate Smart Alerts How it works?

Objects Compares Replicates Smart Alerts

4 Total Smart Alerts

Search by Trigger Object:

Event Triggered By Action

Trigger Object	Rule	Total	Unit	Event	Triggered By	Action
<input type="checkbox"/> All Objects	More than	1000	Records	Deleted	Single User	
<input type="checkbox"/> Campaign	More than	250	Records	Deleted	All Users	
<input type="checkbox"/> Document	More than	150	Records	Updated	Single User	
<input type="checkbox"/> Task	More than	25	%	Updated	Single User	

From this page, you can change the values in a Smart Alert - the Amount, the % or Number of Records, or the type of change - by clicking the pencil . However, it is not possible to switch from Single User to All Users - you'll need to create a new Smart Alert to do so.

You can also delete an alert by clicking **Action > Delete**.


Finally, you can Disable / Enable an alert, by clicking the bell icon .

5.4.4 Smart Alert Notifications

By default, Smart Alert notifications are sent to the primary account user, but additional recipients can be added.

To add additional recipients:

1. From the Navigation Panel click **Settings > Notifications**.
2. Click **+Add New Recipient**, add a user's email address and name, and then click **Save**.




When changes trigger a Smart Alert, all of the users on the list will receive an email that summarizes what has changed. With this information, Admins can investigate the changes, and take appropriate the appropriate action.

6 Managing Your Account

This section guides you through the processes of managing your Account activity, account settings, password, setting up two-factor authentication, and managing users.


6.1 Viewing Account Activity

The Activity menu enables you to view your account activity, including System Activity and Security Audit. Click Activity on the navigation pane.



6.1.1 System Activity


Click **System Activity**.



The **System Activity** page displays your account activity, with details such as Activity, Date and Time, Service, Sub-Service, Status, Task Name, and Item.

Activity						
Activity > System activity						
<div> <div>Start date - End date</div> <div>Activity</div> <div>Service</div> <div>Status</div> <div>Search by Task name</div> <div>Search items</div> </div>						
Activity	Date and Time	Service	Sub Service	Status	Task Name	Item
Export	Jul 12 2022 04:08 PM	Calendars		Succeeded	Full MS Exchange Backup / bob.smith@ca...	bob.smith@ca4software.onmicrosoft.com
Backup	Jul 11 2022 01:01 PM			Succeeded	Sharepoint backup	.../sites/AltaroRestored_Shared_mailbox_2021_08_31_11_05
Export	Jul 11 2022 01:00 PM	Channels		Succeeded	Full Teams Backup / AltaroRestored_Lind...	AltaroRestored_Linda_Fuller_2021_08_31_05_36
Restore	Jul 11 2022 01:00 PM			Succeeded	One Drive / cloudally1-my.sharepoint.co...	.../Zsepo_kazandev_pro
Backup	Jul 11 2022 05:04 AM	Calendars		Failed	Full MS Exchange Backup	Mila.Scott@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Jacob.Anderson@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Agata.Brown@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Alex.Duglas@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Sarah.Johnson@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Jessica.Miller@ca4software.onmicrosoft.com
Backup	Jul 6 2022 05:06 AM	Notes		Succeeded	Full MS Exchange Backup	Charles.Wilson@ca4software.onmicrosoft.com

This page enables you to filter and search the list of backup tasks, export the list as a CSV file, and view more details on any backup task. The latter can be achieved by clicking ⓘ. The Info pop-up displays the backup execution time, the size of the stored data, and the number of entities, and the summary of the backup execution:



6.1.2 Security Audit

The *Security Audit* page provides information about all the security-related actions that have happened in your account. The user activity that is displayed includes:

- Backup deleted
- User deactivated
- Settings changed
- Sign-in success or failure
- Permissions changed
- Notifications.

The page includes the date of the event, the type of activity, the service involved, the status of the activity, the account performing the activity, and the description.

Activity
Activity > Security audit

Show: From: To: User Activity: Status:

Date	User Activity	Service	Status	Task	Performed By	Description
Mar 7 2022 03:28 PM	Sign-in		Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Native Sign in (OK) Chrome from ip 10.4.5.60...
Mar 3 2022 05:46 PM	Sign-in		Completed	adam.smith@cloudally.com	m.steward@cloudally.com	Native Sign in (OK) Chrome from ip 10.6.0.50...
Mar 3 2022 01:21 AM	Sign-in		Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Native Sign in (OK) Chrome from ip 10.6.0.50...
Mar 2 2022 06:44 PM	Notification	MS Exchange	Completed	Adam Smith	adam.smith@cloudally.com	Backup Now was initiated for account AArtur...
Mar 2 2022 06:44 PM	Sign-in		Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Native Sign in (OK) Chrome from ip 10.6.0.50...
Mar 2 2022 06:04 PM	Sign-in		Completed	adam.smith@cloudally.com	m.steward@cloudally.com	Native Sign in (OK) Chrome from ip 186.45.3...
Mar 2 2022 01:41 PM	Notification	MS Exchange	Completed	Adam Smith	adam.smith@cloudally.com	Backup Now was initiated for account dror@...
Mar 2 2022 01:41 PM	Notification	MS Exchange	Completed	Adam Smith	adam.smith@cloudally.com	Task cancellation request received.
Mar 2 2022 01:40 PM	Notification	MS Exchange	Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Backup Now was initiated for account 3SEPO...
Mar 2 2022 01:39 PM	Sign-in		Completed	adam.smith@cloudally.com	m.steward@cloudally.com	Native Sign in (OK) Chrome from ip 186.45.3...
Mar 2 2022 11:50 AM	Notification	MS Exchange (Email)	Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Mail: Restore Task for account dror@clouda...
Mar 2 2022 11:47 AM	Notification	MS Exchange (Email)	Completed	Max / adam.smith@cloudally.com	adam.smith@cloudally.com	Mail: Download Task for account dror@clou...
Mar 2 2022 11:36 AM	Sign-in		Completed	m.steward@cloudally.com	adam.smith@cloudally.com	Native Sign in (OK) Chrome from ip 10.6.0.50...
Mar 1 2022 11:47 AM	Sign-in		Completed	m.steward@cloudally.com	m.steward@cloudally.com	Native Sign in (OK) Chrome from ip 124.162...


The Security Audit table can be exported as a CSV file by clicking **Export**.

6.2 Managing Your Account Settings

The *Settings* page provides you with tools to control both your account and the accounts of users whose external credentials are linked to your account. The Settings section consists of the following sub-sections:

- Account
- User Management
- Security
- Notifications

You can find more details on each of the *Settings* pages below.




6.2.1 Account Settings

This page allows you to change the name of your account and the email address. You can only change the Data Center Location by contacting CloudAlly support. Finally, this page also allows you to terminate your account.

To update or change your account details:

From the Navigation Panel, click Settings and then click **Account**. The *Settings > Account* page is displayed.



The screenshot shows the 'Settings > Account' page. It features three input fields: 'Account Name' with the value 'Max Steward', 'Email' with 'm.steward@cloudally.com', and 'Data Center Location' with 'US East (Northern Virginia)'. To the right of these fields are 'SAVE' and 'Cancel' buttons. Below the fields, a message states: 'To terminate your CloudAlly subscription, click on the REMOVE ACCOUNT button. This includes removing all your data at CloudAlly'. There is a checkbox labeled 'I approve the removal of my data from CloudAlly' which is currently unchecked. At the bottom right is a 'REMOVE ACCOUNT' button.

You can update the Account Name and/or Email.

Click **SAVE**.

6.2.2 Canceling Your CloudAlly Subscription

To cancel your subscription:

1. Select the check adjacent to the "I approve the removal of my data from CloudAlly" field and click **REMOVE ACCOUNT**.
2. The *Are you sure?* pop-up window is displayed with a confirmation request.
3. Click **YES** to confirm the cancellation.

Are you sure?

I approve the removal of my data from CloudAlly

YES NO

Note: To prevent mistaken deletions, there is a grace period of 7 days after your account is terminated. After the grace period, if your account is not reactivated, all data from all your backups will be deleted.

6.3 User Management

The page provides tools for fine-level control of the permissions and access levels of your users.

Settings


Settings > User Management

The following external credentials are currently linked to your CloudAlly account
You can remove the credentials anytime if you prefer to use only your CloudAlly sign-in credentials

+ Add new user

Email	Type	2FA Authentication	
m.steward@cloudally.com	Email		
j_armstrong@cloudally.com	Email		
kristen_hall@cloudally.com	Email		

Page 1 of 1
Showing 1-3 of 3

Click **+ Add new user** to create a new user and start the configuration procedure for that user, or  to edit an existing user's settings. The settings include the operations permitted to the user and the list of available services:

Note: Selecting the role "Administrator" enables permissions to all services and operations.

To save changes, scroll to the bottom of the page and click **SAVE**.

You will be returned to the Settings page. To complete the process, the user must confirm their email address using the link sent via email. This is a security measure, which ensures that the user's email address is valid.


The link is valid for 24 hours. If they did not confirm within this time period, or did not receive the confirmation email, click **Resend Email Confirmation**.

Type	2FA Authentication
Email	
Email	Resend Email Confirmation
Email	

Page 1 of 1

6.4 Security Settings

The *Security Settings* page enables you to:



Personal Password Policies

Change your CloudAlly account password **Change password**

You can also use Two-Factor Authentication **Activate 2FA**

- Update your password
- Set up two-factor authentication

The bottom section allows you to enforce certain security policies for your users' accounts.



Enforce The Following Password Policies On All Users

☒ Enforce Two-Factor Authentication on all users @

Password Expiration: ☒ Password expires after (days):


Cancel Save

- With the **Enforce Two-Factor Authentication** option, you can make two-factor authentication mandatory for all the users in your account.
- By setting the **Password Expiration**, you can enable the password expiration option for all your users – you will be also be asked for the number of days before the users' passwords expire.

6.4.1 Changing Your Password for Credential-Based Authorization

You can change your existing account password by performing the following procedure:

1. From the **Settings > Security** page, in the Personal Password Policies panel, click **Change Password**.
2. The *Change password* pop-up is displayed.

A dialog box titled "Change password" with a close button (X) in the top right corner. It contains three input fields: "Current Password:", "New Password:", and "Confirm New Password:". At the bottom right, there are two buttons: "SAVE" and "Cancel".

Change password X

Current Password:

New Password:

Confirm New Password:

SAVE Cancel


3. Enter the current password in the *Current Password* field.
4. Enter the new password in the *New Password* field.
5. Re-enter the new password in the *Confirm New Password* field.
6. Click **SAVE**. You can now use this password to access your account.

6.4.2 Two-Factor Authentication

Two-factor authentication provides additional security to your account and your backup data.

To enable two-factor authentication:

1. Click **Activate 2FA**. The Two-Factor Authentication page is displayed.


A screenshot of the "Settings" page for Two-Factor Authentication. The breadcrumb trail is "Settings >> Security >> Two-Factor Authentication". The page contains two numbered steps: 1. Download the Google Authenticator app. (for Android, IOS and Blackberry) 2. Open Google Authenticator and add your CloudAlly account by scanning the QR code to the right. If you cant use a QR code then enter this text code: VOLLIK2IWTQ6QMPPM. A large QR code is displayed on the right. At the bottom left, there is a "NEXT" button.

Settings

Settings >> Security >> Two-Factor Authentication

1. Download the Google Authenticator app.
(for Android, IOS and Blackberry)
2. Open Google Authenticator and add your CloudAlly account by scanning the QR code to the right. If you cant use a QR code then enter this text code: VOLLIK2IWTQ6QMPPM

NEXT



2. Download an Authenticator app, depending on your platform.
3. Open the Authenticator app and add your account by scanning the QR code provided in the web application.
4. If you cannot use a QR code, then enter the text code provided in the web application.
5. A six-digit code is generated.
6. Click **NEXT**.
7. Enter the 6-digit code that the application generated.
8. Click **ENABLE** to complete the process of activating the Two-factor authentication.

From now on, every time you sign in to your Account, you are asked to enter a 6-digit code from your authentication app, after you click **SIGN IN**. Click **VERIFY** to verify the code and access the application.

6.4.3 SAML

The Security Assertion Markup Language (SAML) is an open federation standard that allows an identity provider (IdP) to authenticate users and then pass an authentication token to another application known as a service provider (SP).


CloudAlly supports Okta as its SAML provider.

There are two steps to setting up Okta so that you can use it to log in to CloudAlly:


- Setting up Okta in the CloudAlly application
- Setting up CloudAlly in the Okta Application

6.4.3.1 Setting up CloudAlly in the Okta Application


- In the Okta application, click Applications > Applications > Browse App Catalog.




- In the search bar, enter CloudAlly.




- Click the triangle next to CloudAlly SAML 2.0, and **Assign to Users or to Groups**.



- Click CloudAlly SAML 2.0, and on the next page, click the **General** tab.



- Scroll down until you see the **App Embed Link** section. Copy the URL that is displayed - you will need this to set up Okta in the CloudAlly app.




6.4.3.2 Setting Up Okta in the CloudAlly Application


1. From the Homepage, click **Settings** in the Navigation panel.




2. On the Settings page, click **Security**.




3. Click the SAML tab.




4. Paste the URL that you copied from the Okta site.



5. Click **Activate**.
6. Read the text in the next window, and click **Confirm**.



After clicking Confirm, the Activate state (top right corner of the screen) changes from **Email & Password: Active** to **SAML: Active**.



6.4.4 IP Restrictions

Need fine-grained access control of your endpoints? You can restrict access to the Portal based on the users' IP addresses. This is especially helpful to enforce security policies and prevent unauthorized access by limiting backup/restore

requests to company-approved IP addresses, such as an office IP, or a particular VPN.


Setting Up IP Restrictions

To enable IP restrictions in your account, first create the list of trusted IP addresses.

IMPORTANT!

It is strongly recommended to use this feature only if you have a static IP address, to prevent users from being locked out.

1. In the *Settings* panel, click **Security**, and then **IP Restrictions**.



2. Click **+ Add IP Address**.
3. Enter one or more IP addresses:
 - a. Enter individual addresses separated by commas, and an optional description.

Add New IP Address Your IP Address: 130.248.112.29

Enter IP Address description (optional)
e.g. Office

You can add one or more IP addresses, or a range of IP addresses:

☒ Trusted IP Address(es)
Separate multiple IP addresses with ",".
Example 192.168.10.5

☐ Trusted IP Address Range
From To
Example 192.168.10.0 - 192.168.10.255

Cancel Save

- b. Or, enter a one or more ranges of contiguous addresses, and an optional description. Multiple ranges could be used to accommodate VPN and internal networks.

Add New IP Address Your IP Address: 79.181.255.0

Enter IP Address description (optional)
Secondary office


You can add one or more IP addresses, or a range of IP addresses:

☐ Trusted IP Address(es)
Separate multiple IP addresses with ",".
Example 192.168.10.5

☒ Trusted IP Address Range
From To
79.181.255.0 - 79.181.255.16
Example 192.168.10.0 - 192.168.10.255

Cancel Save

4. Once you enter at least one address, the **Trusted IP Addresses** toggle will be turned on. You can always return to disable IP restrictions later on.



You can edit your list of addresses by clicking , or delete ones that you no longer want on your trusted list by clicking .

Note: If you forget to include your own IP address on the trusted list, IP restrictions cannot be enabled.

Your CloudAllly account is now protected from access by users who are not on your list.


Blocking Access

If a user tries to access your CloudAllly account from an untrusted IP address, the following "access denied" error message will appear:

The screenshot displays the CloudAlly login interface. At the top left is the logo 'CLOUDALLY an opentext company'. At the top right are links for 'Home', 'Free Trial', and 'Log In'. The main heading is 'Sign In to your Account', with a link for 'Don't have an account? Sign up'. The email input field contains 'bob.smith@ca4software.onmicrosoft.com'. The password field is masked with dots. A red error message 'Access denied.' is shown below the password field. To the left of the form is a large green arrow pointing right. Below the password field is a link for 'Forgot your password?'. A blue 'Sign In' button is positioned below the error message. Below this is a section for social login with buttons for 'Sign in with Google', 'Sign in with Microsoft', and 'Sign in with Okta'. At the bottom, there are links for 'Terms of Service and Privacy Statement' and a 'powered by aws' logo.


6.4.5 Email Notifications

Whenever you enable or disable IP restrictions, or modify the addresses, CloudAlly will send you an email notification, letting you know what has changed.



6.5 Notifications Settings

This menu option enables you to manage your system notifications.
From the Navigation Panel, click **Settings > Notifications**.



The following screen will appear:

Settings
Settings > Notifications

Summary Report ☒

Report Format:

- ☒ Backup tasks overview [Preview](#)
- ☐ Backup failure details [Preview](#)

Report Frequency:
Once A Day

Provide as:

- ☐ CSV Attachment
- ☒ Download Link

☐ Send the report only in case of backup failure

SAVE

Send Notifications To: [+ Add new recipient](#)

Email	Display Name	Summary Report	Recovery Notification	Exceptions Notification	Auto Discovery Notification	Smart Alerts	Action
m.steward@cloudally.com	Max Steward	✓	✓	✓	✓	✓	Edit Delete

Page 1 of 1
Showing 1-1 of 1

The top of the screen enables you to configure the following options:

- Report Format: Backup tasks overview vs. backup failure details
- CSV Attachment vs. Download Link
- Report Frequency: daily, weekly or monthly
- Send the report only in case of backup failure

To set up a new recipient:

1. Click **+ Add new recipient**.
2. Enter the Email of the recipient and the Display name. The Display name is used in the report email to address the recipient.

3. Select the desired notification types:
 - a. Summary Report
 - b. Recovery Notification
 - c. Exceptions Notification
 - d. Auto Discovery Notification
 - e. Smart Alerts
4. Click **SAVE** to create the new recipient. You may need to scroll to the bottom of the page to find **SAVE**.

Settings
Settings > Notifications > New Email report

User Info

Email Display Name

Notifications

☐ Summary Report ☐ Recovery Notification ☐ Exceptions Notification ☐ Auto Discovery Notification ☐ Smart Alerts

Save **Cancel**


7 Managing Subscriptions and Payments

7.1 Subscribing to CloudAlly

Once the trial period has ended, you need to subscribe to CloudAlly to access and manage your backups, otherwise your backed up data will be deleted.

To subscribe to a plan:

1. Click the Subscribe link displayed in your account. Alternatively, you can click the Billing option of the Navigation Panel.



The screenshot shows the 'Billing' section of a user interface. At the top, it says 'Billing' and 'Trial'. Below this, a message states '14 days left for your free trial, review your billing details'. A section titled 'Choose your subscription plan' features two buttons: 'MONTHLY' and 'ANNUAL'. Below the buttons is a table with columns 'Service' and 'Quantity'. The table is currently empty, displaying 'No records to view'. At the bottom of the table, it says 'Page 1'.

The *Review Billing* page is displayed with the option to select either **MONTHLY** or **ANNUAL** billing options.

Note: You can subscribe before the end of the trial period, and the payment period will start after the trial period is over.

2. Click **MONTHLY** or **ANNUAL**, depending on your preference.

You are redirected to the *Payment Details* page. Fill in the billing and credit card details to finish the subscription process. Refer to [Payment Details](#) for more information.

7.1.1 Monthly Subscriptions

When you subscribe to a monthly plan, the credit card that you registered in the *Billing > Payment Details* page will be charged the amount that you owe.

CloudAlly's billing is handled by a PCI-compliant payment processor.


To finalize your subscription, enter your credit card details and general billing information, and then click **Subscribe**.

The initial payment will be charged at the end of your 2-week trial period.

A receipt will be emailed to you each month after you are charged.

If CloudAlly is unable to charge your credit card (e.g., because it has expired), you will be notified by email. Additionally, a message will appear in the application that you need to go to the *Billing Status* page so you can review your billing details, and then update your credit card information if necessary.

Note: The payment status is updated every 24 hours, so if you update your credit card details but the reminder is still there, check again tomorrow.



Note: The monthly payments are processed automatically once you provide the required information in the Payment Details section, and it has been verified that your credit card is valid. To disable automatic payment processing, please contact CloudAlly support. Instead, you will start receiving monthly invoices for the payments.

7.1.2 Annual Subscriptions

When you subscribe to an annual plan, you will receive a confirmation message that your request has been submitted, and then CloudAlly support will send you an email, asking that you confirm your annual subscription request.

Once you have confirmed, CloudAlly will email an invoice to you, payable in 30 days by credit card, PayPal, or bank transfer.

After the initial payment, CloudAlly will send you an invoice 30 days before your payment is due, in 11 months. You will also be reminded that your annual subscription is due online:

Note: The payment status is updated every 24 hours, so if you update your credit card details but the reminder is still there, check again tomorrow.




Should you fail to make your annual payment, you will be reminded with a message like this:



After you finalize your subscription, the *Billing > Payment Details* page displays additional billing management options and provides a brief summary of the payment information for the current period and the next payment date.

7.2 Payment Details



The *Payment Details* page contains the information used for billing.

7.2.1 Monthly Subscriptions

If you have chosen a monthly payment plan, you can update your credit card and billing details here:

A screenshot of the 'Billing > Payment' page in Salesforce. The page is divided into two main sections. The top section, 'Credit Card Details', shows a dropdown for 'Card Number' with the value 'CREDIT: 0000-0000-0000-1111 (12/2023)'. Below this are three buttons: 'ADD NEW CARD', 'ACTIVATE CARD', and 'Delete Card'. The bottom section, 'Billing Details', contains two columns of form fields. The left column includes fields for Currency (EUR), First Name (Bob), Billing Email (bob.smith@calsoftware.onmicrosoft.com), Company Name (12345), Address Line 2, Country (United Kingdom), City (Anytown), Phone number (2011234567), and Payment Day (5). The right column includes fields for Title (Mr), Last Name (Smith), Company Tax Id (12345), Address Line 1 (123 Main Street), Address Line 3, State, Zip Code/Postal Code (12345), and Email Invoice/Receipt (with radio buttons for Link and Attachment). An 'UPDATE BILLING DETAILS' button is located at the bottom right of the form.

7.2.1.1 Add New Card

The **ADD NEW CARD** option enables you to define your card information for a monthly subscription payment.

The screenshot shows the 'Billing' section of a Salesforce interface. At the top, it says 'Billing >> Payment details' and 'Monthly subscription, next payment: Dec 13th 2020'. Below this is a section titled 'Credit Card Details' with a dropdown arrow. It contains a 'Card Number' field with a placeholder 'undefined: XXXX-XXXX-XXXX-444...' and a dropdown arrow. To the right of this field are three buttons: 'ADD NEW CARD' (dark blue), 'ACTIVATE CARD' (dark blue), and 'Delete card' (light blue). Below this is another section titled 'Add new card details' with a dropdown arrow. It contains a 'Card Holder's Name' field with a placeholder 'Card Holder's Name:' and a 'Card Number' field with a placeholder 'Card Number' and a dropdown arrow. To the right of the 'Card Number' field are two fields: 'MM / YY' and 'CVV'. At the bottom right of this section is a button labeled 'ADD NEW CARD'.

To create a new payment method:

1. Click **ADD NEW CARD**.
2. Enter the card details such as Card Number, CVV, Card holder's name, and card expiry date.
3. Click **ADD NEW CARD**.

The new card information is saved and activated, and you can use this card.

7.2.1.2 Change Payment Method

To change your existing payment method:

1. Click the drop-down list and select the payment method from the Cards Number drop-down list.
2. Click the payment method from the list (the screen shot below depicts choosing a different credit card).
3. Click **ACTIVATE CARD** to set the selected card as the preferred payment method.

The screenshot shows the 'Billing >> Payment details' page. It indicates a 'Monthly subscription, next payment: Dec 7th 2020'. Under the 'Credit Card Details' section, there is a 'Card Number:' label and a dropdown menu. The dropdown menu is open, showing three options: 'CREDIT: XXXX-XXXX-XXXX-5048 (12/2025)' (highlighted), 'CREDIT: XXXX-XXXX-XXXX-5048 (12/2025)', and 'CREDIT: XXXX-XXXX-XXXX-1111 (12/2023)'. To the right of the dropdown are three buttons: 'ADD NEW CARD', 'ACTIVATE CARD', and 'Delete card'.

The details section displays billing information such as Currency, Title, Name, and Billing email.

4. Scroll down for more fields in the Billing details section. The Company Tax ID field indicates your company tax ID. (This is mandatory for Israeli companies.)

Note: Due to Value-added tax (VAT), Israeli companies must include their Tax ID. Therefore, the Company Tax ID field is mandatory for Israel, and if this field is not completed, our company will not be able to provide you with backup services.

▼ Billing Details

* Currency:

USD

* First Name:

* Billing Email:

* Company Name:

Address Line 2:

* Country:

* City:

* Phone number:

Title:

* Last Name:

Company Tax Id:

* Address Line 1:

Address Line 3:

State:

* Zip Code/Postal Code:

Email Invoice/Receipt:

☐ Link

☒ Attachment

UPDATE BILLING DETAILS

5. Update the required fields. The fields marked with the * symbol are mandatory.
6. Click **UPDATE BILLING DETAILS**.
7. The updates are saved.

At the bottom of the page, you can choose whether you want to receive the Invoices or Receipts as a link or as an attachment to the email.

Note: You can change the billing currency by contacting CloudAlly support.

7.2.2 Annual Subscriptions

If you have chosen an annual payment plan, you can update your billing details here. When you are done, click **SAVE**.

The screenshot displays the 'Billing' section of a Salesforce user interface. The left sidebar contains navigation links: Homepage, Jobs, Recovery, Billing (selected), Activity, Settings, and Support. The main content area is titled 'Billing' and 'AnnualSubscription', with a subtitle 'Annual subscription, Renewal Date: Oct 19th 2023'. It is divided into two sections: 'Billing Details' and 'Billing contact'. The 'Billing Details' section includes fields for Subscription Starting Date (November 3, 2022), Currency (USD), Country (United States), State (New York), City (New York), Zip Code/Postal Code (01234), Company Name (Pizza Perfecto), Company Tax Id (987654321), Company Address (14652 Broadway), and Purchase Order Number (Optional) (4350123). The 'Billing contact' section includes fields for First Name (Bob), Last Name (Smith), and Billing Email (Bob.smith@caasoftware.onmicrosoft.com). A 'Help' button is located in the bottom right corner of the form area.


Billing Details	
Subscription Starting Date:	November 3, 2022
Currency:	USD
* Country:	United States
* State:	New York
* City:	New York
* Zip Code/Postal Code:	01234
* Company Name:	Pizza Perfecto
Company Tax Id:	987654321
* Company Address:	14652 Broadway
Purchase Order Number (Optional):	4350123

Billing contact	
* First Name:	Bob
* Last Name:	Smith
* Billing Email:	Bob.smith@caasoftware.onmicrosoft.com

7.3 Billing Status

Annual Subscription

When you have paid your annual subscription, this page displays the next payment forecast for the upcoming payment date. The details include Service type and backup name, Quantity, Unit Price, and the Total Amount.



Billing
Billing > Status


Note: The billing status is updated once a day. If you made any recent payments it will be reflected in the next 24 hours.

Subscription	Payments status	Next renewal date	Forecast for next payment
Annual	Paid	Sep 12, 2023	\$226.80

Payment Forecast

Service	Total Quantity	Billable Quantity	Unit Price	Total Amount
MIS Exchange (365)	6 mailboxes	6 mailboxes	\$37.80	\$226.80

If you have neglected to pay your annual subscription, the status will look like this:



CloudALLY **Invoice Overdue:** Please pay your annual subscription. Updated on: Mar 03, 2023

Billing
Billing > Status

Note: The billing status is usually updated within a few minutes after the payment is complete. If the status has not updated after 24 hours, please contact support.


Subscription	Payments status
Annual	Amount Due \$1,890.00

Overdue Invoices

Issue Date	Status	Due Date	Total Amount	Download Invoice	Email Invoice
Mar 18, 2023	Overdue	Apr 17, 2023	\$1,890.00	41197	

Pay Invoice

You can click **Pay Invoice**, and you will be directed to the following screen, where you can pay your invoice via PayPal or by credit card:



CloudAlly

**bob.smith@ca4software.com, 1
year backup starting September
28, 2022, HR MS 365 Bundle Plan -
Comprehensive Microsoft 365
Backup Billed Per User**


Buyer bob.smith@ca4software.com

Due date Apr 17, 2023

Total **\$1,890.00**

morning by Green Invoice is not part of the interaction between the business and its customers, and is not liable for the goods & services offered by the business, and/or the business' use of the customer's credit cards.


Choose payment method

Pay With  **PayPal**

On the Paypal page, you can also pay by credit, without the need for a user account

Monthly

Similarly, if you neglected to pay your monthly subscription fee, the status will look as follows:



Cloud to Cloud Backup

Payment Failed: Unable to charge your credit card.

Updated on: Nov-07, 2022

bob.smith@ca4software.onmicrosoft.com Bob Smith Log Out

Homepage

Jobs

Recovery

Billing

Activity

Settings

Billing

Billing > Status

Note: The billing status is updated once a day. If you made any recent payments it will be reflected in the next 24 hours.

Subscription

Monthly

Payments status

Amount Due \$51.52

Update credit card details





Unpaid Bills

Issue Date	Due Date	Total Amount
Jun 20, 2022	Jun 20, 2022	\$12.88
May 20, 2022	May 20, 2022	\$12.88
Apr 20, 2022	Apr 20, 2022	\$12.88
Mar 20, 2022	Mar 20, 2022	\$12.88

From here, click **Update credit card details** and provide the new information.

7.4 History

This page displays the history of payments.

Billing			
Billing >> History			
Monthly subscription, next payment: Dec 13th 2020			
Reference Number	Issue Date	Due Date	Amount
68277 	November 13, 2020	November 13, 2020	\$143.45
67599 	October 13, 2020	October 13, 2020	\$44.65
67134 	September 13, 2020	September 13, 2020	\$48.40
66837 	August 13, 2020	August 15, 2020	\$44.65
Page 1 of 1			Showing 1-4 of 4

By clicking on the reference number, you can download the receipt, which provides details about the number of backed-up accounts or the amount of stored data, and the total amount paid. It also displays the payment method used.

An example of a receipt is displayed below.



To: pizza-perfecto.com – PPV001

CloudAlly Ltd.

Pizza Perfecto Ltd
18 Mozarella Lane
United Kingdom ID 307 123 08

Tax ID: 514596667
12 Harimon st., Gan Hayyim 4491000,
Israel
www.cloudally.com
accounting@cloudally.com

Invoice / Receipt 51646

26 Apr 2021

Certified Copy

Invoice / Receipt for admin@pizza-perfecto.com, 1 year backup starting April 22, 2021, GBP

QTY	Description	Price	Total
70	Dropbox 696.56 GB	16.25 GBP	1,137.50 GBP
Subtotal			1,137.50 GBP
VAT 0%			0.00 GBP
Total payable			1,137.50 GBP

Payments Details

Type	Description	Date	Amount
PayPal	Account 12345678 / Transaction # 987654321	26 April 2021	1,137.50 GBP

Total **1,137,50 GBP**



Invoice / Receipt for Proforma Invoice 11392
Paid with PayPal
Merchant Account: KQMTW2PHR5CUG

Signature: CloudAlly Ltd
c.n 514596667

Secured Electronic Signature


Digital Document Signed by **Green Invoice #**


Created 26/04/2021 16:29 | Invoice / Receipt 51646 | page 1 of 1

7.5 Billing Notification Messages

Administrators can define whether individual users will see the Billing Notification Messages on their screens (e.g., Payment Due, Payment Overdue, Payment Failed).

To turn notifications on or off:

1. From the Navigation Panel, click **Settings > User Management**.
2. For an existing user, click the pencil icon  to the right of the user's name.
For a new user, the notification options will appear when you define the new user's details.
3. Click "View billing notification messages" on or off.



The screenshot shows the Salesforce Settings page for User Management. The left sidebar contains navigation links: Homepage, Jobs, Recovery, Billing, Activity, and Settings (highlighted). The main content area is titled 'Settings' and 'Settings > User Management > New user'. It includes fields for Email (bob.smith@ca4software.onmicrosoft.com), Password (masked), Type (Email), and Role (Custom). Below these are two sections: 'Operations' and 'Services'. The 'Operations' section has a 'General' subsection with several checkboxes, including 'View billing notification messages' which is checked. The 'Services' section has an 'All' subsection with checkboxes for various services like Microsoft Exchange, Microsoft Groups / Teams, Microsoft SharePoint, Microsoft OneDrive, Google Account, Salesforce, Dropbox Business, Box, Google Workspace, Google Shared Drives, and IMAP.

8 Helpful Resources

8.1 About CloudAlly

Founded in 2011 as one of the world's first cloud-to-cloud backup services for Google Apps and Salesforce, CloudAlly led the industry with the first commercially available Microsoft cloud backup in Q1 2014. ISO 27001 and HIPAA certified CloudAlly adheres to industry-standard best practices for information security management, including EU-GDPR compliance.

8.2 Knowledge Base

Search through articles in our Knowledge Base at <https://support.cloudally.com> to find answers to the most common user questions.

8.3 Support

Support - If you have any question or need further help, do not hesitate to contact us via email at support@cloudally.com, or visit our customer support hub: <https://support.cloudally.com>

8.4 Privacy


CloudAlly takes privacy seriously. Read our Privacy Policy at <https://www.cloudally.com/privacy-policy>

8.5 Security

CloudAlly provides a secure online backup solution with internationally recognized accreditation for information security management. Read how we protect your data at <https://www.cloudally.com/resources/secure-saas-backup/>

9 Support Pages

The Support option at the bottom of the Navigation Panel redirects you to our support hub. In the support hub, you can find articles covering some of the most common questions and providing instructions.



CloudAlly provides multi-channel support options:

Phone Numbers:

USA: +1 (424) 304-1959

AU: +61 2 8599 2233

UK: +44 114 303 2758

Email Addresses:

General Inquiries: Info@cloudally.com


Customer Support: Support@cloudally.com

Sales: Sales@cloudally.com

Open a ticket and the support team will contact you to help you with any question or problem.

Here to help you


Our support team is available 24 hrs 365 Days a Year.



Ticket

Open a new ticket or view your existing tickets


[Open a Ticket](#)



Call

Our agents are available to assist by telephone.


[Call Us](#)



Chat

Click to chat with our customer support agents.

[Chat With Us](#)




Email

Email us with your customer support inquiry.


[Email Us](#)

Browse the articles, instructions, and tutorials in the Help Topics section. These materials are especially useful for new users as they explain the settings and procedures of backup activation, management, and recovery.


Knowledge Base




Getting Started




My Account




Backup Solutions



User Guides



Videos



Copyright & Legal